



SEP 29 1997

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850Moshe Zchut
Vice President, Technology
OptiMed Technologies, Inc.
293 Eisenhower Parkway
Livingston, NJ 07039Re: K972520
OptiView/Medical Image Record and Display System
Dated: July 1, 1997
Received: July 7, 1997
Regulatory class: Unclassified
Procode: 90 LLZ / 90 LMB

Dear Mr. Zchut:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirement, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic QS inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4613. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsmamain.html>.

Sincerely yours,

Lillian Yin, Ph.D.
Director, Division of Reproductive,
Abdominal, Ear, Nose and Throat,
and Radiological Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

510(k) Number (if known): K972520

Device Name: OptiView

Indications For Use:

OptiView is a digital image recording and display system for use in a cardiac cath lab or radiography/fluoroscopy suite. It is a digital upgrade for the cardiac catheterization lab. It interfaces with new or existing systems to provide high quality diagnostic images and an instant increase in productivity.

Integrated with the room's x-ray equipment OptiView acquires the flickered images from the video camera, gets rid of the flicker, and provides flicker-free live images displayed on a monitor in the cath lab and in the control room.

The OptiView system records patient demographics and the images from the cardiac catheterization procedure (as well as radiography/fluoroscopy suite). The images on the screen can be enhanced to allow for easier, better diagnosis, and the images and the information can be reviewed during the case as well as after the case is completed.

PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

David A. Korman

(Division Sign-Off)
Division of Reproductive, Abdominal, ENT,
and Radiological Devices

510(k) Number K972520

Prescription Use X
(Per 21 CFR 801.109)

CR

Over-The-Counter Use _____

(Optional Format 1-2-96)