



Food and Drug Administration  
9200 Corporate Boulevard  
Rockville MD 20850

Mr. James P. Hurlman  
Manager, Regulatory Affairs  
TECA Corporation  
3 Campus Drive  
Pleasantville, New York 10570

NOV 20 1997

Re: K973442  
TECA Disposable Monopolar Needle Electrodes  
K973444  
TECA MyoJect Disposable Needle Electrodes  
Regulatory Class: II  
Product Code: IKT  
Dated: September 11, 1997  
Received: September 11, 1997

Dear Mr. Hurlman:

We have reviewed your Section 510(k) notification of intent to market the devices referenced above and we have determined these devices are substantially equivalent (for the indications for use stated in the enclosures) to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the devices, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your devices are classified (see above) into either class II (Special Controls) or class III (Pre-market Approval), they may be subject to such additional controls. Existing major regulations affecting your devices can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the current Good Manufacturing Practice requirement, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic (QS) inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your devices in the Federal Register. Please note: this response to your premarket notification submission does


Page 2 - Mr. James P. Hurlman

not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your devices as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your devices to legally marketed predicate devices results in a classification for your devices and thus, permits your devices to proceed to the market.

If you desire specific advice for your devices on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4659. Additionally, for questions on the promotion and advertising of your devices, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "<http://www.fda.gov/cdrh/dsmamain.html>".

Sincerely yours,

  
for Celia M. Witten, Ph.D., M.D.  
Director  
Division of General and  
Restorative Devices  
Office of Device Evaluation  
Center for Devices and  
Radiological Health

Enclosures

510(k) Number (if known): \_\_\_\_\_

Device Name: Disposable Hypodermic Needle Electrode


Indications For Use:

The disposable hypodermic monopolar needles are FOR SINGLE USE ONLY in electromyography (EMG) in situations wherein it is desired to insert an electrode, in the form of a probe, into a patient to locate a particular muscle and then inject a medication into that muscle. The hypodermic needle with an open lumen is designed for muscle stimulation, motor unit action potential recording and drug delivery. Once the physician is satisfied with the location, he/she injects a drug therein via the lumen of the needle.

Note: TECA Corp. does not supply any drugs with needle electrodes nor does TECA Corp. offer for sale any form of drugs.

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

\_\_\_\_\_  
Concurrence of CDRH, Office of Device Evaluation (ODE)

  
\_\_\_\_\_  
(Division Sign-Off)  
Division of General Restorative Devices  
510(k) Number 1973442

Prescription Use X  
(Per 21 CFR 801.109)

OR

Over-The-Counter Use \_\_\_\_\_

(Optional Format 1-2-96)