



MAR 18 1998

K974908

Attachment VI: Summary of Safety and Effectiveness Information [510(k) Summary]

SUBMITTER: Synthes (USA)
1690 Russell Road
Paoli, PA 19301
(610) 647-9700

Contact: Kevin J. O'Connell

COMMON OR USUAL NAME: Plate, Fixation, Bone

CLASSIFICATION CODE: 21 CFR, Section: 888.3030

PREDICATE DEVICE: Synthes 2.7 mm Reconstruction Plates

DESCRIPTION: Synthes 2.7 mm Reconstruction Plates are used with 2.7 mm Cortex Screws. The plates are available in lengths from 48 mm to 192 mm and can be contoured with bending irons. The plates are manufactured from stainless steel and are available as sterile.

INTENDED USE: Intended for distal humerus fractures.



Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

MAR 18 1998

Mr. Kevin J. O'Connell
Regulatory Affairs Associate
Synthes (USA)
1690 Russell Road
P.O. Box 1766
Paoli, Pennsylvania 19301

Re: K974908
Synthes Sterile 2.7mm Reconstruction Plates
Regulatory Class: II
Product Code: HRS
Dated: December 30, 1997
Received: December 31, 1997

Dear Mr. O'Connell:


We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the current Good Manufacturing Practice requirement, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic (QS) inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4659. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "<http://www.fda.gov/cdrh/dsmamain.html>".

Sincerely yours,



pc Celia M. Witten, Ph.D., M.D.
Director
Division of General and
Restorative Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure



SYNTHES (USA)
1690 Russell Road
Post Office Box 1766
Paoli, Pennsylvania 19301
Telephone 610-647-9700

Page 1 of 1

510(k) Number (if known): K974908

Device Name: Synthes (USA) Sterile 2.7 mm Reconstruction Plates

Indications for use:

The Synthes 2.7 mm Reconstruction Plates are intended for distal humerus fractures.

(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

Prescription Use X
(Per 21 CFR 801.109)

OR

Over-The-Counter Use _____

Russell P. Payon
(Division Sign-Off)
Division of General Restorative Devices
510(k) Number K974908