



DEC 18 1998

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850Sergio Finkielsztein, President
Marine Polymer Technologies, Inc.
107 Water Street
Danvers, Massachusetts 01923Re: K984177
Trade Name: Syvekpatch (prescription)
Prodein (over-the-counter)
Regulatory Class: Unclassified
Product Code: KMF
Dated: November 19, 1998
Received: November 20, 1998

Dear Mr. Finkielsztein:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosures) to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (the Act). You may, therefore, market your device subject to the general controls provisions of the Federal Food, Drug, and Cosmetic Act (Act) and the following limitations:

1. This device may not be labeled for use on third degree burns.
2. This device may not be labeled as having any accelerating effect on the rate of wound healing or epithelization.
3. This device may not be labeled as a long-term, permanent, or no-change dressing, or as an artificial (synthetic) skin.
4. This device may not be labeled as a treatment or a cure for any type of wound.

The labeling claims listed above would be considered a major modification in the intended use of the device and would require a premarket notification submission (21 CFR 807.81).

The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practices, labeling, and prohibitions against misbranding and adulteration.


If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval) it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations (CFR), Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Good Manufacturing Practices (GMP) for Medical Devices: General GMP regulation (21 CFR Part 820) and that, through periodic GMP inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

Page 2 - Sergio Finkielstein

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4595. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or 301-443-6597 or at its internet address <http://www.fda.gov/cdrh/dsmamain.html>.

Sincerely yours,

A handwritten signature in black ink, appearing to read 'C. Witten', with a large, stylized initial 'f' to the left.

Celia M. Witten, Ph.D., M.D.
Director
Division of General and
Restorative Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosures

Indications for Use Statement

510(k) Number : K984177


Device Name: ProDein™ Patch

Indications for use:

ProDein™ Patch is indicated for use in the local management of bleeding wounds such as lacerations, abrasions and nose bleeds.

(PLEASE DO NOT WRITE BELOW THIS LINE—CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)



(Division Sign-Off)

Division of General Restorative Devices

510(k) Number _____

K984177

Prescription Use _____
(Per 21 C.F.R. 801.109)

OR

Over-The-Counter Use
(Optional Format 1-2-96)

Indications for Use Statement

510(k) Number : K984177

Device Name: SyvekPatch™

Indications for use:


SyvekPatch™ is intended for use under the direction of a healthcare professional for the following indications:

SyvekPatch™ is indicated for the promotion of rapid control of bleeding in patients following hemodialysis and in patients on anticoagulation therapy.

SyvekPatch™ is indicated for use in the local management of bleeding wounds such as vascular access site, percutaneous catheters or tubes and surgical debridement.

(PLEASE DO NOT WRITE BELOW THIS LINE—CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)



(Division Sign-Off)

Division of General Restorative Devices

510(k) Number K984177

Prescription Use X
(Per 21 C.F.R. 801.109)

OR

Over-The-Counter Use
(Optional Format 1-2-96)