



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

JUN 3 1999

Food and Drug Administration  
9200 Corporate Boulevard  
Rockville MD 20850

Mr. Lim Wee Chai  
Assistant QA Manager  
TG MEDICAL SDN. BHD.  
(Medical Latex Glove Manufacturer and Exporter)  
Lot. 5091, Jalan Teratai, 5<sup>th</sup> Miles, Off Jalan Meru,  
41050 Klang, Selangor Darul Ehsan  
MALAYSIA

Re: K990668  
Trade Name: Powder Free Blue Nitrile Examination Glove  
Regulatory Class: I  
Product Code: LZA  
Dated: April 21, 1999  
Received: April 26, 1999

Dear Mr. Chai:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Pre-market Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Good Manufacturing Practice for Medical Devices: General (GMP) regulation (21 CFR Part 820) and that, through periodic GMP inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register.


Page 2 - Mr. Chai

Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4692. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "<http://www.fda.gov/cdrh/dsmamain.html>".

Sincerely yours,

  
Timothy A. Ulatowski  
Director  
Division of Dental, Infection Control,  
and General Hospital Devices  
Office of Device Evaluation  
Center for Devices and  
Radiological Health

Enclosure

**3.0 Indications for Use Statement:** Include the following or equivalent Indications for Use page. The information, data and labeling claims in the entire the 510(k) submission must support and agree with the Indications for Use statement.

**INDICATIONS FOR USE**

**Applicant:** TG MEDICAL SDN. BHD.

**510(k) Number (if known):** K 990668 EXAMINATION \*

**Device Name:** POWDER FREE BLUE NITRILE GLOVE

**Indications For Use:**

The glove is disposable and intended for Medical purpose that is worn on the examiner's hand to prevent contamination between the patient and the examiner.

**(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF NEEDED)**

Concurrence of CDRII Office of Device Evaluation (ODE)

*Chin S. Lim*

(Division Sign-Off)  
Division of Dental, Infection Control,  
and General Hospital Devices

510(k) Number K990668

Prescription Use \_\_\_\_\_  
Per 21 CFR 801.109

OR

Over-The-Counter X

(Optional Format 1-2-96)

\* For a new submission, do NOT fill in the 510(k) number blank.