



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

JUL 14 1999

Food and Drug Administration  
9200 Corporate Boulevard  
Rockville MD 20850

Rainer Birkenbach  
BrainLAB USA, Inc.  
Building 4A, Mailstop E233  
3100 Hanson Way  
Palo Alto, CA 94304

Re: K983660  
Trade Name: ExacTrac (BrainLAB  
Patient Positioning System)  
Regulatory Class: II  
Product Code: 90-LNH/ 892.5050  
Dated: April 7, 1999  
Received: April 12, 1999

Dear Mr. Birkenbach:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirements, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic QS inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4613. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597, or at its internet address "<http://www.fda.gov/cdrh/dsma/dsmamain.html>".

Sincerely yours,

CAPT Daniel G. Schultz, M.D.  
Acting Director, Division of Reproductive,  
Abdominal, Ear, Nose and Throat,  
and Radiological Devices  
Office of Device Evaluation  
Center for Devices and  
Radiological Health

Enclosure

510(k) Number (if known): \_\_\_\_\_

Device Name: ExacTrac  
(BrainLAB Patient Positioning System)


Indications For Use:

**ExacTrac**

This submission describes a system that is intended to be used to place patients at the isocenter of a linear accelerator for stereotactic radiosurgery or radiotherapy procedures. The ExacTrac System uses optical tracking of infrared reflecting markers as the method of locating the position of the patient. The ExacTrac System consists of infrared cameras, computer workstation, reflective markers and calibration tools.

(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

  
\_\_\_\_\_

(Division Sign-Off)  
Division of Reproductive, Abdominal, ENT,  
and Radiological Devices

Prescription Use   
(Per 21 CFR 801.109)

510(k) Number K983660

Over-The-Counter Use \_\_\_\_\_

(Optional Format I-2-96)