

4/29/99

K990139

KENSTONE METAL CO., LTD.

9, Road 5, Taichung Ind. Park, Taichung, Taiwan 407

Tel: (04) 359-3591 Fax: (04) 359-3589/90

PREMARKET NOTIFICATION 510(K) SUMMARY

As required by Section 807.92(c)

Date submitted: 1/4/99

Kenstone Metal (Kunshan) Co., Ltd.
22 Zhanjin East Rd., Peglang Town
Kunshan City, Jiansu
China

Contact person:	James Yang Telephone: 86-520-761-2811 Fax: 86-520-761-2815
Device Name:	Mechanical (manual) wheelchair #KE-1M
Trade Name:	Kenstone
Classification:	Class 1
Equivalent device:	Graham Field Vista Model 31-52005510
Intended use:	To aid mobility of persons having difficulty walking
Technological characteristics:	Function and design is same as equivalent device



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

APR 29 1999

Mr. Lonnie Wells
Kenda USA
7095 Americana Parkway
P.O. Box 0132
Reynoldsburg, Ohio 43068-4118

Re: K990139
Trade Name: Kenstone
Regulatory Class: I
Product Code: IOR
Dated: March 10, 1999
Received: March 18, 1999

Dear Mr. Wells:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.


If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the current Good Manufacturing Practice requirement, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic (QS) inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

Page 2 - Mr. Lonnie Wells

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4659. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "<http://www.fda.gov/cdrh/dsmamain.html>".

Sincerely yours,



Celia M. Witten, Ph.D., M.D.
Director
Division of General and
Restorative Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

510(k) Number (if known): K990139


Device Name: MECHANICAL (MANUAL) WHEELCHAIR

Indications For Use:

THIS DEVICE IS A CHAIR WITH LARGE WHEELS WHICH ARE USED TO MOVE AND TURN THE CHAIR BY THE USER. IT CAN BE USED ON A FLAT SURFACE IN A ROOM, A YARD, OR PAVED SURFACE. THIS CHAIR DOES NOT HAVE A RECLINING FEATURE. IT IS ESPECIALLY USEFUL TO THOSE WHO ARE UNABLE TO WALK OR LACK USE OF THEIR LEGS, ALLOWING THE USER A DEGREE OF MOBILITY.

(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)



(Division Sign-Off)

Division of General Restorative Devices

510(k) Number K990139

Prescription Use _____
(Per 21 CFR 801.109)

OR

Over-The-Counter Use X

(Optional Format 1-2-96)