



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

APR 2 1999

Food and Drug Administration  
9200 Corporate Boulevard  
Rockville MD 20850

Ms. Debra Olson  
Official Correspondent  
Medental International  
1246 Clear Creek Road  
Evergreen, Colorado 80439

Re: K990314  
Trade Name: Multi-Cure Composite Cement  
Regulatory Class: II  
Product Code: EBF  
Dated: March 17, 1999  
Received: March 18, 1999

Dear Ms. Olson:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Good Manufacturing Practice for Medical Devices: General (GMP) regulation (21 CFR Part 820) and that, through periodic GMP inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

Page 2 - Ms. Olson

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4692. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638 2041 or (301) 443-6597 or at its internet address "<http://www.fda.gov/cdrh/dsmamain.html>".

Sincerely,



Timothy A. Ulatowski  
Director  
Division of Dental, Infection Control  
and General Hospital Devices  
Office of Device Evaluation  
Center for Devices and  
Radiological Health

Enclosure

K990314

MEDENTAL INTERNATIONAL

1246 Clear Creek Road

Evergreen, CO 80439

Establishment # 1723973

510(k) Number: Unknown

Device Name: Multi-Cure Composite Cement

Indications for Use:

Multi-Cure composite cement is used as a luting cement for veneers, crowns, and bridges for anterior and posterior teeth. Composite restorative materials were developed by Dr. Raphael Bowen working for American Dental Research. The main innovation was Bisphenol A-Glycidyl Methacrylate (Bis-GMA), a dimethacrylate resin with silane coated filler (quartz) particles. These coated particles could bond chemically to the Bis-GMA resin. This is recommended for use for Classes III to V and for Class I when occlusal stress is not a problem and appearance is crucial. Although less durable than amalgam composite designed for Class II posterior applications, it is now used in about 20% of these restorations also.

The base paste and catalyst paste when mixed together form an exothermic reaction. When a standard dental curing light in the visible wave-length range is used it will cause the camphorquinone and the liquid "A" dimethylaminoethyl methacrylate to accelerate this reaction.

Angela Blackwell for MSR  
(Division Sign-Off)  
Division of Dental, Ophthalmic, Prosthetic  
and General Hospital Services  
510(k) Number K990314

prescription use ✓