

K992070

OCT 27 1999

**9 510(K) SUMMARY**

**Submitted By:** Brenda Davis  
Regulatory Affairs  
COOK OB/GYN™  
1100 West Morgan Street  
Spencer, Indiana, 47460.  
June 17, 1999

**Names of Device:**

Trade Name: COOK® Ultra Quiet Vacuum Pump & Regulator  
Common/Usual Name: Powered Aspiration Pump  
Classification Name: Powered Aspiration Pump  
21 CFR §884.6120 (85) MQG

**Predicate Device:** 63 FR 48428, September 10, 1998

**Device Description:**

The COOK® Ultra Quiet Vacuum Pump & Regulator provides high vacuum, ranging from -30 to -300 ± 5 mmHg, low flow aspiration.

**Intended Use:**

The COOK® Ultra Quiet Vacuum Pump & Regulator is intended for the aspiration of eggs (ova), during assisted reproduction procedures using low flow, intermittent vacuum.

**Substantial Equivalence:**

The COOK® Ultra Quiet Vacuum Pump & Regulator is comparable with respect to intended use to the published predicate device description and meets the requirements for 510(k) substantial equivalence.

**Discussion of Tests and Test Results:**

The COOK® Ultra Quiet Vacuum Pump & Regulator was subjected to testing to assure satisfactory electromagnetic compatibility. The COOK® Ultra Quiet Vacuum Pump & Regulator passed the requirements of all tests.

**Conclusions Drawn from Tests:**

This device is similar, with respect to intended use and technological characteristics, to the FDA published predicate device description.



OCT 27 1999

Food and Drug Administration  
9200 Corporate Boulevard  
Rockville MD 20850Ms. Brenda Davis  
Regulatory Affairs  
COOK® OB/GYN™  
1100 W. Morgan Street  
Spencer, IN 47460Re: K992070  
COOK® Ultra Quiet Vacuum Pump & Regulator  
Dated: August 20, 1999  
Received: August 24, 1999  
Regulatory Class: II  
21 CFR 884.6120/Procode: 85 MQG

Dear Ms. Davis:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirements, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic QS inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4613. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597, or at its internet address "<http://www.fda.gov/cdrh/dsma/dsmamain.html>".

Sincerely yours,

CAPT Daniel G. Schultz, M.D.  
Acting Director, Division of Reproductive,  
Abdominal, Ear, Nose and Throat,  
and Radiological Devices  
Office of Device Evaluation  
Center for Devices and  
Radiological Health

Enclosure

510(k) Number (if known): K992070

Device Name: COOK® Ultra Quiet Vacuum Pump & Regulator


Indications For Use:

**The COOK® Ultra Quiet Vacuum Pump & Regulator is intended for the aspiration of eggs (ova), during assisted reproduction procedures using low flow, intermittent vacuum.**

---

(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

  
\_\_\_\_\_  
(Division Sign-Off)  
Division of Reproductive, Abdominal, ENT,  
and Radiological Devices  
510(k) Number K992070/S<sup>CD1</sup>

Prescription Use   
(Per 21 CFR 801.109)

OR

Over-The-Counter Use \_\_\_\_\_  
(Optional Format 1-2-96)