



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

OCT 29 1999

Mr. P. Sundaram
General Manager (Marketing)
Pan-Century Rubber Products Sdn. Bhd.
Lot No. 230, Jalan Timah 2
Pasir Gudang Industrial Estate
81700 Pasir Gudang
Johor, MALAYSIA

Re: K993287
Trade Name: Powder Free (Silicon Coated) Latex
Examination Gloves with Protein Labelling Claim, 50
Micrograms or Less
Regulatory Class: I
Product Code: LYY
Dated: September 28, 1999
Received: October 1, 1999

Dear Mr. Sundaram:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.


If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Good Manufacturing Practice for Medical Devices: General (GMP) regulation (21 CFR Part 820) and that, through periodic GMP inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in

the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4692. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "<http://www.fda.gov/cdrh/dsmamain.html>".

Sincerely yours,



Timothy A. Ulatowski
Director
Division of Dental, Infection Control
and General Hospital Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure



SIRIM
QUALITY SYSTEM
MS ISO 9002
REGISTRATION NO 0400

PAN-CENTURY RUBBER PRODUCTS SDN. BHD.

(Co. No: 168095-W)

Lot No. 230, Jalan Timah 2, Pasir Gudang Industrial Estate, 81700 Pasir Gudang, Johor, Malaysia.

Tel: +60-7-251 8551 / 251 0115 / 251 6537

Fax: +60-7-251 3481



ANNEXURE 'A'

OCTOBER 20, 1999

GLOVE REVIEW SUMMARY K 993287

POWDER FREE (SILICON COATED) LATEX EXAMINATION GLOVES.
WITH PROTEIN LABELING CLAIM (50 microgram or less)

INDICATION FOR USE STATEMENT

A patient examination glove is a disposable device intended for medical purposes worn on the examiner's hand or finger to prevent contamination between patient and examiner.

Chin S. Lin

(Division Sign-Off)

Division of Dental, Infection Control,

and General Hospital Devices

510(k) Number

K 993287