



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

Food and Drug Administration  
10903 New Hampshire Avenue  
Document Control Room -WO66-G609  
Silver Spring, MD 20993-0002

Ms. Stephanie Wasielewski  
VP, Regulatory Affairs/Quality  
CORPAK MedSystems  
1001 Asbury Drive  
BUFFALO GROVE IL 60089

JAN 10 2012

Re: K113351  
Trade/Device Name: CORTRAK 2 Enteral Access Device  
Regulation Number: 21 CFR§ 876.5980  
Regulation Name: Gastrointestinal tube and accessories  
Regulatory Class: II  
Product Code: KNT  
Dated: December 14, 2011  
Received: December 15, 2011

Dear Ms. Wasielewski:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration. Please note: CDRH does not evaluate information related to contract liability warranties. We remind you, however, that device labeling must be truthful and not misleading.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); medical device reporting (reporting of medical


Page 2 –

device-related adverse events) (21 CFR 803); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please go to <http://www.fda.gov/AboutFDA/CentersOffices/CDRH/CDRHOffices/ucm115809.htm> for the Center for Devices and Radiological Health's (CDRH's) Office of Compliance. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to <http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm> for the CDRH's Office of Surveillance and Biometrics/Division of Postmarket Surveillance.

You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 796-7100 or at its Internet address <http://www.fda.gov/MedicalDevices/ResourcesforYou/Industry/default.htm>.

Sincerely yours,



Benjamin R. Fisher, Ph.D., Director  
Division of Reproductive, Gastro-Renal, and  
Urological Devices  
Office of Device Evaluation  
Center for Devices and Radiological Health

Enclosure

Indications for Use

510(k) Number: K113351

Device Name: CORTRAK 2 Enteral Access Device


The CORTRAK 2 System is an electrical device designed to aid qualified operators in the placement of the CORPAK MedSystems feeding tubes of 8 FR or greater into the stomach or small bowel of patients requiring enteral feeding. CORTRAK 2 can be used to confirm placement of feeding tubes prior to commencing the delivery of enteral nutrition.

---

Concurrence of CDRH, Office of Device Evaluation (ODE)

Prescription Use  or Over-the-counter use

(Per 21 CFR 801.109)

  
\_\_\_\_\_  
(Division Sign-Off)  
Division of Reproductive, Gastro-Renal, and  
Urological Devices  
510(k) Number K113351