

510(K) SUMMARY

This summary of 510(k) safety and effectiveness information is being submitted in accordance with the requirements of SMDA 1990 and 21 CFR §807.92.

The assigned 510(k) number is: K132341 .

AUG 15 2013

1. Submitter:

Shenzhen Mindray Bio-medical Electronics Co., LTD
Mindray Building, Keji 12th Road South, Hi-tech Industrial Park, Nanshan, Shenzhen,
518057, P. R. China

Tel: +86 755 8188 5604
Fax: +86 755 2658 2680

Contact Person:

Zhai Pei
Shenzhen Mindray Bio-medical Electronics Co., LTD
Mindray Building, Keji 12th Road South, Hi-tech Industrial Park,
Nanshan, Shenzhen, 518057, P. R. China

Date Prepared: May 22, 2013

2. Device Name: DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic
Ultrasound System

Classification

Regulatory Class: II
Review Category: Tier II
21 CFR 892.1550 Ultrasonic Pulsed Doppler Imaging System (90-IYN)
21 CFR 892.1560 Ultrasonic Pulsed Echo Imaging System (90-IYO)
21 CFR 892.1570 Diagnostic Ultrasound Transducer (90-ITX)

3. Device Description:

DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic Ultrasound System is a general purpose, mobile, software controlled, ultrasound diagnostic system. Its function is to acquire and display ultrasound images in B-mode, M-mode, PW-mode, CW mode, Color-mode, Color m-Mode, Power/Dirpower mode, TDI mode, 3D/4D mode,

Elastography or the combined mode (i.e. B/M-mode). This system is a Track 3 device that employs an array of probes that include linear array, convex array and phased array with a frequency range of approximately 3 MHz to 10.0 MHz.

4. Intended Use:

The DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic Ultrasound System is applicable for adults, pregnant women, pediatric patients and neonates. It is intended for use in fetal, abdominal, pediatric, small organ (breast, thyroid, testes), neonatal cephalic, adult cephalic, trans-rectal, trans-vaginal, musculo-skeletal (conventional, superficial), cardiac adult, cardiac pediatric, peripheral vessel, urology and transesophageal (Cardiac) exams.

5. Summary of Modifications and Newly Added Features

This submission device is a modification to DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic Ultrasound System previously cleared in K123185.

The following is a brief overview of the modifications and newly added features. Detailed information is found in **003_Device Description** of this submission, while section **005_Comparison to Legally Marketed Device** includes a discussion of substantial equivalence with the predicate device(s).

■ **Newly added transducers**

P7-3E
P10-4E
P7-3TE
CW2s
CW5s
P4-2NE
CB10-4E

■ **Newly added needle-guided brackets**

NGB-020
NGB-021

■ **Newly added software options**

LVO (Left Ventricular Opacification)
Smart Volume
Smart NT
Stress Echo
Tissue Tracking QA
UltraView

■ **Other software modifications**

Strain

Strain Rate
 Color STIC
 HR Flow
 Color Smart 3D
 Echo Boost

■ **Newly added calculation formulas**

Velocity Ratio
 RAR
 SMA/Ao
 CA/Ao
 Trace
 Spline
 Qp/Qs
 Qp-Qs
 VTI Ratio

All of the above modifications and newly added features have been compared with the predicate devices. The results show that these modifications and newly added features are substantially equivalent to the predicate devices.

6. Comparison with Predicate Devices:

DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic Ultrasound System is comparable with and substantially equivalent to these predicate devices:

Predicate Device	Manufacturer	Model	510(k) Number
1	Mindray	DC-8 (Main predicate device)	K123185
2	Mindray	M7	K121010
3	Mindray	DC-T6	K120699
4	GE	Vivid E9	K120201
5	SIEMENS	ACUSON S2000	K112596
6	GE	Voluson E8	K101236

DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic Ultrasound System employs the same technology as the predicate devices. All systems transmit ultrasonic energy into patients, then perform post processing of received echoes to generate onscreen display of anatomic structures and fluid flow within the body. All systems allow for specialized measurements of structures and flow, and calculations. The subject device also has the same intended uses and basic operating modes as the predicate devices.

7. Non-clinical Tests:

DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic Ultrasound System has been evaluated for acoustic output, biocompatibility, cleaning and disinfection effectiveness as well as thermal, electrical and mechanical safety, and has been found to conform with applicable medical safety standards.

Non-clinical tests relied on in this premarket notification submission for a determination of substantial equivalence include testing showing compliance with the following standards:

- AAMI/ANSI ES60601-1: Medical electrical equipment - Part 1: General requirements for basic safety and essential performance
- IEC 60601-1-2: Medical electrical equipment - Part 1-2: General requirements for basic safety and essential performance - Collateral standard: Electromagnetic compatibility - Requirements and tests (Edition 3)
- IEC 60601-2-37: Medical electrical equipment - Part 2-37: Particular requirements for the basic safety and essential performance of ultrasonic medical diagnostic and monitoring equipment
- IEC 62304: Medical device software - Software life cycle processes
- IEC 62366: Medical devices - Application of usability engineering to medical devices
- ISO14971: Medical devices - Application of risk management to medical devices
- UD 2: Acoustic Output Measurement Standard for Diagnostic Ultrasound Equipment Revision 3
- UD 3: Standard for Real Time Display of Thermal and Mechanical Acoustic Output Indices on Diagnostic Ultrasound Equipment
- ISO 10993-1: Biological evaluation of medical devices -- Part 1: Evaluation and testing within a risk management process

8. Clinical Tests:

Not Applicable.

Conclusion:

Intended uses and other key features are consistent with traditional clinical practices, FDA guidelines and established methods of patient examination. The design, development and quality process of the manufacturer confirms with 21 CFR 820, ISO 9001 and ISO 13485 quality systems. The device conforms to applicable medical device safety standards. Therefore, the DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic Ultrasound System is substantially equivalent with respect to safety and effectiveness to devices currently cleared for market.



Food and Drug Administration
10903 New Hampshire Avenue
Document Control Center – WO66-G609
Silver Spring, MD 20993-0002

August 15, 2013

SHENZHEN MINDRAY BIO-MEDICAL ELECTRONICS CO., LTD.
% MARK JOB
RESPONSIBLE THIRD PARTY OFFICIAL
REGULATORY TECHNOLOGY SERVICES, LLC
1394 25TH STREET NW
BUFFALO MN 55313

Re: K132341

Trade/Device Name: DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic
Ultrasound System

Regulation Number: 21 CFR 892.1550

Regulation Name: Ultrasonic pulsed doppler imaging system

Regulatory Class: II

Product Code: IYN, IYO, and ITX

Dated: July 25, 2013

Received: July 26, 2013

Dear Mr. Job:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration. Please note: CDRH does not evaluate information related to contract liability warranties. We remind you, however, that device labeling must be truthful and not misleading.

This determination of substantial equivalence applies to the following transducers intended for use with the DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic Ultrasound System, as described in your premarket notification:

Transducer Model Number

<u>C5-2E</u>	<u>D8-3E</u>	<u>P10-4E</u>
<u>C7-3E</u>	<u>V11-3E</u>	<u>P7-3TE</u>
<u>L12-3E</u>	<u>C11-3E</u>	<u>CW2s</u>
<u>L14-6NE</u>	<u>DE10-3E</u>	<u>CW5s</u>
<u>L14-6WE</u>	<u>V11-3BE</u>	<u>P7-3E</u>
<u>P4-2E</u>	<u>V11-3WE</u>	<u>P4-2NE</u>
<u>D6-2E</u>	<u>L7-3E</u>	<u>CB10-4E</u>

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); medical device reporting (reporting of medical device-related adverse events) (21 CFR 803); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638 2041 or (301) 796-7100 or at its Internet address <http://www.fda.gov/MedicalDevices/ResourcesforYou/Industry/default.htm>. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to <http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm> for the CDRH's Office of Surveillance and Biometrics/Division of Postmarket Surveillance.

You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 796-7100 or at its Internet address <http://www.fda.gov/MedicalDevices/ResourcesforYou/Industry/default.htm>.

Sincerely yours,



for

Janine M. Morris
Director, Division of Radiological Health
Office of In Vitro Diagnostics
and Radiological Health
Center for Devices and Radiological Health

Enclosure

Indications for Use

510(k) Number (if known): ~~K32341~~ K132341

Device Name: DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic Ultrasound System

Indications for Use:

The DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic Ultrasound System is applicable for adults, pregnant women, pediatric patients and neonates. It is intended for use in fetal, abdominal, pediatric, small organ (breast, thyroid, testes), neonatal cephalic, adult cephalic, trans-rectal, trans-vaginal, musculo-skeletal (conventional, superficial), cardiac adult, cardiac pediatric, peripheral vessel, urology and transesophageal (Cardiac) exams.

Prescription Use X
(Part 21 CFR 801 Subpart D)

AND/OR

Over-The-Counter Use _____
(21 CFR 801 Subpart C)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of *In Vitro* Diagnostics and Radiological Health (OIR)

(Division Sign-Off)
Division of Radiological Health
Office of *In Vitro* Diagnostics and Radiological Health

510(k) _____

Page 1 of 23

008-1

Diagnostic Ultrasound Indications For Use Format

System: DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic Ultrasound System

Transducer: N/A

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal	P	P	P		P	P	P	Note 1, 2,3, 4,6,7
	Abdominal	P	P	P	P	P	P	P	Note 1, 2,3, 4,5,6,7
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric	P	P	P	P	P	P	P	Note 1, 2,3, 4,5,6,7
	Small Organ (Specify**)	P	P	P		P	P	P	Note 1,2, 4,6,7,8
	Neonatal Cephalic	P	P	P	P	P	P	P	Note 1, 2,4,5,6,7
	Adult Cephalic	P	P	P	P	P	P	P	Note 1, 2,4,5,6,7
	Trans-rectal	P	P	P		P	P	P	Note 1, 2,3, 4,6,7
	Trans-vaginal	P	P	P		P	P	P	Note 1, 2,3, 4,6,7
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)	P	P	P	N	P	P	P	Note 1, 2, 4,6,7
Musculo-skeletal (Superficial)	P	P	P		P	P	P	Note 1, 2, 4,6,7	
Intravascular									
Cardiac	Cardiac Adult	P	P	P	P	P	P	P	Note 1, 2,4,5,6,7,9
	Cardiac Pediatric	P	P	P	P	P	P	P	Note 1, 2,4,5,6,7
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)	N	N	N	N	N	N	N	Note 1, 4,5,6
	Intra-cardiac								
Peripheral vessel	Peripheral vessel	P	P	P	N	P	P	P	Note 1, 2, 4,6,7
	Other (Specify***)	P	P	P		P	P	P	Note 1, 2, 4,6,7

N=new indication; P=previously cleared by FDA; E=added under Appendix E

Additional comments: Combined modes--B+M, PW+B, Color + B, Power + B, PW +Color+ B, Power + PW +B.

*Intraoperative includes abdominal, thoracic, and vascular.

**Small organ-breast, thyroid, testes.

***Other use includes Urology.

Note 1: Tissue Harmonic Imaging.

Note 2: Smart3D

Note 3: 4D(Real-time 3D)

Note 4: iScape

Note 5: TDI

Note 6: Color M

Note 7: Biopsy Guidance

Note 8: Elastography

Note 9: Contrast imaging(contrast agent for LVO)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE NEEDED)

Concurrence of CDRH, Office of In Vitro Diagnostics and Radiological Health (OIR)

System: DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic Ultrasound System

Transducer: C5-2E

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Abdominal	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Small Organ (Specify**)								
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Musculo-skeletal (Superficial)								
Intravascular									
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
	Intra-cardiac								
Peripheral vessel	Peripheral vessel	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Other (Specify***)								

N=new indication; P=previously cleared by FDA; E=added under Appendix E

Additional comments: Combined modes—B+M, PW+B, Color + B, Power + B, PW +Color+ B, Power + PW +B.

*Intraoperative includes abdominal, thoracic, and vascular.

**Small organ—breast, thyroid, testes.

***Other use includes Urology.

Note 1: Tissue Harmonic Imaging.

Note 2: Smart3D

Note 3: 4D(Real-time 3D)

Note 4: iScape

Note 5: TDI

Note 6: Color M

Note 7: Biopsy Guidance

Note 8: Elastography

Note 9 :Contrast imaging(contrast agent for LVO)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE NEEDED)

Concurrence of CDRH, Office of In Vitro Diagnostics and Radiological Health (OIR)

System: DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic Ultrasound System

Transducer: C7-3E

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Abdominal	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Small Organ (Specify**)								
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)								
	Musculo-skeletal (Superficial)								
Intravascular									
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
	Intra-cardiac								
Peripheral vessel	Peripheral vessel	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Other (Specify***)								

N=new indication; P=previously cleared by FDA; E=added under Appendix E

Additional comments: Combined modes—B+M, PW+B, Color + B, Power + B, PW +Color+ B, Power + PW +B.

*Intraoperative includes abdominal, thoracic, and vascular.

**Small organ-breast, thyroid, testes.

***Other use includes Urology.

Note 1: Tissue Harmonic Imaging.

Note 2: Smart3D

Note 3: 4D(Real-time 3D)

Note 4: iScape

Note 5: TDI

Note 6: Color M

Note 7: Biopsy Guidance

Note 8: Elastography

Note 9: Contrast imaging(contrast agent for LVO)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE NEEDED)

Concurrence of CDRH, Office of In Vitro Diagnostics and Radiological Health (OIR)

System: DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic Ultrasound System

Transducer: L12-3E

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Small Organ (Specify**)	P	P	P		P	P	P	Note 1,2, 4,6,7,8
	Neonatal Cephalic	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)	P	P	P		P	P	P	Note 1, 2, 4,6,7
Musculo-skeletal (Superficial)	P	P	P		P	P	P	Note 1, 2, 4,6,7	
Intravascular									
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
	Intra-cardiac								
Peripheral vessel	Peripheral vessel	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Other (Specify***)								

N=new indication: P=previously cleared by FDA: E=added under Appendix E

Additional comments: Combined modes—B+M, PW+B, Color + B, Power + B, PW +Color+ B, Power + PW +B.

*Intraoperative includes abdominal, thoracic, and vascular.

**Small organ-breast, thyroid, testes.

***Other use includes Urology.

Note 1: Tissue Harmonic Imaging.

Note 2: Smart3D

Note 3: 4D(Real-time 3D)

Note 4: iScape

Note 5: TDI

Note 6: Color M

Note 7: Biopsy Guidance

Note 8: Elastography

Note 9: Contrast imaging(contrast agent for LVO)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE NEEDED)

Concurrence of CDRH, Office of In Vitro Diagnostics and Radiological Health (OIR)

System: DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic Ultrasound System

Transducer: L14-6NE

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal	P	P	P		P	P	P	Note 1,2, 4,6,7
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric	P	P	P		P	P	P	Note 1,2, 4,6,7
	Small Organ (Specify**)	P	P	P		P	P	P	Note 1,2, 4,6,7,8
	Neonatal Cephalic	P	P	P		P	P	P	Note 1,2, 4,6,7
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)	P	P	P		P	P	P	Note 1,2, 4,6,7
Musculo-skeletal (Superficial)	P	P	P		P	P	P	Note 1,2, 4,6,7	
Intravascular									
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
	Intra-cardiac								
Peripheral vessel	Peripheral vessel	P	P	P		P	P	P	Note 1,2, 4,6,7
	Other (Specify***)								

N=new indication; P=previously cleared by FDA; E=added under Appendix E

Additional comments: Combined modes--B+M, PW+B, Color + B, Power + B, PW +Color+ B, Power + PW +B.

*Intraoperative includes abdominal, thoracic, and vascular.

**Small organ-breast, thyroid, testes.

***Other use includes Urology.

Note 1: Tissue Harmonic Imaging.

Note 2: Smart3D

Note 3: 4D(Real-time 3D)

Note 4: iScape

Note 5: TDI

Note 6: Color M

Note 7: Biopsy Guidance

Note 8: Elastography

Note 9: Contrast imaging(contrast agent for LVO)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE NEEDED)

Concurrence of CDRH, Office of In Vitro Diagnostics and Radiological Health (OIR)

System: DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic Ultrasound System

Transducer: L14-6WE

Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal	P	P	P		P	P	P	Note 1,2, 4,6,7
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric	P	P	P		P	P	P	Note 1,2, 4,6,7
	Small Organ (Specify**)	P	P	P		P	P	P	Note 1,2, 4,6,7,8
	Neonatal Cephalic	P	P	P		P	P	P	Note 1,2, 4,6,7
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)	P	P	P		P	P	P	Note 1,2, 4,6,7
Musculo-skeletal (Superficial)	P	P	P		P	P	P	Note 1,2, 4,6,7	
Intravascular									
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
	Intra-cardiac								
Peripheral vessel	Peripheral vessel	P	P	P		P	P	P	Note 1,2, 4,6,7
	Other (Specify***)								

N=new indication; P=previously cleared by FDA; E=added under Appendix E

Additional comments: Combined modes--B+M, PW+B, Color + B, Power + B, PW +Color+ B, Power + PW +B.

*Intraoperative includes abdominal, thoracic, and vascular.

**Small organ-breast, thyroid, testes.

***Other use includes Urology.

Note 1: Tissue Harmonic Imaging.

Note 2: Smart3D

Note 3: 4D(Real-time 3D)

Note 4: iScape

Note 5: TDI

Note 6: Color M

Note 7: Biopsy Guidance

Note 8: Elastography

Note 9: Contrast imaging(contrast agent for LVO)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE NEEDED)

Concurrence of CDRH, Office of In Vitro Diagnostics and Radiological Health (OIR)

System: DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic Ultrasound System
 Transducer: P4-2E
 Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal	P	P	P	P	P	P	P	Note 1, 2,4,5,6,7
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric	P	P	P	P	P	P	P	Note 1, 2,4,5,6,7
	Small Organ (Specify**)								
	Neonatal Cephalic	P	P	P	P	P	P	P	Note 1, 2,4,5,6,7
	Adult Cephalic	P	P	P	P	P	P	P	Note 1, 2,4,5,6,7
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)								
Musculo-skeletal (Superficial)									
Intravascular									
Cardiac	Cardiac Adult	P	P	P	P	P	P	P	Note 1, 2,4,5,6,7
	Cardiac Pediatric	P	P	P	P	P	P	P	Note 1, 2,4,5,6,7
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
	Intra-cardiac								
Peripheral vessel	Peripheral vessel								
	Other (Specify***)								

N=new indication; P=previously cleared by FDA; E=added under Appendix E

Additional comments: Combined modes--B+M, PW+B, Color + B, Power + B, PW +Color+ B, Power + PW +B.

*Intraoperative includes abdominal, thoracic, and vascular.

**Small organ-breast, thyroid, testes.

***Other use includes Urology.

Note 1: Tissue Harmonic Imaging.

Note 2: Smart3D

Note 3: 4D(Real-time 3D)

Note 4: iScape

Note 5: TDI

Note 6: Color M

Note 7: Biopsy Guidance

Note 8: Elastography

Note 9: Contrast imaging(contrast agent for LVO)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE NEEDED)

Concurrence of CDRH, Office of In Vitro Diagnostics and Radiological Health (OIR)

System: DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic Ultrasound System
 Transducer: D6-2E
 Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal	P	P	P		P	P	P	Note 1,2, 3, 4,6,7
	Abdominal	P	P	P		P	P	P	Note 1,2, 3, 4,6,7
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric	P	P	P		P	P	P	Note 1,2, 3, 4,6,7
	Small Organ (Specify**)								
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)								
Musculo-skeletal (Superficial)									
Intravascular									
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
	Intra-cardiac								
Peripheral vessel	Peripheral vessel								
	Other (Specify***)								

N=new indication; P=previously cleared by FDA; E=added under Appendix E

Additional comments: Combined modes--B+M, PW+B, Color + B, Power + B, PW +Color+ B, Power + PW +B.

*Intraoperative includes abdominal, thoracic, and vascular.

**Small organ-breast, thyroid, testes.

***Other use includes Urology.

Note 1: Tissue Harmonic Imaging.

Note 2: Smart3D

Note 3: 4D(Real-time 3D)

Note 4: iScape

Note 5: TDI

Note 6: Color M

Note 7: Biopsy Guidance

Note 8: Elastography

Note 9: Contrast imaging(contrast agent for LVO)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE NEEDED)

Concurrence of CDRH, Office of In Vitro Diagnostics and Radiological Health (OIR)

System: DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic Ultrasound System
 Transducer: D8-3E
 Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal	P	P	P		P	P	P	Note 1,2, 3, 4,6
	Abdominal	P	P	P		P	P	P	Note 1,2, 3, 4,6
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric	P	P	P		P	P	P	Note 1,2, 3, 4,6
	Small Organ (Specify**)								
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)								
Musculo-skeletal (Superficial)									
Intravascular									
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
	Intra-cardiac								
Peripheral vessel	Peripheral vessel								
	Other (Specify***)								

N=new indication; P=previously cleared by FDA; E=added under Appendix E
 Additional comments: Combined modes-B+M, PW+B, Color + B, Power + B, PW +Color+ B, Power + PW +B.
 *Intraoperative includes abdominal, thoracic, and vascular.
 **Small organ-breast, thyroid, testes.
 ***Other use includes Urology.
 Note 1: Tissue Harmonic Imaging.
 Note 2: Smart3D
 Note 3: 4D(Real-time 3D)
 Note 4: iScape
 Note 5: TDI
 Note 6: Color M
 Note 7: Biopsy Guidance
 Note 8: Elastography
 Note 9: Contrast imaging(contrast agent for LVO)
 (PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE NEEDED)
Concurrence of CDRH, Office of In Vitro Diagnostics and Radiological Health (OIR)

System: DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic Ultrasound System
 Transducer: V11-3E
 Intended Use: Diagnostic ultrasound imaging or fluid flow analysis of the human body as follows:

General (Track 1 Only)	Clinical Application	Mode of Operation							
		B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Abdominal								
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric								
	Small Organ (Specify**)								
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Trans-vaginal	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)								
	Musculo-skeletal (Superficial)								
Intravascular									
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
	Intra-cardiac								
Peripheral vessel	Peripheral vessel								
	Other (Specify***)	P	P	P		P	P	P	Note 1, 2, 4,6,7

N=new indication; P=previously cleared by FDA; E=added under Appendix E

Additional comments: Combined modes-B+M, PW+B, Color + B, Power + B, PW +Color+ B, Power + PW +B.

*Intraoperative includes abdominal, thoracic, and vascular.

**Small organ-breast, thyroid, testes.

***Other use includes Urology.

Note 1: Tissue Harmonic Imaging.

Note 2: Smart3D

Note 3: 4D(Real-time 3D)

Note 4: iScape

Note 5: TDI

Note 6: Color M

Note 7: Biopsy Guidance

Note 8: Elastography

Note 9: Contrast imaging(contrast agent for LVO)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE NEEDED)

Concurrence of CDRH, Office of In Vitro Diagnostics and Radiological Health (OIR)

System: DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic Ultrasound System

Transducer: C11-3E

Intended Use: Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Small Organ (Specify**)								
	Neonatal Cephalic	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)								
Musculo-skeletal (Superficial)									
Intravascular									
Cardiac	Cardiac Adult	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Cardiac Pediatric	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
	Intra-cardiac								
Peripheral vessel	Peripheral vessel	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Other (Specify***)								

N=new indication; P=previously cleared by FDA; E=added under Appendix E

Additional comments: Combined modes--B+M, PW+B, Color + B, Power + B, PW +Color+ B, Power + PW +B.

*Intraoperative includes abdominal, thoracic, and vascular.

**Small organ-breast, thyroid, testes.

***Other use includes Urology.

Note 1: Tissue Harmonic Imaging.

Note 2: Smart3D

Note 3: 4D(Real-time 3D)

Note 4: iScape

Note 5: TDI

Note 6: Color M

Note 7: Biopsy Guidance

Note 8: Elastography

Note 9: Contrast imaging(contrast agent for LVO)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE NEEDED)

Concurrence of CDRH, Office of In Vitro Diagnostics and Radiological Health (OIR)

System: DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic Ultrasound System

Transducer: DE10-3E

Intended Use: Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal	P	P	P		P	P	P	Note 1, 2, 3,4,6,7
	Abdominal								
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric								
	Small Organ (Specify**)								
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal	P	P	P		P	P	P	Note 1, 2, 3,4,6,7
	Trans-vaginal	P	P	P		P	P	P	Note 1, 2, 3,4,6,7
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)								
Musculo-skeletal (Superficial)									
Intravascular									
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
	Intra-cardiac								
Peripheral vessel	Peripheral vessel								
	Other (Specify***)								

N=new indication; P=previously cleared by FDA; E=added under Appendix E

Additional comments: Combined modes-B+M, PW+B, Color + B, Power + B, PW +Color+ B, Power + PW +B.

*Intraoperative includes abdominal, thoracic, and vascular.

**Small organ-breast, thyroid, testes.

***Other use includes Urology.

Note 1: Tissue Harmonic Imaging.

Note 2: Smart3D

Note 3: 4D(Real-time 3D)

Note 4: iScape

Note 5: TDI

Note 6: Color M

Note 7: Biopsy Guidance

Note 8: Elastography

Note 9: Contrast imaging(contrast agent for LVO)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE NEEDED)

Concurrence of CDRH, Office of In Vitro Diagnostics and Radiological Health (OIR)

System: DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic Ultrasound System

Transducer: V11-3BE

Intended Use: Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Abdominal								
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric								
	Small Organ (Specify**)								
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Trans-vaginal	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)								
Musculo-skeletal (Superficial)									
Intravascular									
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
	Intra-cardiac								
Peripheral vessel	Peripheral vessel								
	Other (Specify***)	P	P	P		P	P	P	Note 1, 2, 4,6,7

N=new indication; P=previously cleared by FDA; E=added under Appendix E

Additional comments: Combined modes--B+M, PW+B, Color + B, Power + B, PW +Color+ B, Power + PW +B.

*Intraoperative includes abdominal, thoracic, and vascular.

**Small organ-breast, thyroid, testes.

***Other use includes Urology.

Note 1: Tissue Harmonic Imaging.

Note 2: Smart3D

Note 3: 4D(Real-time 3D)

Note 4: iScape

Note 5: TDI

Note 6: Color M

Note 7: Biopsy Guidance

Note 8: Elastography

Note 9: Contrast imaging(contrast agent for LVO)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE NEEDED)

Concurrence of CDRH, Office of In Vitro Diagnostics and Radiological Health (OIR)

System: DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic Ultrasound System

Transducer: V11-3WE

Intended Use: Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Abdominal								
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric								
	Small Organ (Specify**)								
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Trans-vaginal	P	P	P		P	P	P	Note 1, 2, 4,6,7
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)								
Musculo-skeletal (Superficial)									
Intravascular									
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
	Intra-cardiac								
Peripheral vessel	Peripheral vessel								
	Other (Specify***)	P	P	P		P	P	P	Note 1, 2, 4,6,7

N=new indication; P=previously cleared by FDA; E=added under Appendix E

Additional comments: Combined modes-B+M, PW+B, Color + B, Power + B, PW +Color+ B, Power + PW +B.

*Intraoperative includes abdominal, thoracic, and vascular.

**Small organ-breast, thyroid, testes.

***Other use includes Urology.

Note 1: Tissue Harmonic Imaging.

Note 2: Smart3D

Note 3: 4D(Real-time 3D)

Note 4: iScape

Note 5: TDI

Note 6: Color M

Note 7: Biopsy Guidance

Note 8: Elastography

Note 9: Contrast imaging(contrast agent for LVO)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE NEEDED)

Concurrence of CDRH, Office of In Vitro Diagnostics and Radiological Health (OIR)

System: DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic Ultrasound System
 Transducer: L7-3E
 Intended Use: Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal	P	P	P		P	P	P	Note 1,2, 4,6,7
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric	P	P	P		P	P	P	Note 1,2, 4,6,7
	Small Organ (Specify**)	P	P	P		P	P	P	Note 1,2, 4,6,7
	Neonatal Cephalic	P	P	P		P	P	P	Note 1,2, 4,6,7
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)	P	P	P		P	P	P	Note 1,2, 4,6,7
Musculo-skeletal (Superficial)	P	P	P		P	P	P	Note 1,2, 4,6,7	
Intravascular									
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
	Intra-cardiac								
Peripheral vessel	Peripheral vessel	P	P	P		P	P	P	Note 1,2, 4,6,7
	Other (Specify***)								

N=new indication; P=previously cleared by FDA; E=added under Appendix E

Additional comments: Combined modes--B+M, PW+B, Color + B, Power + B, PW +Color+ B, Power + PW +B.

*Intraoperative includes abdominal, thoracic, and vascular.

**Small organ-breast, thyroid, testes.

***Other use includes Urology.

Note 1: Tissue Harmonic Imaging.

Note 2: Smart3D

Note 3: 4D(Real-time 3D)

Note 4: iScape

Note 5: TDI

Note 6: Color M

Note 7: Biopsy Guidance

Note 8: Elastography

Note 9: Contrast imaging(contrast agent for LVO)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE NEEDED)

Concurrence of CDRH, Office of In Vitro Diagnostics and Radiological Health (OIR)

System: DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic Ultrasound System
 Transducer: P10-4E
 Intended Use: Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal	N	N	N	N	N	N	N	Note 1, 2,4,5,6
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric	N	N	N	N	N	N	N	Note 1, 2,4,5,6
	Small Organ (Specify**)								
	Neonatal Cephalic	N	N	N	N	N	N	N	Note 1, 2,4,5,6
	Adult Cephalic	N	N	N	N	N	N	N	Note 1, 2,4,5,6
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)								
Musculo-skeletal (Superficial)									
Intravascular									
Cardiac	Cardiac Adult	N	N	N	N	N	N	N	Note 1, 2,4,5,6
	Cardiac Pediatric	N	N	N	N	N	N	N	Note 1, 2,4,5,6
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
	Intra-cardiac								
Peripheral vessel	Peripheral vessel								
	Other (Specify***)								

N=new indication; P=previously cleared by FDA; E=added under Appendix E

Additional comments: Combined modes--B+M, PW+B, Color + B, Power + B, PW +Color+ B, Power + PW +B.

*Intraoperative includes abdominal, thoracic, and vascular

**Small organ-breast, thyroid, testes,

***Other use includes Urology.

Note 1: Tissue Harmonic Imaging .

Note 2: Smart3D

Note 3: 4D(Real-time 3D)

Note 4: iScape

Note 5: TDI

Note 6: Color M

Note 7: Biopsy Guidance

Note 8: Elastography

Note 9: Contrast imaging(contrast agent for LVO)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE NEEDED)

Concurrence of CDRH, Office of In Vitro Diagnostics and Radiological Health (OIR)

System: DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic Ultrasound System

Transducer: P7-3TE

Intended Use: Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal								
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric								
	Small Organ (Specify**)								
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)								
Musculo-skeletal (Superficial)									
Intravascular									
Cardiac	Cardiac Adult								
	Cardiac Pediatric								
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)	N	N	N	N	N	N	N	Note 1, 4,5,6
	Intra-cardiac								
Peripheral vessel	Peripheral vessel								
	Other (Specify***)								

N=new indication; P=previously cleared by FDA; E=added under Appendix E

Additional comments: Combined modes--B+M, PW+B, Color + B, Power + B, PW +Color+ B, Power + PW +B.

*Intraoperative includes abdominal, thoracic, and vascular

**Small organ-breast, thyroid, testes,

***Other use includes Urology.

Note 1: Tissue Harmonic Imaging.

Note 2: Smart3D

Note 3: 4D(Real-time 3D)

Note 4: iScape

Note 5: TDI

Note 6: Color M

Note 7: Biopsy Guidance

Note 8: Elastography

Note 9: Contrast imaging(contrast agent for LVO)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE NEEDED)

Concurrence of CDRH, Office of In Vitro Diagnostics and Radiological Health (OIR)

System: DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic Ultrasound System

Transducer: CW2s

Intended Use: Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal								
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric				N				
	Small Organ (Specify**)								
	Neonatal Cephalic								
	Adult Cephalic				N				
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)								
	Musculo-skeletal (Superficial)								
Intravascular									
Cardiac	Cardiac Adult				N				
	Cardiac Pediatric				N				
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
Peripheral vessel	Intra-cardiac								
	Peripheral vessel				N				
	Other (Specify***)								

N=new indication; P=previously cleared by FDA; E=added under Appendix E

Additional comments: Combined modes-B+M、PW+B、Color + B、Power + B、PW +Color+ B、Power + PW +B。

*Intraoperative includes abdominal, thoracic, and vascular

**Small organ-breast, thyroid, testes,

***Other use includes Urology.

Note 1: Tissue Harmonic Imaging. .

Note 2: Smart3D

Note 3:4D(Real-time 3D)

Note 4: iScape

Note 5: TDI

Note 6: Color M

Note 7: Biopsy Guidance

Note 8: Elastography

Note 9:Contrast imaging(contrast agent for LVO)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE NEEDED)

Concurrence of CDRH, Office of In Vitro Diagnostics and Radiological Health (OIR)

System: DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic Ultrasound System

Transducer: CW5s

Intended Use: Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal								
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric				N				
	Small Organ (Specify**)								
	Neonatal Cephalic								
	Adult Cephalic				N				
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)								
Musculo-skeletal (Superficial)									
Intravascular									
Cardiac	Cardiac Adult				N				
	Cardiac Pediatric				N				
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
	Intra-cardiac								
Peripheral vessel	Peripheral vessel								
	Other (Specify***)								

N=new indication; P=previously cleared by FDA; E=added under Appendix E

Additional comments: Combined modes-B+M, PW+B, Color + B, Power + B, PW +Color+ B, Power + PW +B.

*Intraoperative includes abdominal, thoracic, and vascular

**Small organ-breast, thyroid, testes,

***Other use includes Urology.

Note 1: Tissue Harmonic Imaging.

Note 2: Smart3D

Note 3: 4D(Real-time 3D)

Note 4: iScape

Note 5: TDI

Note 6: Color M

Note 7: Biopsy Guidance

Note 8: Elastography

Note 9: Contrast imaging(contrast agent for LVO)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE NEEDED)

Concurrence of CDRH, Office of In Vitro Diagnostics and Radiological Health (OIR)

System: DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic Ultrasound System

Transducer: P7-3E

Intended Use: Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal	N	N	N	N	N	N	N	Note 1, 2,4,5,6
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric	N	N	N	N	N	N	N	Note 1, 2,4,5,6
	Small Organ (Specify**)								
	Neonatal Cephalic	N	N	N	N	N	N	N	Note 1, 2,4,5,6
	Adult Cephalic	N	N	N	N	N	N	N	Note 1, 2,4,5,6
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)	N	N	N	N	N	N	N	Note 1, 2,4,5,6
Musculo-skeletal (Superficial)									
Intravascular									
Cardiac	Cardiac Adult	N	N	N	N	N	N	N	Note 1, 2,4,5,6
	Cardiac Pediatric	N	N	N	N	N	N	N	Note 1, 2,4,5,6
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
	Intra-cardiac								
Peripheral vessel	Peripheral vessel								
	Other (Specify***)								

N=new indication; P=previously cleared by FDA; E=added under Appendix E

Additional comments: Combined modes--B±M, PW+B, Color + B, Power + B, PW +Color+ B, Power + PW +B.

*Intraoperative includes abdominal, thoracic, and vascular

**Small organ-breast, thyroid, testes,

***Other use includes Urology.

Note 1: Tissue Harmonic Imaging.

Note 2: Smart3D

Note 3: 4D(Real-time 3D)

Note 4: iScape

Note 5: TDI

Note 6: Color M

Note 7: Biopsy Guidance

Note 8: Elastography

Note 9: Contrast imaging(contrast agent for LVO)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE NEEDED)

Concurrence of CDRH, Office of In Vitro Diagnostics and Radiological Health (OIR)

System: DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic Ultrasound System

Transducer: P4-2NE

Intended Use: Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal	N	N	N	N	N	N	N	Note 1, 2,4,5,6,7
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric	N	N	N	N	N	N	N	Note 1, 2,4,5,6,7
	Small Organ (Specify**)								
	Neonatal Cephalic								
	Adult Cephalic	N	N	N	N	N	N	N	Note 1, 2,4,5,6,7
	Trans-rectal								
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Musculo-skeletal (Conventional)								
Musculo-skeletal (Superficial)									
Intravascular									
Cardiac	Cardiac Adult	N	N	N	N	N	N	N	Note 1, 2,4,5,6,7,9
	Cardiac Pediatric	N	N	N	N	N	N	N	Note 1, 2,4,5,6,7
	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
	Intra-cardiac								
Peripheral vessel	Peripheral vessel								
	Other (Specify***)								

N=new indication; P=previously cleared by FDA; E=added under Appendix E

Additional comments: Combined modes-B+M, PW+B, Color + B, Power + B, PW +Color+ B, Power + PW +B.

*Intraoperative includes abdominal, thoracic, and vascular

**Small organ-breast, thyroid, testes,

***Other use includes Urology.

Note 1: Tissue Harmonic Imaging.

Note 2: Smart3D

Note 3: 4D(Real-time 3D)

Note 4: iScape

Note 5: TDI

Note 6: Color M

Note 7: Biopsy Guidance

Note 8: Elastography

Note 9: Contrast imaging(contrast agent for LVO)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE NEEDED)

Concurrence of CDRH, Office of In Vitro Diagnostics and Radiological Health (OIR)

System: DC-8/DC-8 PRO/DC-8 CV/DC-8 EXP/DC-8S Diagnostic Ultrasound System
 Transducer: CB10-4E
 Intended Use: Diagnostic Ultrasound imaging or fluid flow analysis of the human body as follows:

Clinical Application		Mode of Operation							
General (Track 1 Only)	Specific (Track 1 & 3)	B	M	PWD	CWD	Color Doppler	Amplitude Doppler	Combined (specify)	Other (specify)
Ophthalmic	Ophthalmic								
Fetal Imaging & Other	Fetal								
	Abdominal								
	Intra-operative (Specify*)								
	Intra-operative (Neuro)								
	Laparoscopic								
	Pediatric								
	Small Organ (Specify**)								
	Neonatal Cephalic								
	Adult Cephalic								
	Trans-rectal	N	N	N		N	N	N	Note 1, 2, 4,6,7
	Trans-vaginal								
	Trans-urethral								
	Trans-esoph. (non-Card.)								
	Cardiac	Musculo-skeletal (Conventional)							
Musculo-skeletal (Superficial)									
Intravascular									
Cardiac Adult									
Cardiac Pediatric									
Peripheral vessel	Intravascular (Cardiac)								
	Trans-esoph. (Cardiac)								
	Intra-cardiac								
Peripheral vessel	Peripheral vessel								
	Other (Specify***)	N	N	N		N	N	N	Note 1, 2, 4,6,7

N=new indication; P=previously cleared by FDA; E=added under Appendix E
 Additional comments: Combined modes--B+M, PW+B, Color + B, Power + B, PW +Color+ B, Power + PW +B.
 *Intraoperative includes abdominal, thoracic, and vascular.
 **Small organ-breast, thyroid, testes.
 ***Other use includes Urology.
 Note 1: Tissue Harmonic Imaging.
 Note 2: Smart3D
 Note 3: 4D(Real-time 3D)
 Note 4: iScape
 Note 5: TDI
 Note 6: Color M
 Note 7: Biopsy Guidance
 Note 8: Elastography
 Note 9: Contrast imaging(contrast agent for LVO)
 (PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE NEEDED)
Concurrence of CDRH, Office of In Vitro Diagnostics and Radiological Health (OIR)



(Division Sign-Off)
 Division of Radiological Health
 Office of In Vitro Diagnostics and Radiological Health

510(k) K132341