



June 11, 2018

Altus Partners, LLC
Mr. Mark Melton
QA/RA Manager
1340 Enterprise Drive
West Chester, Pennsylvania 19380

Re: K181281

Trade/Device Name: Altus Spine Pedicle Screw System
Regulation Number: 21 CFR 888.3070
Regulation Name: Thoracolumbosacral pedicle screw system
Regulatory Class: Class II
Product Code: NKB, KWP, KWQ
Dated: May 1, 2018
Received: May 15, 2018

Dear Mr. Melton:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration. Please note: CDRH does not evaluate information related to contract liability warranties. We remind you, however, that device labeling must be truthful and not misleading.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); medical device reporting (reporting of medical device-related adverse events) (21 CFR 803); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820);

and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to <http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm>.

For comprehensive regulatory information about medical devices and radiation-emitting products, including information about labeling regulations, please see Device Advice (<https://www.fda.gov/MedicalDevices/DeviceRegulationandGuidance/>) and CDRH Learn (<http://www.fda.gov/Training/CDRHLearn>). Additionally, you may contact the Division of Industry and Consumer Education (DICE) to ask a question about a specific regulatory topic. See the DICE website (<http://www.fda.gov/DICE>) for more information or contact DICE by email (DICE@fda.hhs.gov) or phone (1-800-638-2041 or 301-796-7100).

Sincerely,


Ronald P. Jean -S

for Mark N. Melkerson
Director
Division of Orthopedic Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

Indications for Use

510(k) Number (if known)

K181281

Device Name

Altus Spine Pedicle Screw System

Indications for Use (Describe)

The Altus Spine Pedicle Screw System is intended to provide immobilization and stabilization of spinal segments in skeletally mature patients as an adjunct to fusion in the treatment of acute and chronic instabilities or deformities of the thoracic, lumbar and sacral spine.

The Altus Spine Pedicle Screw System is intended for noncervical pedicle fixation and nonpedicle fixation for the following indications: degenerative disc disease (defined as back pain of discogenic origins with degeneration of the disc confirmed by history and radiographic studies); spondylolisthesis; trauma (i.e., fracture or dislocation); spinal stenosis; curvatures (i.e., scoliosis, kyphosis, and/or lordosis); tumor, pseudoarthrosis; and failed previous fusion in skeletally mature patients.

When used in a posterior percutaneous approach with MIS instrumentation, the Altus Spine Pedicle Screw System is intended for noncervical pedicle fixation and nonpedicle fixation for the following indications: degenerative disc disease (defined as back pain of discogenic origins with degeneration of the disc confirmed by history and radiographic studies); spondylolisthesis; trauma (i.e., fracture or dislocation); spinal stenosis; curvatures (i.e., scoliosis, kyphosis, and/or lordosis); tumor, pseudoarthrosis; and failed previous fusion in skeletally mature patients.

Type of Use (Select one or both, as applicable)

Prescription Use (Part 21 CFR 801 Subpart D)

Over-The-Counter Use (21 CFR 801 Subpart C)

CONTINUE ON A SEPARATE PAGE IF NEEDED.

This section applies only to requirements of the Paperwork Reduction Act of 1995.

DO NOT SEND YOUR COMPLETED FORM TO THE PRA STAFF EMAIL ADDRESS BELOW.

The burden time for this collection of information is estimated to average 79 hours per response, including the time to review instructions, search existing data sources, gather and maintain the data needed and complete and review the collection of information. Send comments regarding this burden estimate or any other aspect of this information collection, including suggestions for reducing this burden, to:

Department of Health and Human Services
Food and Drug Administration
Office of Chief Information Officer
Paperwork Reduction Act (PRA) Staff
PRASStaff@fda.hhs.gov

"An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB number."

8. 510(k) Summary

SUBMITTER: Altus Partners, LLC
 1340 Enterprise Dr
 West Chester, PA 19380
 Phone: 610-356-6148
 Fax: 610-300-3049

CONTACT PERSON: Mark Melton
 QA/RA Manager
mmelton@altus-spine.com

DATE PREPARED: June 11, 2018

COMMON NAME: Pedicle Screw Spinal System

PROPRIETARY NAME: Altus Spine Pedicle Screw System

PREDICATE DEVICES: The Primary predicate device is the Altus Spine Pedicle Screw System (K151648).

CLASSIFICATION NAME: 21 CFR §888.3070 Thoracolumbosacral Pedicle Screw System
 21 CFR §888.3060 Spinal Intervertebral Body Fixation Orthosis
 21 CFR §888.3050 Spinal Interlaminar Fixation Orthosis

PRODUCT CODES: NKB, KWQ, KWP

DEVICE CLASS: Class II

MATERIAL: The material used is Titanium Alloy material that conforms to ASTM F136.

DEVICE DESCRIPTION:

The Altus Spine MIS Pedicle Screw System consists of a system of implantable screws to be used with implantable rods for the purpose of aiding in spinal fusion. The Altus Spine MIS Pedicle Screw System attaches to the vertebral body by means of screws to the non-cervical spinal and allows a surgeon to build a spinal implant construct with the intent to stabilize the spinal operative site during the fusion process of bone graft in the disc space. Implantable components are composed of titanium alloy meeting the requirements of ASTM F136. The device is supplied non-sterile and is intended for sterilization by hospital personnel.

INDICATIONS FOR USE:

The Altus Spine MIS Pedicle Screw System is intended to provide immobilization and stabilization of spinal segments in skeletally mature patients as an adjunct to fusion in the treatment of acute and chronic instabilities or deformities of the thoracic, lumbar and sacral spine.

The Altus Spine MIS Pedicle Screw System is intended for noncervical pedicle fixation and nonpedicle fixation for the following indications: degenerative disc disease (defined as back pain of discogenic origins with denervation of the disc confirmed by history and radiographic studies); spondylolisthesis; trauma (i.e., fracture or dislocation); spinal stenosis; curvatures (i.e., scoliosis, kyphosis, and/or lordosis); tumor, pseudoarthrosis; and failed previous fusion in skeletally mature patients.

When used in a posterior percutaneous approach with MIS instrumentation, the Altus Spine MIS Pedicle Screw System is intended for noncervical pedicle fixation and nonpedicle fixation for the

following indications: degenerative disc disease (defined as back pain of discogenic origins with denervation of the disc confirmed by history and radiographic studies); spondylolisthesis; trauma (i.e., fracture or dislocation); spinal stenosis; curvatures (i.e., scoliosis, kyphosis, and/or lordosis); tumor, pseudoarthrosis; and failed previous fusion in skeletally mature patients.

SUMMARY OF TECHNOLOGICAL CHARACTERISTICS:

The revised Altus Spine MIS Pedicle Screw System is the same as the primary predicate in regards to implant materials and surgical technique. Components have been added that are substantially equivalent to the additional predicate device.

SUMMARY OF NON-CLINAL TESTS SUBMITTED:

There are no new worst case components to this system; therefore no new mechanical testing is warranted.

SUBSTANTIAL EQUIVALENCE CONCLUSION:

The revised Altus Spine MIS Pedicle Screw System is the same as the primary predicate in regards to implant materials and surgical technique. Components have been added that are substantially equivalent to the additional predicate device.

Altus Partners has determined that the modifications to the Altus Spine MIS Pedicle Screw System do not alter the system function, strength and stability or materials. Therefore, the revised Altus Spine MIS Pedicle Screw System is substantially equivalent to the predicate devices, and raises no new questions of safety or effectiveness.