



Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

MAY 08 2002

Mr. Joseph J. E. Pereira
Director
Primus Gloves Private Limited
14 A, Cochin Special Economic
Zone
Kakkanad, Cochin, Kerala,
INDIA 682 030

Re: K021065

Trade/Device Name: Pre-Powdered Sterile Latex Surgeon's Gloves (Contains
50 Micrograms or Less of Total Water Extractable Protein Per Gram)
Regulation Number: 878.4460
Regulation Name: Surgeon's Gloves
Regulatory Class: I
Product Code: KGO
Dated: March 22, 2002
Received: April 2, 2002

Dear Mr. Pereira:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 21 CFR Part 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4618. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsma/dsmamain.html>

Sincerely yours,



Timothy A. Ulatowski
Director
Division of Dental, Infection Control
and General Hospital Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure



PRIMUS GLOVES (P) Limited

Plot No. 14-A, Cochin Special Economic Zone, *European Office:*
 Kakkanad, Cochin - 682 037, Kerala, India Goldberg 16, D-23562,
 Tel: 91-484-421983, 423530, Fax: 91-484-424033 Lubeck, Germany
 Email : primusgl@vsnl.com; prlmusgloves@eth.net; Tel + 49 - 451 - 5823540
 primusgl@spectrum.net.in Fax: + 49 - 451 - 5823541
 www.primusgloves.com Email: Primusgermany@aol.com

ENCLOSURE-II

INDICATIONS FOR USE

APPLICANT : PRIMUS GLOVES PRIVATE LIMITED

510 (k) NO : K021065

DEVICE NAME : pre-POWDERED LATEX SURGEON'S *Sterile*
GLOVES *Contains 50 microgram or less of total*
Water Extractable Protein Per Gram

INDICATIONS FOR USE.

A surgeon's glove is a device made of natural or synthetic rubber intended to be worn by operating room personnel to protect a surgical wound from contamination

(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF NEEDED)


Concurrence of CDRH, Office of Device Evaluation (ODE)

Prescription Use _____
(Per 21 CFR 801.109)

OR

Over-The-Counter Use _____

(Optional Format 1-2-96)


 (Division Sign-Off)
 Division of Dental, Infection Control,
 and General Hospital Devices
 510(k) Number K021065