

JAN 22 2003

KOD YDYP
page 1 of 2

510(k) Summary of Safety & Effectiveness

This 510(k) Summary of Safety and Effectiveness for the EBI XFIX® DFS® Metaphyseal Correction System is provided as required per Section 513(3) of the Food, Drug and Cosmetic Act.

1. **Submitter:** EBI, L.P.
100 Interpace Parkway
Parsippany, NJ 07054
- Contact Person: Jon Caparotta
Telephone: (973) 299-9022

Date prepared: December 20, 2002

2. **Proprietary Name:** EBI XFIX® DFS® Metaphyseal Correction System
- Common Name:** External Fixation Device
- Classification Names:** Single/Multiple Component Metallic Bone Fixation
- Appliances and Accessories, 21 CFR 888.3030

3. **Predicate or legally marketed devices that are substantially equivalent:**

- EBI XFIX® DFS® System – EBI, L.P.

4. **Description of the device:** The EBI XFIX® DFS® Metaphyseal Correction System has not changed the Indications for Use or fundamental scientific technology of the previously cleared system. The system consists of external fixation components and implantable bone screws. The EBI XFIX® DFS® Metaphyseal Correction System is utilized in the following manner: bone screws are inserted through the patient's skin and soft tissue and into the bone. The fixator frame of the EBI XFIX® DFS® Metaphyseal Correction System is

attached to the shanks of the bone screws. This submission is for the addition of a locking set screw to the system.

5. **Intended Use:** The EBI XFIX® DFS® Metaphyseal Correction System is intended for use in the treatment of bone conditions including leg lengthening, osteotomies, arthrodesis, fracture fixation, and other bone conditions amenable to treatment by use of the external fixation modality.

6. **Materials:** The components of the System may be manufactured from materials such as titanium, stainless steel, and aluminum.

7. **Comparison of the technological characteristics of the device to predicate devices:** There are no significant differences between the EBI XFIX® DFS® Metaphyseal Correction System and other currently marketed external fixation systems. It is substantially equivalent* to the predicate devices in regards to intended use, materials, and function.

*Any statement made in conjunction with this submission regarding a determination of substantial equivalence to any other product is intended only to relate to whether the product can be lawfully marketed without pre-market approval or reclassification and is not intended to be interpreted as an admission or any other type of evidence in patent infringement litigation. [Establishment Registration and Pre-market Notification Procedures, Final Regulation, Preamble, August 23, 1977, FR 42520 (Docket No. 76N-0355.)]



Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

EBI, L.P.
Frederic Testa
Regulatory Affairs Specialist
100 Interpace Parkway
Parsippany, New Jersey 07054

JAN 22 2003

Re: K024248
Trade/Device Name: EBI XFIX® DFS® Metaphyseal Correction System
Regulation Number: 888.3030
Regulation Name: Single/multiple component metallic bone fixation appliances and accessories
Regulatory Class: Class II
Product Code: KTT
Dated: December 20, 2002
Received: December 23, 2002

Dear Mr. Testa:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set

Page 2 – Mr. Frederic Testa

forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (301) 594-4659. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address

<http://www.fda.gov/cdrh/dsma/dsmamain.html>

Sincerely yours,



for Celia M. Witten, Ph.D., M.D.
Director
Division of General, Restorative
and Neurological Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

STATEMENT OF INDICATIONS FOR USE

1

510(k) Number (if known): K02 4248

Device Name: EBI® XFIX® DFS® Metaphyseal Correction System

Indications For Use:

The EBI® XFIX® DFS® Metaphyseal Correction System is a unilateral external fixation device intended for use in the treatment of bone conditions including leg lengthening, osteotomies, arthrodesis, fracture fixation, and other bone conditions amenable to treatment by use of the external fixation modality.

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

_____ Concurrence of CDRH, Office of Device Evaluation (ODE)

Prescription Use _____
(Per 21 CFR 801.109)

OR

Over-The-Counter Use

(Optional Format 1-2-96)

Miriam C. Provost
(Division Sign-Off)
Division of General, Restorative
and Neurological Devices

510(k) Number K024248