



Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

NOV 19 2003

Ms. Teri Juckett
Regulatory Affairs Manager
c/o AngioDynamics, Incorporated
603 Queensbury Avenue
Queensbury, NY 12804

Re: K033443
SpeedLyser Infusion Catheter Kit
Regulation Number: 21 CFR 870.1210
Regulation Name: Continuous Flush Catheter
Regulatory Class: Class II
Product Code: KRA
Dated: October 28, 2003
Received: October 29, 2003

Dear Ms. Juckett:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (the Act). You may, therefore, market the device, subject to the general controls provisions of Act. However, you are responsible to determine that the medical devices you use as components in the kit have either been determined as substantially equivalent under the premarket notification process (Section 510(k) of the act), or were on the market prior to May 28, 1976, the enactment date of the Medical Device Amendments. Please note: If you purchase your device components in bulk (i.e., unfinished) and further process (e.g., sterilize) you must submit a new 510(k) before including these components in your kit/tray. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must

Page 2 - Ms. Teri Juckett

comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

In addition, we have determined that your device kit contains lidocaine which is subject to regulation as a drug.

Our substantially equivalent determination does not apply to the drug component of your device. We recommend you first contact the Center for Drug Evaluation and Research before marketing your device with the drug component. For information on applicable Agency requirements for marketing this drug, we suggest you contact:

Director, Division of Drug Labeling Compliance (HFD-310)
Center for Drug Evaluation and Research
Food and Drug Administration
5600 Fishers Lane
Rockville, Maryland 20857
(301) 594-0101

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation, please contact the Office of Compliance at (301) 594-4646. Also, please note the regulation entitled, "Misbranding by reference to premarket notification"(21 CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll free number (800) 638-2041 or (301) 443-6597, or at its Internet address <http://www.fda.gov/dsma/dsmamain.html>

Sincerely yours,



for

Bram D. Zuckerman, M.D.
Director
Division of Cardiovascular Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

12033443

INDICATIONS FOR USE

510(k) Application: Special 510(k) Device modification

Device Name: SpeedLyser Infusion Catheter Kit

Indications for Use: The ANGIODYNAMICS SpeedLyser Infusion Catheter and its related components are intended for the administration of fluids, including thrombolytic agents and contrast media, into the peripheral vasculature.

Please do not write below this line - continue on another page if needed

Concurrence of CDRH, Office of Device Evaluation (ODE)

Prescription Use /
(Per 21 CFR 801.109)

OR

Over-the-Counter Use

Ashtley B. Brown

**(Division Sign-Off)
Division of Cardiovascular Devices**

510(k) Number 12033443