



Food and Drug Administration  
10903 New Hampshire Avenue  
Document Control Room -WO66-G609  
Silver Spring, MD 20993-0002

Excel-Tech Ltd.  
c/o Ms. Nicole Landreville, Eng.  
Regulatory Affairs Senior Manager  
2568 Bristol Circle  
Oakville, Ontario  
Canada, L6H 5S1

APR - 9 2012

Re: K042223  
Trade/Device Name: XLTEK Connex  
Regulation Number: 21 CFR 882.1400  
Regulation Name: Electroencephalograph  
Regulatory Class: II  
Product Code: OMB, OLV, OLZ, OLT  
Dated (Date on orig SE ltr): August 16, 2004  
Received (Date on orig SE ltr): August 17, 2004

Dear Ms. Landreville:

This letter corrects our substantially equivalent letter of September 16, 2004.

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration. Please note: CDRH does not evaluate information related to contract liability warranties. We remind you, however, that device labeling must be truthful and not misleading.


If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); medical device reporting (reporting of medical device-related adverse events) (21 CFR 803); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please go to <http://www.fda.gov/AboutFDA/CentersOffices/CDRH/CDRHOffices/ucm115809.htm> for the Center for Devices and Radiological Health's (CDRH's) Office of Compliance. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to <http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm> for the CDRH's Office of Surveillance and Biometrics/Division of Postmarket Surveillance.

You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 796-7100 or at its Internet address <http://www.fda.gov/MedicalDevices/ResourcesforYou/Industry/default.htm>.

Sincerely yours,



Malvina B. Eydelman, M.D.  
Director  
Division of Ophthalmic, Neurological,  
and Ear, Nose and Throat Devices  
Office of Device Evaluation  
Center for Devices and  
Radiological Health

Enclosure

**STATEMENT OF INDICATIONS FOR USE**

510(k) Number (if known): K 042223

Device Name: XLTEK Connex

**Indications for Use:**

The XLTEK Connex Headbox works in conjunction with Excel Tech Sleep software. This Connex headbox is used to acquire and review sleep recordings (polysomnography) in research or clinical environments for:

- Digital recording of high-level output signals (such as EEG, respiratory and oximetry signals) from conventional polygraphic recorders, signal transducers or amplifiers.
- Selection of recorded signal sections for on-screen review, annotation and marking of sleep stages.
- Computer-assisted event marking and quantitative analysis of EEG, respiratory and oximetry signals.
- Computer-assisted reporting of simple measures obtained from the recorded signals (such as magnitude, time and frequency and simple statistical measures of marked events)

The Connex is not intended to replace conventional devices or methods used for sleep monitoring in critical care or intraoperative settings.

The Connex requires competent user input, and its output must be reviewed and interpreted by trained polysomnographers or trained medical professionals who will exercise professional judgment in using this information.

The Connex does not make any judgment of normality or abnormality of the displayed signals or the result of an analysis. In no way are any of the functions represented as being in and of themselves diagnostic.

Prescription Use X OR Over-The Counter Use \_\_\_\_\_  
(Per 21 CFR 801.109)

(PLEASE DO NOT WRITE BELOW THIS LINE – CONTINUE ON ANOTHER PAGE IF NEEDED)

---

Concurrence of CDRH, Office of Device Evaluation (ODE)

Miriam C. Provost  
(Division Sign-Off)  
Division of General, Restorative,  
and Neurological Devices

(Optional Format 1-2-96)

510(k) Number K042223