



Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

JUL 1 2 2004

Guidant Corporation
c/o Ms. Amita Shenai
Regulatory Affairs Associate
Cardiac Rhythm Management
4100 Hamline Avenue North
St. Paul, MN 55112

Re: K041574

Trade Name: Pacemaker Lead Adapter
Regulation Number: 21 CFR 870.3620
Regulation Name: Pacemaker Lead Adaptor
Regulatory Class: II (two)
Product Code: DTD
Dated: June 11, 2004
Received: June 14, 2004

Dear Ms. Shenai:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.


If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Page 2 – Ms. Amita Shenai

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050. This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (301) 594-4648. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsma/dsmamain.html>

Sincerely yours,



Bram D. Zuckerman, M.D.
Director
Division of Cardiovascular Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

Indications for Use

510(k) Number (if known): K041574

Device Name: Models 6017, 6018, and 6020

Indications For Use:

1) Model 6017:


It is designed to join CPI bipolar leads having 3.2mm in-line connectors to 5mm (4.75) bifurcated bipolar terminals.

2) Model 6018:

It is a single barrel adapter that is designed to join CPI unipolar leads having a 6mm (5.38) unipolar connector to 3.2mm low profile unipolar terminal.

3) Model 6020:

It is a single barrel adapter that is designed to join CPI unipolar leads having a 5mm (4.75) unipolar connector to 3.2mm low profile unipolar terminal.


(Division Sign-Off)
Division of Cardiovascular Devices
510(k) Number K041574

Prescription Use X
Counter Use _____
(Part 21 CFR 801 Subpart D)
Subpart C)

AND/OR

Over-The-
(21 CFR 807

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)