



DEPARTMENT OF HEALTH & HUMAN SERVICES

Food and Drug Administration
9200 Corporate Blvd.
Rockville MD 20850

OCT - 6 2006

Mr. David Morley
Vice President of Operations
Minitube of America, Inc.
419 Venture Court
P.O. Box 930555
VERONA WI 53593

Re: K050197
Trade/Device Name: Minitube Temperature Control Unit SC-2000 & SC-2045
Regulation Number: 21 CFR §884.6120
Regulation Name: Assisted reproductive accessory
Regulatory Class: II
Product Code: MQG
Dated: July 13, 2006
Received: July 14, 2006

Dear Mr. Morley:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.



Protecting and Promoting Public Health

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at one of the following numbers, based on the regulation number at the top of this letter:

21 CFR 876.xxx	(Gastroenterology/Renal/Urology)	240-276-0115
21 CFR 884.xxx	(Obstetrics/Gynecology)	240-276-0115
21 CFR 894.xxx	(Radiology)	240-276-0120
Other		240-276-0100

Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (240) 276-3150 or at its Internet address <http://www.fda.gov/cdrh/industry/support/index.html>.

Sincerely yours,



Nancy C. Brogdon
Director, Division of Reproductive,
Abdominal, and Radiological Devices
Office of Device Evaluation
Center for Devices and Radiological Health

Enclosure

510(k) NUMBER (IF KNOWN): K05 0197

DEVICE NAME: Minitube Temperature Control Unit SC-2000 + 2045

Statement of Indicated Use:

The Minitube SC-2000 + 2045 temperature control unit is indicated maintaining the temperature of biological material like gametes and embryos at a certain temperature which is essential to cover multiple applications in reproductive medicine, biology and other areas. The only distinguishing feature between the SC-2000 and the SC-2045 is that the inserts on the warming plates of the SC-2045 are at a 45 degree angle from a level horizontal plane, whereas the SC-2000 inserts are vertical to that plane.

Prescription Use ✓
(Per 21 CFR 801.109)

David A. Hays
(Division Sign-Off)
Division of Reproductive, Abdominal,
and Radiological Devices
510(k) Number K050197