

DEC 7 2005

p. 1 of 1

Abbreviated 510(k): Device modification Bipore Accuflex™ Percutaneous Sheath
Introducer

510(k) Summary K051513

Submitted by:

Keith Paluch
Consultant
Bipore, Inc.
31 Industrial Parkway
Northvale, NJ 07647

Date Prepared:

May 29, 2005 and October 26, 2005

Proposed Device:

Bipore Accuflex™ Percutaneous Sheath Introducer

Product Classification:

Class II C.F.R. 870.1340 Product code: DYB, Catheter Introducer

FDA registration number:

2248069

Predicate Device:

510(k) Name _____

K964814 Bipore Accuflex™ Percutaneous Sheath Introducer

Indications for Use:

The Bipore AccuFlex™ Percutaneous Sheath Introducer is recommended for percutaneous introduction of various devices into arteries and/or veins for diagnostic and therapeutic procedures.

Bipore Inc
Abbreviated 510(k) submission
Device modification k964814
Page 3 of 16
Revised 10/27/05

ATTACH 7



Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

DEC 7 2005

Bipore, Inc.
c/o Mr. Keith Paluch
31 Industrial Parkway
Northvale, NJ 07647

Re: K051513
Bipore Accuflex Percutaneous Sheath Introducer
Regulation Number: 21 CFR 870.1340
Regulation Name: Catheter Introducer
Regulatory Class: Class II (Two)
Product Code: DYB
Dated: October 28, 2005
Received: November 10, 2005

Dear Mr. Paluch:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.


Page 2 - Mr. Keith Paluch

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (240) 276-0120. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/industry/support/index.html>.

Sincerely yours,



Bram D. Zuckerman, M.D.
Director
Division of Cardiovascular Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

K051513
p. 1 of 1

Indications for Use

510(k) Number (if known): K051513

Device Name: Bipore AccuFlex™ Percutaneous Sheath Introducer

Indications for Use: The Bipore AccuFlex™ Percutaneous Sheath Introducer is recommended for percutaneous introduction of various devices into arteries and/or veins for diagnostic and therapeutic procedures.

Prescription Use X
(Part 21 CFR 801 Subpart D)

AND/OR

Over-The-Counter Use _____
(21 CFR 801 Subpart C)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE OF
NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

Diana R. Vachner
(Division Sign-Off)
Division of Cardiovascular Devices

510(k) Number K051513