



Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

Mr. Vince D'Alessandro
Regulatory Manager
Premier Dental Products Company
1710 Romano Drive
Plymouth Meeting, Pennsylvania 19462-4500

CCT - 4 2006

Re: K061998

Trade/Device Name: Premier Self-Etching Bond Enhancer
Regulation Number: 21 CFR 872.3200
Regulation Name: Resin Tooth Bonding Agent
Regulatory Class: II
Product Code: KLE
Dated: July 13, 2006
Received: July 14, 2006

Dear Mr. D'Alessandro:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.


If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (240) 276-0115. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (240) 276-3150 or at its Internet address <http://www.fda.gov/cdrh/industry/support/index.html>.

Sincerely yours,



Chiu Lin, Ph.D.
Director
Division of Anesthesiology, General Hospital,
Infection Control and Dental Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

Statement of Indications for Use


510(k) Number (If known): K061998

DEVICE NAME: Premier Self-Etching Bond Enhancer

INDICATIONS FOR USE: Premier Self-Etching Bond Enhancer is a no-rinse multi-purpose adhesive primer and bond coupling agent designed to work with existing bonding agents. When used with dental bonding agents, Premier Self-Etching Bond Enhancer can be used for bonding composite to enamel and/or dentin, composite repair, porcelain repair, composite to metal, bonding composite core build-up material and for bonding veneers, onlays and inlays.

Prescription Use AND/OR Over-the-Counter Use
(Part 21 CFR 801 Subpart D) (21 CFR 801 Subpart C)

Concurrence of CDRH, Office of Device Evaluation (ODE)



Special Agent in Charge
Division of Anesthesiology, General Hospital,
FDA, Center for Device and Radiation Control, Dental Devices
Device Number: K 061998