



AUG - 5 2008

Complete Product Resources  
% Mr. John Walsh  
President  
92 Argonaut # 200  
Aliso Viejo, California 92656

Re: K080298

Trade/Device Name: DermaBioSafe Neuro-Muscular Electrodes  
Regulation Number: 21 CFR 882.1320  
Regulation Name: Cutaneous Electrode  
Regulatory Class: Class II  
Product Code: GXY  
Dated: July 8, 2008  
Received: July 11, 2008

Dear Mr. Walsh:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

Page 2 – Mr. John Walsh

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Center for Devices and Radiological Health's (CDRH's) Office of Compliance at (240) 276-0120. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). For questions regarding postmarket surveillance, please contact CDRH's Office of Surveillance and Biometric's (OSB's) Division of Postmarket Surveillance at 240-276-3474. For questions regarding the reporting of device adverse events (Medical Device Reporting (MDR)), please contact the Division of Surveillance Systems at 240-276-3464. You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (240) 276-3150 or at its Internet address <http://www.fda.gov/cdrh/industry/support/index.html>.

Sincerely yours,



Mark N. Melkerson  
Director  
Division of General, Restorative  
and Neurological Devices  
Office of Device Evaluation  
Center for Devices and  
Radiological Health

Enclosure

## Indications for Use

510(k) Number: (if known)

Device Name: DermaBioSafe Neuro-muscular Electrodes

Indications for Use:

DermaBioSafe Neuro-muscular Electrodes are intended for use as the disposable, conductive adhesive interface between a patient's skin and the Electrical Stimulator. DermaBioSafe Neuro-muscular Electrodes are intended to be used with marketed, Electrical Stimulators i.e. TENS (Transcutaneous Electrical Nerve Stimulation), and EMS (Electrical Muscular Stimulation).

These electrodes will include the precaution statement: Federal Law restricts this device to sale by or on the order of a licensed practitioner or therapist.

Prescription Use  X  
(Part 21 CFR 801 Subpart D)

AND / OR

Over-The-Counter Use   
(Part 21 CFR 801 Subpart C)



**(Division Sign-Off)**  
**Division of General, Restorative,**  
**and Neurological Devices**

510(k) Number \_\_\_\_\_

K080298