

1093242

510(k) SUMMARY: PATRIOT® TransContinental® Spacer

Company: Globus Medical Inc.
2560 General Armistead Ave.
Audubon, PA 19403
(610) 415-9000

Contact: Kelly J. Baker, Ph.D
Director, Clinical Affairs & Regulatory

DEC 23 2009

Device Name: PATRIOT® TransContinental® Spacer

Classification: Per 21 CFR as follows:
§888.3080 Intervertebral Body Fusion device.
Product Code MAX.
Regulatory Class II, Panel Code 87

Predicate(s): PATRIOT® Lumbar Spacers K072970
SE date January 18, 2008
DePuy Lateral Cage System K090899
SE date May 19, 2009
NuVasive CoRoent System K071795
SE date December 4, 2007

Device Description:

The PATRIOT® TransContinental® Spacers are lumbar interbody fusion devices used to provide structural stability in skeletally mature individuals following discectomy. The spacers are inserted using an anterior or lateral approach to the lumbar spine. The devices are available in various heights and geometric options to fit the anatomical needs of a wide variety of patients. These spacers are to be filled with autogenous bone graft material. Protrusions on the superior and inferior surfaces of each device grip the endplates of the adjacent vertebrae to resist expulsion.

PATRIOT® Spacers are made from radiolucent polymer, with titanium alloy or tantalum markers, as specified in F2026, F136, F1295, and F560.

Indications for Use:

PATRIOT® TransContinental® Spacers are interbody fusion devices intended for use in patients with degenerative disc disease (DDD) at one or two contiguous levels of the lumbosacral spine (L2-S1). DDD is defined as discogenic back pain with degeneration of the disc confirmed by history and radiographic studies. These patients should be skeletally mature and have had at least six (6) months of non-operative treatment. In addition, these patients may have up to Grade 1 spondylolisthesis or retrolisthesis at the involved level(s).

The PATRIOT® TransContinental® Spacers are to be filled with autogenous bone graft material. These devices are intended to be used with supplemental fixation, such as the PROTEX® or REVERE® Stabilization System.

Basis for Substantial Equivalence:

The PATRIOT® TransContinental® Spacers are similar to the predicate systems with respect to technical characteristics, performance and intended use. The devices have been evaluated in accordance with “Class II Special Controls Guidance Document: Intervertebral Fusion Device”, June 12, 2007.



Food and Drug Administration
10903 New Hampshire Avenue
Document Control Room W-066-0609
Silver Spring, MD 20993-0002

DEC 23 2009

Globus Medical Inc.
% Ms. Kelly J. Baker, Ph.D.
Director, Clinical Affairs & Regulatory
2560 General Armistead Avenue
Audubon, Pennsylvania 19403

Re: K093242
Trade/Device Name: PATRIOT[®] TransContinental[®] Spacer
Regulation Number: 21 CFR 888-3080
Regulation Name: Intervertebral body fusion device
Regulatory Class: Class II
Product Code: MAX
Dated: November 25, 2009
Received: November 27, 2009

Dear Dr. Baker:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); medical device reporting (reporting of medical


Page 2 - Ms. Kelly J. Baker, Ph.D.

device-related adverse events) (21 CFR 803); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please go to <http://www.fda.gov/AboutFDA/CentersOffices/CDRH/CDRHOffices/ucm115809.htm> for the Center for Devices and Radiological Health's (CDRH's) Office of Compliance. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to <http://www.fda.gov/cdrh/mdr/> for the CDRH's Office of Surveillance and Biometrics/Division of Postmarket Surveillance.

You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 796-7100 or at its Internet address <http://www.fda.gov/cdrh/industry/support/index.html>.

Sincerely yours,



Mark N. Melkerson
Director
Division of Surgical, Orthopedic
and Restorative Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

Indications for Use Statement

510(k) Number: K093242

Device Name: PATRIOT® TransContinental® Spacer

Indications:

PATRIOT® TransContinental™ Spacers are interbody fusion devices intended for use in patients with degenerative disc disease (DDD) at one or two contiguous levels of the lumbosacral spine (L2-S1). DDD is defined as discogenic back pain with degeneration of the disc confirmed by history and radiographic studies. These patients should be skeletally mature and have had at least six (6) months of non-operative treatment. In addition, these patients may have up to Grade 1 spondylolisthesis or retrolisthesis at the involved level(s).

The PATRIOT® TransContinental® Spacers are to be filled with autogenous bone graft material. These devices are intended to be used with supplemental fixation, such as the PROTEX® or REVERE® Stabilization System.

Prescription Use X OR Over-The-Counter Use
(Per 21 CFR §801.109)

(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)



(Division Sign-Off)
Division of Surgical, Orthopedic,
and Restorative Devices

510(k) Number

K093242