

**CENTER FOR DRUG EVALUATION AND
RESEARCH**

APPLICATION NUMBER:

75-702

APPROVED DRAFT LABELING

LABELING HFD-613 OGD
NDA NO. 20-463 FCD 2-14-97
REVIEWED BY me 2-23-97

EXP.
LOT# 23
NDC 0045-0647-28
DATE BY: (ACNET) 2-23-97
MCKEY CONSUMER PRODUCTS CO.
1000 W. MARKET - P.O. BOX 1000
MILWAUKEE, WI 53233 USA

Do not use if printed plastic bottle wrap imprinted with "Safety Seal" is broken or missing.

Nasal Crom Nasal Spray
ACTIVE INGREDIENT: Cromolyn sodium
Nasal Allergy Symptom Controller

For intranasal use only.

USE: To prevent and relieve nasal symptoms of hay fever and other nasal allergies: runny/itchy nose • sneezing • allergic stuffy nose.

NOTE: See carton for full product information.

DIRECTIONS: Adults and children 6 years of age and older:
• Spray once into each nostril. Repeat 3-4 times a day (every 4-6 hours). If needed, may be used up to 6 times a day. Peel open label for more directions.

WARNINGS: Peel open label for complete warnings.

200 Metered Sprays 0.88 FL.OZ. (26mL) NET WT.

LABELING HFD-613 OGD
NDA NO. 20-463 FCD 2-14-97
REVIEWED BY me 2-23-97

Do not use if printed plastic bottle wrap imprinted with "Safety Seal" is broken or missing.

Nasal Crom Nasal Spray
ACTIVE INGREDIENT: Cromolyn sodium
Nasal Allergy Symptom Controller

For intranasal use only.

DIRECTIONS: Adults and children 6 years of age and older: • Spray once into each nostril. Repeat 3-4 times a day (every 4-6 hours). If needed, may be used up to 6 times a day. See carton on how to use pump. • Use every day while in contact with the cause of your allergies (pollens, molds, pets, and dust). • To prevent nasal allergy symptoms, use before contact with the cause of your allergies. For best results, start using up to one week before contact. • If desired, you can use Nasal Crom with other medicines, including other allergy medicines.

Children under 6 years of age: Do not use unless directed by a doctor.

WARNINGS: Ask a doctor before use if you have: • Fever • Discolored nasal discharge • Sinus pain • Wheezing. When using this product, it may take several days of use to notice an effect. Your best effect may not be seen for 1 to 2 weeks. • Brief stinging or sneezing may occur right after use. • Do not use this product to treat sinus infection, asthma, or cold symptoms. • Do not share this bottle with anyone as this may spread germs. • Do not use this product if: • Your symptoms worsen or spread germs. • Stop using this product if: • Your symptoms worsen within two weeks. • See your doctor because these could be signs of a serious illness. • As with any drug, if you are pregnant or nursing a baby, seek the advice of a health-care professional before using this product. • Keep this and all drugs out of the reach of children. • In case of accidental ingestion/overdose, seek professional assistance or contact a Poison Control Center immediately.

• If you have questions or comments, call 1-800-962-5267.

Store between 15°-30°C (59°-86°F). Keep away from light.

Active ingredient made in the United Kingdom. Final drug product made in France.

2-25-97
+

8706090

Nasal crom[®] Nasal Spray
ACTIVE INGREDIENT: Cromolyn Sodium, 5.2 mg per spray
PURPOSE: Nasal Allergy Symptom Controller

USES:
To prevent and relieve nasal symptoms of hay fever and other nasal allergies:
■ runny/itchy nose ■ sneezing ■ allergic stuffy nose.

DIRECTIONS:
Adults and children 6 years of age and older:
■ Spray once into each nostril. Repeat 3-4 times a day every 4-6 hours. If needed, may be used up to 6 times a day. See side panel on how to use pump.
■ Use every day while in contact with the cause of your allergies (pollens, molds, pets, and dust).
■ To prevent nasal allergy symptoms, use before contact with the cause of your allergies. For best results, start using up to one week before contact.
■ If desired, you can use Nasal crom with other medicines, including other allergy medicines.

Children under 6 years of age: Do not use unless directed by a doctor

WARNINGS:
Take doctor before use if you have:

- Fever
- Discolored nasal discharge.
- Sinus pain.
- Wheezing.

When using this product:

- It may take several days of use to notice an effect. Your best effect may not be seen for 1 to 2 weeks.
- Brief stinging or sneezing may occur right after use
- Do not use this product to treat sinus infection, asthma, or cold symptoms
- Do not share this bottle with anyone else as this may spread germs.

Stop using this product if:

- Your symptoms worsen.
- You have new symptoms.
- Your symptoms do not begin to improve within two weeks.

See your doctor because these could be signs of a serious illness.

As with any drug, if you are pregnant or nursing a baby, seek the advice of a health-care professional before using this product. Keep this and all drugs out of the reach of children. In case of accidental ingestion/overdose, seek professional assistance or contact a Poison Control Center immediately

Do not use if printed plastic bottle wrap imprinted with "Safety Seal" is broken or missing.

Nasal crom[®]

Before using any medication read all label directions. Keep carton and package insert. They contain important instructions.

How to Use the Pump Spray:

1. Blow your nose before using Nasal crom.
2. Remove the clear plastic cap and yellow safety clip.
3. Hold pump with thumb at bottom and nozzle between fingers. If this is the first time you are using the pump, spray 5 times into the air or until you get a fine mist. If you have not used the pump for 14 days, spray 2 times into the air before using again.
4. Hold bottle as shown in picture. Insert nozzle into nostril. Spray upward while breathing in through the nose. Repeat in other nostril.
5. To keep clean, wipe the nozzle. Put clear plastic cap and yellow safety clip back on the bottle.
6. Do not share this bottle with anyone else as this may spread germs.

Store between 15°-30° C (59°-86° F). Keep away from light.

INGREDIENTS: Each ml contains 40 mg cromolyn sodium in purified water with 0.01% benzalkonium chloride to preserve and 0.01% EDTA (ethylene disodium) to stabilize the solution.



08706090

0021

Nasal Spray
Nasal crom[®]

NEW
Nasal Spray
Nasal crom[®]
cromolyn sodium nasal solution USP

Nasal Allergy Symptom Controller

Prevents and relieves nasal allergy symptoms:

- runny/itchy nose
- sneezing
- allergic stuffy nose

Without Drowsiness

Now Available Without a Prescription

200 METERED SPRAYS
Each spray delivers 5.2 mg cromolyn sodium
0.88 FL. OZ. (26mL)



3 0045-0447-26 5

Lot #:

Expiration Date:

Nasal crom[®]

What makes Nasal crom unique?

- Prevention and relief. Nasal crom can relieve your nasal allergy symptoms and, if used as directed, can also prevent your symptoms.
- Non-drowsy. Many allergy medications contain antihistamines, which may cause drowsiness. Nasal crom's unique formula works only in your nose and you don't get drowsy.
- Builds protection. Nasal crom works by building protection against your nasal allergy symptoms. To maintain protection, continue to use Nasal crom daily.
- Can be used every day you need its protection. Nasal crom is a gentle nasal spray that works differently from decongestant sprays. Unlike those products, it continues to be safe and effective when used every day.
- Can be used with other medications. Nasal crom can be used safely with other medications, including other allergy medications.

If you have any questions or comments, call 1-800-962-5357.

DISTRIBUTED BY
McNEIL
McNEIL CONSUMER PRODUCTS CO.
DIVISION OF McNEIL-PPC, INC.
FORT WASHINGTON, PA 19034 USA
Active ingredient made in the United Kingdom
Final drug product made in France
© McNEIL-PPC, Inc. 1997

CASHING H.F.C. 11
MOA NO. 20-443
REVIEWED BY [Signature]
2-25-97
CV

+

Nasal Spray
Nasalcrom[®]

chromolyn sodium nasal solution USP

Nasal Allergy Symptom Controller

Nasal Allergy Symptom Prevention and Relief



What Causes Nasal Allergy Symptoms?

Nasal allergies are caused by airborne pollens from trees, grasses or ragweed, and by molds, animals and dust. Exposure to these nasal allergy-causing substances may cause cells in your nose to release a substance called histamine. When histamine is released it causes nasal allergy symptoms: sneezing, runny/itchy nose, and allergic stuffy nose.

How Are Nasal Allergies Different From The Common Cold?

Some nasal allergy symptoms may seem like cold symptoms. But colds are caused by viral infections, and symptoms often include fever, body aches, discolored nasal discharge, or cough. It's rare for nasal allergies to produce these symptoms. If you have them, please call your doctor to see if Nasalcrom is right for you.

How May Nasalcrom[®] Help?




Nasalcrom's unique formula works directly on the allergy sensitive cells in your nose to protect them from substances like pollens. Nasalcrom reduces the release of histamine, helping to decrease the allergic reaction before it starts. And with regular use, you get more protection.

To help prevent symptoms, start using Nasalcrom one week before contact with the cause of your nasal allergies.

▲ Nasalcrom works here

2-25-97



What Makes Nasalcrom[®] Unique?

1. **Prevention and relief.** Nasalcrom can relieve your nasal allergy symptoms and, if used as directed, can also prevent your symptoms.
2. **Non-drowsy.** Many allergy medications contain antihistamines, which may cause drowsiness. Nasalcrom's unique formula works only in your nose and you don't get drowsy.
3. **Builds protection.** Nasalcrom works by building protection against your nasal allergy symptoms. To maintain protection, continue to use Nasalcrom daily.
4. **Can be used every day you need its protection.** Nasalcrom is a gentle nasal spray that works differently from decongestant sprays. Unlike those products, it continues to be safe and effective when used every day.
5. **Can be used with other medications.** Nasalcrom can be used safely with other medications, including other allergy medications.

NDA NO. 20-463
REVIEWED BY *MD* **MSD** 2-17-97
8-25-97

How To Use Nasalcrom® Most Effectively

Nasalcrom works best at preventing your nasal allergy symptoms if you begin using it before your symptoms start.

- For best results for prevention, start using Nasalcrom one week before contact with the cause of your allergies. For example, if you have hay fever, start using Nasalcrom one week before your peak nasal allergy season begins and use it every day throughout your season.
- To prevent symptoms from coming back, it is important to continue to use Nasalcrom every day while in contact with the cause of your nasal allergies, even when you are free of symptoms.
- NOTE: It may take several days of use to notice an effect. You may not get the full effect for 1-2 weeks. It is important to continue using Nasalcrom regularly.
- You should stop using Nasalcrom if you don't get relief within 2 weeks.
- If you need to use Nasalcrom for longer than 12 weeks, ask your doctor.
- Some people may get brief nasal stinging and/or sneezing right after the use of Nasalcrom.

Nasalcrom can be used every day. Doctors have prescribed it to millions of allergy sufferers to help control their nasal allergy symptoms.


How To Use The Pump Spray



2.



3.



4.

1. Blow your nose before using Nasalcrom.
2. Remove the clear plastic cap and yellow safety clip.
3. Hold pump with thumb at bottom and nozzle between fingers. If this is the first time you are using the pump, spray 5 times into the air or until you get a fine mist. If you have not used the pump for 14 days, spray 2 times into the air before using again.
4. Hold bottle as shown in picture. Insert nozzle into nostril. Spray upward while breathing in through the nose. This will release one dose of medication. Repeat in other nostril.
5. To keep clean, wipe the nozzle. Put clear plastic cap and yellow safety clip back on the bottle.
6. Do not share this bottle with anyone else as this may spread germs.

Some people may get brief nasal stinging and/or sneezing right after the use of Nasalcrom.

Nasal Allergy-Controlling Tips

- Many people are allergic to the dust mites that live in carpeting and bedding. Put mattresses and pillows in airtight covers and, if practical, get rid of all carpets. Use an air purifier with a HEPA (High Efficiency Particulate Air) filter to clean the air.
- People with nasal allergies to animals should limit their contact with these animals. It is the animal's dander (skin flakes) that causes allergies, not the hair length.
- People who are allergic to pollen and mold should use an air conditioner as much as possible. When you open the windows in your house, you let in pollen and mold spores.

Ask your doctor or health-care professional for more tips on how to allergy-proof your home.

If you have any questions about
Nasalcrom® Nasal Spray
please call:

1-800-962-5357

Distributed by
McNEIL
McNeil Consumer Products Co.
Division of McNeil-PPC, Inc.
Fort Washington, PA 19034 USA
Active ingredient made in the United Kingdom
Final drug product made in France
©McNeil-PPC, Inc. '97

(7625850)

CORE ET29763
3 3/8" x 1 3/4" 6/8" Non UV at least 1/16" Margins
28 mL LABEL
Art is at 100%
4 Color: Black, PMS 125, PMS 296 & PMS 485
L-1817
PHARMACODE #

• NO DROWSINESS • NO JITTERS • NON HABIT FORMING
• SAFE TO USE WITH OTHER MEDICATIONS
• SAFE TO USE ALL SEASON

 HealthGuard®

Active ingredient (per spray) Cromolyn sodium 5.2 mg Nasal allergy symptom controller

Directions ■ Parent or care provider must supervise the use of this product by young children ■ Adults and children 2 years and older: Spray once into each nostril. Repeat 3-4 times a day (every 4-6 hours). If needed, may be used up to 6 times a day. Use every day while in contact with the cause of your allergies (pollen, molds, pets, and dust). To prevent nasal allergy symptoms, use before contact with the cause of your allergies. For best results, start using up to one week before contact. ■ Children under 2 years: Do not use unless directed by a doctor.

Other information ■ Store between 20°-25°C (68°-77°F) ■ Protect from light

Inactive ingredients benzalkonium chloride, edetate disodium, purified water

Questions? Call toll-free 1-800-323-0000

Manufactured by BAUSCH & LOMB
Pharmaceuticals, Inc.
Tampa, FL 33637
©Bausch & Lomb Pharmaceuticals, Inc.

NDC 57182-397-26
Cromolyn Sodium Nasal Solution USP

NASAL SPRAY
Nasal Allergy Symptom Controller

For Intentional use only.
See carton and package insert
for full product information.

USE ONLY IF BODY SEAL IMPRINTED
WITH "Protective Seal" AND
YELLOW IS INTACT.

Each spray delivers 5.2 mg cromolyn sodium
per 0.1 mL (0.2 mL per spray)

30 Metered Sprays 0.10 FL OZ (30 mL)



EXP. DATE
REV. DATE

CORE ET29763
3 3/8" x 1 3/4" 6/8" Non UV at least 1/16" Margins
28 mL LABEL
Art is at 100%
4 Color: Black, PMS 125, PMS 296 & PMS 485
L-1817
PHARMACODE #

• NO DROWSINESS • NO JITTERS • NON HABIT FORMING
• SAFE TO USE WITH OTHER MEDICATIONS
• SAFE TO USE ALL SEASON

 HealthGuard®

Active ingredient (per spray) Cromolyn sodium 5.2 mg Nasal allergy symptom controller

Directions ■ Parent or care provider must supervise the use of this product by young children ■ Adults and children 2 years and older: Spray once into each nostril. Repeat 3-4 times a day (every 4-6 hours). If needed, may be used up to 6 times a day. Use every day while in contact with the cause of your allergies (pollen, molds, pets, and dust). To prevent nasal allergy symptoms, use before contact with the cause of your allergies. For best results, start using up to one week before contact. ■ Children under 2 years: Do not use unless directed by a doctor.

Other information ■ Store between 20°-25°C (68°-77°F) ■ Protect from light

Inactive ingredients benzalkonium chloride, edetate disodium, purified water

Questions? Call toll-free 1-800-323-0000

Manufactured by BAUSCH & LOMB
Pharmaceuticals, Inc.
Tampa, FL 33637
©Bausch & Lomb Pharmaceuticals, Inc.

NDC 57182-397-26
Cromolyn Sodium Nasal Solution USP

NASAL SPRAY
Nasal Allergy Symptom Controller

For Intentional use only.
See carton and package insert
for full product information.

USE ONLY IF BODY SEAL IMPRINTED
WITH "Protective Seal" AND
YELLOW IS INTACT.

Each spray delivers 5.2 mg cromolyn sodium
per 0.1 mL (0.2 mL per spray)

30 Metered Sprays 0.10 FL OZ (30 mL)



EXP. DATE
REV. DATE

CORE ET29763
3 3/8" x 1 3/4" 6/8" Non UV at least 1/16" Margins
28 mL LABEL
Art is at 100%
4 Color: Black, PMS 125, PMS 296 & PMS 485
L-1817
PHARMACODE #

• NO DROWSINESS • NO JITTERS • NON HABIT FORMING
• SAFE TO USE WITH OTHER MEDICATIONS
• SAFE TO USE ALL SEASON

 HealthGuard®

Active ingredient (per spray) Cromolyn sodium 5.2 mg Nasal allergy symptom controller

Directions ■ Parent or care provider must supervise the use of this product by young children ■ Adults and children 2 years and older: Spray once into each nostril. Repeat 3-4 times a day (every 4-6 hours). If needed, may be used up to 6 times a day. Use every day while in contact with the cause of your allergies (pollen, molds, pets, and dust). To prevent nasal allergy symptoms, use before contact with the cause of your allergies. For best results, start using up to one week before contact. ■ Children under 2 years: Do not use unless directed by a doctor.

Other information ■ Store between 20°-25°C (68°-77°F) ■ Protect from light

Inactive ingredients benzalkonium chloride, edetate disodium, purified water

Questions? Call toll-free 1-800-323-0000

Manufactured by BAUSCH & LOMB
Pharmaceuticals, Inc.
Tampa, FL 33637
©Bausch & Lomb Pharmaceuticals, Inc.

NDC 57182-397-26
Cromolyn Sodium Nasal Solution USP

NASAL SPRAY
Nasal Allergy Symptom Controller

For Intentional use only.
See carton and package insert
for full product information.

USE ONLY IF BODY SEAL IMPRINTED
WITH "Protective Seal" AND
YELLOW IS INTACT.

Each spray delivers 5.2 mg cromolyn sodium
per 0.1 mL (0.2 mL per spray)

30 Metered Sprays 0.10 FL OZ (30 mL)



EXP. DATE
REV. DATE

CORE ET29763
3 3/8" x 1 3/4" 6/8" Non UV at least 1/16" Margins
28 mL LABEL
Art is at 100%
4 Color: Black, PMS 125, PMS 296 & PMS 485
L-1817
PHARMACODE #

• NO DROWSINESS • NO JITTERS • NON HABIT FORMING
• SAFE TO USE WITH OTHER MEDICATIONS
• SAFE TO USE ALL SEASON

 HealthGuard®

Active ingredient (per spray) Cromolyn sodium 5.2 mg Nasal allergy symptom controller

Directions ■ Parent or care provider must supervise the use of this product by young children ■ Adults and children 2 years and older: Spray once into each nostril. Repeat 3-4 times a day (every 4-6 hours). If needed, may be used up to 6 times a day. Use every day while in contact with the cause of your allergies (pollen, molds, pets, and dust). To prevent nasal allergy symptoms, use before contact with the cause of your allergies. For best results, start using up to one week before contact. ■ Children under 2 years: Do not use unless directed by a doctor.

Other information ■ Store between 20°-25°C (68°-77°F) ■ Protect from light

Inactive ingredients benzalkonium chloride, edetate disodium, purified water

Questions? Call toll-free 1-800-323-0000

Manufactured by BAUSCH & LOMB
Pharmaceuticals, Inc.
Tampa, FL 33637
©Bausch & Lomb Pharmaceuticals, Inc.

NDC 57182-397-26
Cromolyn Sodium Nasal Solution USP

NASAL SPRAY
Nasal Allergy Symptom Controller

For Intentional use only.
See carton and package insert
for full product information.

USE ONLY IF BODY SEAL IMPRINTED
WITH "Protective Seal" AND
YELLOW IS INTACT.

Each spray delivers 5.2 mg cromolyn sodium
per 0.1 mL (0.2 mL per spray)

30 Metered Sprays 0.10 FL OZ (30 mL)



EXP. DATE
REV. DATE

Nasal Allergy Symptom Controller
**Cromolyn Sodium
 Nasal Solution USP**
NASAL SPRAY

**Cromolyn Sodium Nasal Solution USP
 NASAL SPRAY**

(Adults and children 2 years and older)

Drug Facts	
Active ingredient (per spray) Cromolyn sodium 5.2 mg.....	Purpose Nasal allergy symptom controller
Uses to prevent and relieve nasal symptoms of hay fever and other nasal allergies: <input type="checkbox"/> runny/itchy nose <input type="checkbox"/> sneezing <input type="checkbox"/> allergic stuffy nose	
Warnings Do not use <input type="checkbox"/> if you are allergic to any of the ingredients	
Ask a doctor before use if you have <input type="checkbox"/> fever <input type="checkbox"/> discolored nasal discharge <input type="checkbox"/> sinus pain <input type="checkbox"/> wheezing	
When using this product <input type="checkbox"/> it may take several days of use to notice an effect. Your best effect may not be seen for 1 to 2 weeks. <input type="checkbox"/> brief stinging or sneezing may occur right after use <input type="checkbox"/> do not use it to treat sinus infection, asthma, or cold symptoms <input type="checkbox"/> do not share this bottle with anyone else as this may spread germs	
Stop use and ask a doctor if <input type="checkbox"/> shortness of breath, wheezing, or chest tightness occurs <input type="checkbox"/> hives or swelling of the mouth or throat occurs <input type="checkbox"/> your symptoms worsen <input type="checkbox"/> you have new symptoms <input type="checkbox"/> your symptoms do not begin to improve within two weeks <input type="checkbox"/> you need to use for more than 12 weeks	
If pregnant or breast feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions <input type="checkbox"/> see package insert on how to use pump <input type="checkbox"/> parent or care provider must supervise the use of this product by young children <input type="checkbox"/> adults and children 2 years and older: <input type="checkbox"/> spray once into each nostril. Repeat 3-4 times a day (every 4-6 hours). If needed, may be used up to 6 times a day. <input type="checkbox"/> use every day while in contact with the cause of your allergies (pollen, molds, pets, and dust) <input type="checkbox"/> to prevent nasal allergy symptoms, use before contact with the cause of your allergies. For best results, start using up to one week before contact. <input type="checkbox"/> if desired, you can use this product with other medicines, including other allergy medicines. <input type="checkbox"/> Children under 2 years: Do not use unless directed by a doctor.	
Other information <input type="checkbox"/> store between 20°- 25°C (68°- 77°F) <input type="checkbox"/> protect from light <input type="checkbox"/> keep carton and package insert. They contain important instructions.	

Drug Facts (continued)

Inactive ingredients
benzalkonium chloride, edetate disodium, purified water

Questions?
call toll-free 1-800-323-0000

Before using any medication read all label directions. Keep carton and package insert. They contain important information.



Cromolyn Sodium Nasal Solution is convenient and easy to administer using the metered spray pump. See package insert for spray pump directions.

**USE ONLY IF BODY SEAL
 IMPRINTED WITH
 "Protective Seal" AND
 YELLOW IS INTACT.**

Manufactured by
BAUSCH & LOMB
 Pharmaceuticals, Inc.
 Tampa, FL 33637
 HealthGuard is a registered trademark of
 Bausch & Lomb Pharmaceuticals, Inc.
 ©Bausch & Lomb Pharmaceuticals, Inc.



NDC 57782-397-26

**Cromolyn
 Sodium Nasal
 Solution USP**
NASAL SPRAY

Nasal Allergy Symptom Controller

*Prevents and Relieves
 Nasal Allergy Symptoms:*


- runny/itchy nose
- sneezing
- allergic stuffy nose

**Without Drowsiness
 Full Prescription Strength**

Safe For Ages 2 Years & Older

200 Metered Sprays
 Each spray delivers 5.2 mg cromolyn sodium

0.88 FL OZ (26 mL)



**WHAT MAKES CROMOLYN
 SODIUM NASAL SOLUTION
 UNIQUE?**

**Nasal Allergy Symptom
 Prevention**

Cromolyn Sodium Nasal Solution can prevent nasal allergy symptoms when used before exposure to the cause of your nasal allergies, and will build protection against future symptoms as long as you continue to use Cromolyn Sodium Nasal Solution as directed.

Effective Relief

Cromolyn Sodium Nasal Solution provides original prescription-strength relief of nasal allergy symptoms, including congestion, sneezing and runny or itchy nose.

Works Only In Your Nose

Cromolyn Sodium Nasal Solution is a nasal spray that works only in your nose - where nasal allergens attack. It helps to stop the cells in your nose from reacting to pollen, pet dander, and other allergens, so you don't experience nasal allergy symptoms.

SAFE

- No drowsiness
- No jitters
- No "rebound" nasal congestion
- Non habit forming
- Safe to use with other medicines, including other allergy medicines
- Safe to use throughout your allergy season
- Good for year-round allergies
- Safe for children as young as two years old

ET39753
 XQ91303
 REV.6/01-03
 FDA4

**STOP AFTER 2 WEEKS IF YOU
DON'T GET ANY RELIEF**


STOP USE AND ASK DOCTOR if shortness of breath, wheezing, chest tightness, hives, or swelling of the mouth or throat occurs while using this product. You may be allergic to Cromolyn Sodium Nasal Solution and require further medical attention. Do not use Cromolyn Sodium Nasal Solution if allergic to any of its ingredients.



1.



2.



3.

SPRAY PUMP DIRECTIONS

For Adults and Older Children

Blow your nose before using Cromolyn Sodium Nasal Solution.

1. Remove the plastic cap and safety clip (picture 1).
2. Hold the pump with thumb at bottom and the nozzle between fingers. If this is the first time you are using the pump, or if you have not used the pump for several days, spray in the air until you get a fine mist (picture 2).
3. Hold the bottle as shown in the picture. Insert nozzle into nostril. Spray upward while breathing in through the nose. This will release one dose of medication. Repeat in other nostril. Some people may get brief stinging and/or sneezing right after the use of Cromolyn Sodium Nasal Solution (picture 3).
4. To keep clean, wipe the nozzle. Put plastic cap and safety clip back on the bottle.
5. Do not share this bottle with anyone else as this may spread germs.

For Very Young Children

1. Only an adult should administer the product.
2. Use care when inserting the nozzle into the nose to avoid injury.

NASAL ALLERGY CONTROLLING TIPS

Many people are allergic to the dust mites that live in carpeting and bedding. Put mattresses and pillows in airtight covers and, if practical, get rid of all carpets. Use an air purifier with a HEPA (High Efficiency Particulate Air) filter to clean the air. People with nasal allergies to animals should limit their contact with these animals. It is the animal's dander (skin flakes) that causes allergies, not the hair length. People who are allergic to pollen and mold should use an air conditioner as much as possible. When you open the windows in your house, you let in pollen and mold spores. Ask your doctor or healthcare professional for more tips on how to allergy-proof your home.

WHERE CAN I GET MORE INFORMATION?

For more information, contact our customer service at 1-800-323-0000.

Store between 20°–25°C
(68°–77°F). Protect from light.

**USE ONLY IF BODY SEAL IMPRINTED
WITH "Protective Seal" AND
YELLOW IS INTACT.**

Manufactured by **BAUSCH & LOMB**
Pharmaceuticals, Inc.
Tampa, FL 33637
HealthGuard is a registered trademark of
Bausch & Lomb Pharmaceuticals, Inc.
©Bausch & Lomb Pharmaceuticals, Inc.
ET397 X050339 REV. 6/01-02 FDA4



Cromolyn Sodium Nasal Solution USP

Nasal Allergy Symptom Controller

NASAL SPRAY

FUL - 3 201 APPROVED

FOR USE IN THE NOSE ONLY

*Prevents and Relieves Nasal
Allergy Symptoms*

WHAT MAKES CROMOLYN SODIUM NASAL SOLUTION UNIQUE?

Nasal Allergy Symptom Prevention

Cromolyn Sodium Nasal Solution can prevent nasal allergy symptoms when used before exposure to the cause of your nasal allergies, and will build protection against future nasal allergy symptoms as long as you continue to use Cromolyn Sodium Nasal Solution as directed.

Effective Relief

Cromolyn Sodium Nasal Solution provides original prescription-strength relief of nasal allergy symptoms, including congestion, sneezing and runny or itchy nose.

Works Only In Your Nose

Cromolyn Sodium Nasal Solution is a nasal spray that works only in your nose – where nasal allergens attack. It helps to stop the cells in your nose from reacting to pollen, pet dander, and other allergens, so you don't experience nasal allergy symptoms.

SAFE

- No drowsiness
- No jitters
- No "rebound" nasal congestion
- Non habit forming
- Safe to use with other medicines, including other allergy medicines
- Safe to use throughout your allergy season
- Good for year-round allergies
- Safe for children as young as two years old


WHAT CAUSES NASAL ALLERGY SYMPTOMS?

Nasal allergies are caused by airborne pollens from trees, grasses or ragweed, and by mold, animals and dust. Exposure to these nasal allergy-causing substances may cause mast cells in your nose to release histamine. When histamine is released it causes nasal allergy symptoms: sneezing, runny/itchy nose, and allergic stuffy nose.

HOW DOES CROMOLYN SODIUM NASAL SOLUTION WORK?

Cromolyn Sodium Nasal Solution is neither an antihistamine nor a decongestant nor a corticosteroid.

It's a nasal mast cell stabilizer. In addition to treating nasal allergy symptoms, it decreases the allergic reaction by reducing the release of histamine, the trigger of allergy symptoms, from mast cells.



HOW DO I TELL IF IT'S AN ALLERGY OR A COLD?

Some nasal allergy symptoms may seem like cold symptoms. There are several clues that you're suffering from nasal allergy symptoms, instead of a cold. Colds are caused by viral infections, and symptoms often include fever, body aches, discolored nasal discharge, or cough. It is rare for nasal allergies to produce these symptoms. If you have them, please call your doctor before beginning Cromolyn Sodium Nasal Solution. Nasal allergy symptoms include runny/itchy nose, sneezing and stuffy nose. Seasonal allergies occur the same time each year, and are linked to plant pollens,

spores, or molds. Some allergies occur year round, and may be connected to microscopic particles in common household dust, animal dander, or indoor molds. Cromolyn Sodium Nasal Solution can help you with the nasal symptoms of allergy.

WHO SHOULD USE CROMOLYN SODIUM NASAL SOLUTION?

Cromolyn Sodium Nasal Solution is suitable for most people with nasal allergies including children as young as 2.

Cromolyn Sodium Nasal Solution is safe to use if you are taking other medicines, even other allergy medicines, because Cromolyn Sodium Nasal Solution does not cause any known drug interactions.

Don't use Cromolyn Sodium Nasal Solution if you are allergic to the ingredients. If Cromolyn Sodium Nasal Solution causes irritation to your nose, discontinue use.

HOW TO USE CROMOLYN SODIUM NASAL SOLUTION

Begin use 1-2 weeks before you are exposed to nasal allergens.

To prevent nasal allergy symptoms, start using Cromolyn Sodium Nasal Solution before you think your symptoms will begin. Use your experience as a guide. For example: if you are allergic to cats, start Cromolyn Sodium Nasal Solution one week before you visit a house with cats. If you can't predict your allergy season, begin Cromolyn

Sodium Nasal Solution at the first signs of nasal allergy symptoms. Cromolyn Sodium Nasal Solution also relieves nasal allergies while it builds full protection against further symptoms.

Use Cromolyn Sodium Nasal Solution 3-4 times a day, every day while in contact with the cause of your nasal allergy, whether you have symptoms or not. Spray once in each nostril in the morning, at noon, at dinner, and at bedtime. Some people may get brief nasal stinging and/or sneezing right after use of Cromolyn Sodium Nasal Solution.

Full protection may take as long as 1-2 weeks with regular use so continue using Cromolyn Sodium Nasal Solution during that time. Regular use is important to achieve full protection.

Use Cromolyn Sodium Nasal Solution throughout your allergy season.

Cromolyn Sodium Nasal Solution can be used safely up to 6 times a day, for up to 12 weeks. If you need Cromolyn Sodium Nasal Solution beyond 12 weeks, speak to your doctor. Also speak to your doctor if your symptoms worsen, new symptoms occur, or symptoms do not begin to improve within two weeks. Your symptoms may indicate some other underlying condition.