



NDA 020092/S-016

SUPPLEMENT APPROVAL

Watson Laboratories
Attention: Ms. Cherri Petrie
Director, Regulatory Affairs
577 Chipeta Way
Salt Lake City, UT 84108

Dear Ms. Petrie:

Please refer to your Supplemental New Drug Application (sNDA) dated January 6, 2010, submitted under section 505(b) of the Federal Food, Drug, and Cosmetic Act (FDCA) for Dilacor XR (diltiazem hydrochloride) Extended Release Capsules.

This supplemental new drug application provides for revisions to the **PRECAUTIONS** section of the package insert, as we requested in our letter dated November 9, 2009. In response to our letter, you proposed the following revision under **PRECAUTIONS, Drug Interactions**:

Clonidine

Sinus bradycardia resulting in hospitalization and pacemaker insertion has been reported in association with the use of clonidine concurrently with diltiazem. Monitor heart rate in patients receiving concomitant diltiazem and clonidine.

We have completed our review of this supplemental application. It is approved, effective on the date of this letter, for use as recommended in the enclosed, agreed-upon labeling text.

As soon as possible, but no later than 14 days from the date of this letter, submit, using the FDA automated drug registration and listing system (eLIST), the content of labeling [21 CFR 314.50(l)] in structured product labeling (SPL) format, as described at <http://www.fda.gov/ForIndustry/DataStandards/StructuredProductLabeling/default.htm>, that is identical to the enclosed labeling text for the package insert and include the labeling changes proposed in any pending "Changes Being Effected" (CBE) supplements. Information on submitting SPL files using eLIST may be found in the guidance for industry titled, "SPL Standard for Content of Labeling Technical Qs and As" at <http://www.fda.gov/downloads/DrugsGuidanceComplianceRegulatoryInformation/Guidances/UCM072392.pdf>.

The SPL will be accessible from publicly available labeling repositories.

Also within 14 days, amend all pending supplemental applications for this NDA, including pending “Changes Being Effected” (CBE) supplements, for which FDA has not yet issued an action letter, with the content of labeling [21 CFR 314.50(l)(1)(i)] in MS Word format that includes the changes approved in this supplemental application.

PROMOTIONAL MATERIALS

All promotional materials for your drug product that include representations about your drug product must be promptly revised to make it consistent with the labeling changes approved in this supplement, including any new safety information [21 CFR 314.70(a)(4)]. The revisions to your promotional materials should include prominent disclosure of the important new safety information that appears in the revised package labeling. Within 7 days of receipt of this letter, submit your statement of intent to comply with 21 CFR 314.70(a)(4) to the following address or by facsimile at 301-847-8444:

Food and Drug Administration
Center for Drug Evaluation and Research
Division of Drug Marketing, Advertising, and Communications
5901-B Ammendale Road
Beltsville, MD 20705-1266

In addition, as required under 21 CFR 314.81(b)(3)(i), you must submit your updated final promotional materials, and the package insert(s), at the time of initial dissemination or publication, accompanied by a Form FDA-2253, directly to the above address. For instruction on completing the Form FDA 2253, see page 2 of the Form. For more information about submission of promotional materials to the Division of Drug Marketing, Advertising, and Communications (DDMAC), see <http://www.fda.gov/AboutFDA/CentersOffices/CDER/ucm090142.htm>.

As required under 21 CFR 314.81(b)(3)(i), you must submit your updated final promotional materials, and the package insert(s), at the time of initial dissemination or publication, accompanied by a Form FDA-2253, directly to the above address. For instruction on completing the Form FDA 2253, see page 2 of the Form. For more information about submission of promotional materials to the Division of Drug Marketing, Advertising, and Communications (DDMAC), see <http://www.fda.gov/AboutFDA/CentersOffices/CDER/ucm090142.htm>.

LETTERS TO HEALTH CARE PROFESSIONALS

If you decide to issue a letter communicating important safety-related information about this drug product (*i.e.*, a “Dear Health Care Professional” letter), we request that you submit, at least 24 hours prior to issuing the letter, an electronic copy of the letter to this NDA, to CDERMedWatchSafetyAlerts@fda.hhs.gov, and to the following address:

MedWatch
Food and Drug Administration
Suite 12B-05
5600 Fishers Lane
Rockville, MD 20857

REPORTING REQUIREMENTS

We remind you that you must comply with reporting requirements for an approved NDA (21 CFR 314.80 and 314.81).

If you have any questions, please call:

Lori Wachter, RN, BSN
Regulatory Health Project Manager
(301) 796-3975

Sincerely,

{See appended electronic signature page}

Mary Ross Southworth, Pharm.D.
Deputy Director for Safety
Division of Cardiovascular and Renal Products
Office of Drug Evaluation I
Center for Drug Evaluation and Research

Enclosure:
Content of Labeling

Application
Type/Number

Submission
Type/Number

Submitter Name

Product Name

NDA-20092

SUPPL-16

WATSON
LABORATORIES
INC

DILACOR XR

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

MARY R SOUTHWORTH

06/08/2010