



NDA 008762/S-038

**SUPPLEMENT APPROVAL**

Pfizer Inc  
Attention: Carol Haley, Ph.D.  
Director, Worldwide Regulatory Strategy  
235 East 42nd Street  
685/18/55 MS15  
New York, NY 10017

Dear Dr. Haley:

Please refer to your January 14, 2009, Supplemental New Drug Application (sNDA), received January 14, 2009, submitted under section 505(b) of the Federal Food, Drug, and Cosmetic Act (FDCA) for Dilantin<sup>®</sup> (phenytoin).

We acknowledge receipt of your submissions dated April 16, 2009, October 1, 2009, September 29, and October 15, 2010.

This "Prior Approval" supplemental new drug application provides for a comprehensive Medication Guide and Risk Evaluation and Mitigation Strategy (REMS).

We have completed our review of this application, as amended, and it is approved, effective on the date of this letter, for use as recommended in the enclosed, agreed-upon labeling text.

**CONTENT OF LABELING**

As soon as possible, but no later than 14 days from the date of this letter, please submit, using the FDA automated drug registration and listing system (eLIST), the content of labeling [21 CFR 314.50(l)] in structured product labeling (SPL) format as described at <http://www.fda.gov/ForIndustry/DataStandards/StructuredProductLabeling/default.htm>, that is identical to the enclosed labeling (text for the package insert and Medication Guide). For administrative purposes, please designate this submission, "**SPL for approved NDA 008762/S-038.**"

Information on submitting SPL files using eLIST may be found in the guidance for industry titled "SPL Standard for Content of Labeling Technical Qs and As" at <http://www.fda.gov/downloads/DrugsGuidanceComplianceRegulatoryInformation/Guidances/UCM072392.pdf>.

The SPL will be accessible from publicly available labeling repositories.

We request that the revised labeling approved today be available on your website within 10 days of receipt of this letter.

### **IMMEDIATE CONTAINER LABEL**

Submit the final printed container label that is identical to the enclosed immediate container label as soon as it is available, but no more than 30 days after it is printed. Please submit this label electronically according to the guidance for industry titled *Providing Regulatory Submissions in Electronic Format – Human Pharmaceutical Product Applications and Related Submissions Using the eCTD Specifications (October 2005)*. Alternatively, you may submit 12 paper copies, with 6 of the copies individually mounted on heavy-weight paper or similar material. For administrative purposes, designate this submission “**Final Printed Container Label for approved NDA 008762/S-038.**” Approval of this submission by FDA is not required before the labeling is used.

### **RISK EVALUATION AND MITIGATION STRATEGY REQUIREMENTS (REMS)**

Section 505-1 of the FDCA authorizes FDA to require the submission of a REMS if FDA becomes aware of new safety information and makes a determination that such a strategy is necessary to ensure that the benefits of the drug outweigh the risks (section 505-1(a)). The details of the REMS requirements were outlined in our REMS and safety labeling change notification letter dated December 16, 2008.

Since Dilantin<sup>®</sup> was approved on January 06, 1953, we have become aware of new safety information indicating an increased risk of suicidal thoughts and behavior with antiepileptic drugs (AEDs). An increased risk of suicidal thoughts and behavior was demonstrated in an FDA meta-analysis (dated May 23, 2008) of randomized, parallel-arm, placebo-controlled clinical trial data for 11 AEDs. In the meta-analysis, the odds ratio for suicidal behavior or ideation for all AEDs studied was 1.80 (95% CI: 1.24, 2.66); the estimated incidence of suicidal behavior or ideation was 0.43% among 27,863 drug-treated patients and 0.24% among 16,029 placebo-treated patients. This finding was generally consistent among drugs in the data analyzed. It was shared by drugs with varying mechanisms of action and was observed for all indications studied; this observation suggests that the risk applies to all AEDs regardless of indication of use. We consider this information to be “new safety information” as defined in section 505-1(b) of the FDCA.

Your proposed REMS, submitted on January 14, 2009, amended on October 15, 2010, and appended to this letter as amended, is approved. The REMS consists of the Medication Guide included with this letter and the timetable for submission of assessments of the REMS.

The REMS assessment plan should include but is not limited to the following:

- a. An evaluation of patients’ understanding of the serious risks of Dilantin<sup>®</sup>
- b. A report on periodic assessments of the distribution and dispensing of the Medication Guide in accordance with 21 CFR 208.24

- c. A report on failures to adhere to distribution and dispensing requirements, and corrective actions taken to address noncompliance

The requirements for assessments of an approved REMS under section 505-1(g)(3) include, in section 505-1(g)(3)(B) and (C), information on the status of any postapproval study or clinical trial required under section 505(o) or otherwise undertaken to investigate a safety issue. You can satisfy these requirements in your REMS assessments by referring to relevant information included in the most recent annual report required under section 506B and 21 CFR 314.81(b)(2)vii) and including any updates to the status information since the annual report was prepared. Failure to comply with the REMS assessments provisions in 505-1(g) could result in enforcement action.

We remind you that in addition to the assessments submitted according to the timetable included in the approved REMS, you must submit a REMS assessment and may propose a modification to the approved REMS when you submit a supplemental application for a new indication for use as described in section 505-1(g)(2)(A) of FDCA.

Prominently identify submissions containing REMS assessments or proposed modifications of the REMS with the following wording in bold capital letters at the top of the first page of the submission:

- **NDA 008762 REMS ASSESSMENT**
- **NEW SUPPLEMENT FOR NDA 008762  
PROPOSED REMS MODIFICATION  
REMS ASSESSMENT**
- **NEW SUPPLEMENT FOR (NEW INDICATION FOR USE)  
FOR 008762  
REMS ASSESSMENT  
PROPOSED REMS MODIFICATION (if included)**

If you do not submit electronically, please send 5 copies of REMS-related submissions.

### **PROMOTIONAL MATERIALS**

All promotional materials for your drug product that include representations about your drug product must be promptly revised to make it consistent with the labeling changes approved in this supplement, including any new safety information [21 CFR 314.70(a)(4)]. The revisions to your promotional materials should include prominent disclosure of the important new safety information that appears in the revised package labeling. Within 7 days of receipt of this letter, submit your statement of intent to comply with 21 CFR 314.70(a)(4) to the following address or by facsimile at 301-847-8444:

Food and Drug Administration  
Center for Drug Evaluation and Research  
Division of Drug Marketing, Advertising, and Communications  
5901-B Ammendale Road  
Beltsville, MD 20705-1266

In addition, as required under 21 CFR 314.81(b)(3)(i), you must submit your updated final promotional materials, and the package insert(s), at the time of initial dissemination or publication, accompanied by a Form FDA-2253, directly to the above address. For instruction on completing the Form FDA 2253, see page 2 of the Form. For more information about submission of promotional materials to the Division of Drug Marketing, Advertising, and Communications (DDMAC), see <http://www.fda.gov/AboutFDA/CentersOffices/CDER/ucm090142.htm>.

### **LETTERS TO HEALTH CARE PROFESSIONALS**

If you issue a letter communicating important safety related information about this drug product (i.e., a “Dear Health Care Professional” letter), we request that you submit an electronic copy of the letter to both this NDA and to the following address:

MedWatch  
Food and Drug Administration  
5600 Fishers Lane, Room 12B05  
Rockville, MD 20857

### **REPORTING REQUIREMENTS**

We remind you that you must comply with reporting requirements for an approved NDA (21 CFR 314.80 and 314.81).

If you have any questions, call Susan Daugherty, Regulatory Project Manager, at (301) 796-0878.

Sincerely,

*{See appended electronic signature page}*

Russell Katz, M.D.  
Director  
Division of Neurology Products  
Office of Drug Evaluation I  
Center for Drug Evaluation and Research

Enclosures:  
Content of Labeling  
Container Labeling  
REMS

-----  
**This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.**  
-----

/s/  
-----

RUSSELL G KATZ  
01/17/2011