



BLA 125387/S-023

SUPPLEMENT APPROVAL

Regeneron Pharmaceuticals, Inc.
Attention: Amanda Cook
Associate Director, Regulatory Affairs
777 Old Saw Mill River Road
Tarrytown, NY 10591

Dear Ms. Cook:

Please refer to your Supplemental Biologics License Application (sBLA) dated and received November 14, 2012, submitted under section 351(a) of the Public Health Service Act for EYLEA (aflibercept), injection.

This Prior Approval” supplemental biologics application provides for revisions to Figures 4a and 4b of the package insert to illustrate a greater vial tilt to ensure proper withdrawal of drug product from the vial into the syringe.

APPROVAL & LABELING

We have completed our review of this supplemental application. It is approved, effective on the date of this letter, for use as recommended in the enclosed, agreed-upon labeling text.

CONTENT OF LABELING

As soon as possible, but no later than 14 days from the date of this letter, submit, via the FDA automated drug registration and listing system (eLIST), the content of labeling [21 CFR 601.14(b)] in structured product labeling (SPL) format, as described at the enclosed labeling text for the package insert, which includes revisions to the Sections 8.1, 13.1 and 13.2, approved on June 7, 2013 for Supplements S-015 and S-020, and include the labeling changes proposed in any pending “Changes Being Effected” (CBE) supplements. Information on submitting SPL files using eLIST may be found in the guidance for industry titled “SPL Standard for Content of Labeling Technical Qs and As” at <http://www.fda.gov/downloads/Drugs/GuidanceComplianceRegulatoryInformation/Guidances/UCM072392.pdf>.

The SPL will be accessible via publicly available labeling repositories.

Also within 14 days, amend all pending supplemental applications that include labeling changes for this BLA, including pending “Changes Being Effected” (CBE) supplements, for which FDA has not yet issued an action letter, with the content of labeling [21 CFR 601.12(f)] in MS Word format that includes the changes approved in this supplemental application.

<http://www.fda.gov/downloads/AboutFDA/ReportsManualsForms/Forms/UCM083570.pdf>.

Information and Instructions for completing the form can be found at

<http://www.fda.gov/downloads/AboutFDA/ReportsManualsForms/Forms/UCM375154.pdf>. For more information about submission of promotional materials to the Office of Prescription Drug Promotion (OPDP), see <http://www.fda.gov/AboutFDA/CentersOffices/CDER/ucm090142.htm>.

REPORTING REQUIREMENTS

We remind you that you must comply with reporting requirements for an approved BLA (in 21 CFR 600.80 and in 21 CFR 600.81).

If you have any questions, call Judit Milstein, Regulatory Project Manager, at (301) 796-0763.

Sincerely,

{See appended electronic signature page}

Wiley A. Chambers, MD
Deputy Director
Division of Transplant and Ophthalmology Products
Office of Antimicrobial Products
Center for Drug Evaluation and Research

ENCLOSURE(S): Content of Labeling

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

WILEY A CHAMBERS
01/27/2014