

Food and Drug Administration Silver Spring MD 20993

NDA 021225/S-031

SUPPLEMENT APPROVAL

Bayer Healthcare Pharmaceuticals, Inc. Attention: Jo-Ann M. Ruane Deputy Director, Global Regulatory Affairs P.O. Box 915 Whippany, NJ 07981-0915

Dear Ms. Ruane:

Please refer to your Supplemental New Drug Application (sNDA) dated and received March 13, 2012, and your amendments submitted under section 505(b) of the Federal Food, Drug, and Cosmetic Act (FDCA) for Mirena (levonorgestrel-releasing intrauterine system).

This supplemental new drug application, as amended, provides for changes to the ADVERSE REACTIONS SECTION, Subsection on Clinical Trial Experience.

In addition, this supplement includes FDA-requested changes to the WARNINGS AND PRECAUTIONS SECTION, Subsection on Breast Cancer, to clarify that more than two observational studies of the risk of breast cancer and Mirena have been conducted, and in the ADVERSE REACTIONS SECTION, Subsection on Postmarketing Experience, to include increased blood pressure and arterial thrombotic and venous thromboembolic events have been reported.

APPROVAL & LABELING

We have completed our review of this supplemental application, as amended. It is approved, effective on the date of this letter, for use as recommended in the enclosed, agreed-upon labeling text.

CONTENT OF LABELING

As soon as possible, but no later than 14 days from the date of this letter, submit the content of labeling [21 CFR 314.50(l)] in structured product labeling (SPL) format using the FDA automated drug registration and listing system (eLIST), as described at http://www.fda.gov/ForIndustry/DataStandards/StructuredProductLabeling/default.htm. Content of labeling must be identical to the enclosed labeling (text for the package insert, text for the patient package insert,), with the addition of any labeling changes in pending "Changes Being Effected" (CBE) supplements, as well as annual reportable changes not included in the enclosed labeling.

Reference ID: 3962555

Information on submitting SPL files using eList may be found in the guidance for industry titled "SPL Standard for Content of Labeling Technical Qs and As at http://www.fda.gov/downloads/DrugsGuidanceComplianceRegulatoryInformation/Guidances/UCM072392.pdf.

The SPL will be accessible from publicly available labeling repositories.

Also within 14 days, amend all pending supplemental applications that include labeling changes for this NDA, including CBE supplements for which FDA has not yet issued an action letter, with the content of labeling [21 CFR 314.50(l)(1)(i)] in MS Word format, that includes the changes approved in this supplemental application, as well as annual reportable changes and annotate each change. To facilitate review of your submission, provide a highlighted or marked-up copy that shows all changes, as well as a clean Microsoft Word version. The marked-up copy should provide appropriate annotations, including supplement number(s) and annual report date(s).

REQUIRED PEDIATRIC ASSESSMENTS

Under the Pediatric Research Equity Act (PREA) (21 U.S.C. 355c), all applications for new active ingredients, new indications, new dosage forms, new dosing regimens, or new routes of administration are required to contain an assessment of the safety and effectiveness of the product for the claimed indication(s) in pediatric patients unless this requirement is waived, deferred, or inapplicable.

Because none of these criteria apply to your application, you are exempt from this requirement.

REPORTING REQUIREMENTS

We remind you that you must comply with reporting requirements for an approved NDA (21 CFR 314.80 and 314.81).

If you have any questions, call Charlene Williamson, Regulatory Project Manager, at (301) 796-1025.

Sincerely,

{See appended electronic signature page}

Christine Nguyen, M.D.
Deputy Director for Safety
Division of Bone, Reproductive and Urologic Products
Office of Drug Evaluation III
Center for Drug Evaluation and Research

ENCLOSURE(S):
Content of Labeling

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.
/s/
CHRISTINE P NGUYEN 10/22/2015