



NDA 20327/S-11

**SUPPLEMENT APPROVAL**

Bracco Diagnostics Inc.  
Attention: Melanie Benson  
Director, U.S. Regulatory Operations  
259 Prospect Plains RD.  
Monroe Township, New Jersey 08831

Dear Ms. Benson:

Please refer to your Supplemental New Drug Application (sNDA) dated April 2, 2015, received April 5, 2015, and your amendments, submitted under section 505(b) of the Federal Food, Drug, and Cosmetic Act (FDCA) in support of the administration of Isovue Imaging Bulk Package using the CT Expres 3D multipatient injector platform.

[Redacted] (b) (4)

[Redacted] (b) (4)

We acknowledge receipt of your amendment dated January 5, 2016, which constituted a complete response to our October 2, 2016, action letter.

This “Prior Approval” labeling supplement to your application proposes to

1. Include the use of the Isovue Imaging Bulk Package with 0.9% Sodium Chloride Injection USP and the CT Expres 3D injector for the controlled, automatic administration, on the venous side of water-soluble radiographic medical imaging products, for the indication of intravenous adult and pediatric contrast enhancement of computed tomography (CECT) head and body imaging; and
2. Modify the current package insert to reflect the appropriate steps for safe use of the Isovue Imaging Bulk Package with 0.9% Sodium Chloride Injection USP and automated contrast injection systems or contrast management systems approved for use with the Imaging Bulk Package.

## **APPROVAL & LABELING**

We have completed our review of this supplemental application, as amended. It is approved, effective on the date of this letter, for use as recommended in the enclosed, agreed-upon labeling text.

## **CONTENT OF LABELING**

As soon as possible, but no later than 14 days from the date of this letter, submit the content of labeling [21 CFR 314.50(l)] in structured product labeling (SPL) format using the FDA automated drug registration and listing system (eLIST), as described at <http://www.fda.gov/ForIndustry/DataStandards/StructuredProductLabeling/default.htm>. Content of labeling must be identical to the enclosed labeling text for the package insert, with the addition of any labeling changes in pending “Changes Being Effectuated” (CBE) supplements, as well as annual reportable changes not included in the enclosed labeling.

Information on submitting SPL files using eList may be found in the guidance for industry titled “SPL Standard for Content of Labeling Technical Qs and As at <http://www.fda.gov/downloads/DrugsGuidanceComplianceRegulatoryInformation/Guidances/UCM072392.pdf>

The SPL will be accessible from publicly available labeling repositories.

Also within 14 days, amend all pending supplemental applications that includes labeling changes for this NDA, including CBE supplements for which FDA has not yet issued an action letter, with the content of labeling [21 CFR 314.50(l)(1)(i)] in MS Word format, that includes the changes approved in this supplemental application, as well as annual reportable changes and annotate each change. To facilitate review of your submission, provide a highlighted or marked-up copy that shows all changes, as well as a clean Microsoft Word version. The marked-up copy should provide appropriate annotations, including supplement number(s) and annual report date(s).

## **Saline Tag**

We acknowledge your June 24, 2015, submission containing text for the saline tag.

## **PROMOTIONAL MATERIALS**

You may request advisory comments on proposed introductory advertising and promotional labeling. To do so, submit the following, in triplicate, (1) a cover letter requesting advisory comments, (2) the proposed materials in draft or mock-up form with annotated references, and (3) the package insert(s) to:

OPDP Regulatory Project Manager  
Food and Drug Administration  
Center for Drug Evaluation and Research  
Office of Prescription Drug Promotion (OPDP)  
5901-B Ammendale Road  
Beltsville, MD 20705-1266

Alternatively, you may submit a request for advisory comments electronically in eCTD format. For more information about submitting promotional materials in eCTD format, see the draft Guidance for Industry (available at: <http://www.fda.gov/downloads/Drugs/GuidanceComplianceRegulatoryInformation/Guidances/UCM443702.pdf> ).

You must submit final promotional materials and package insert(s), accompanied by a Form FDA 2253, at the time of initial dissemination or publication [21 CFR 314.81(b)(3)(i)]. Form FDA 2253 is available at <http://www.fda.gov/downloads/AboutFDA/ReportsManualsForms/Forms/UCM083570.pdf>. Information and Instructions for completing the form can be found at <http://www.fda.gov/downloads/AboutFDA/ReportsManualsForms/Forms/UCM375154.pdf>. For more information about submission of promotional materials to the Office of Prescription Drug Promotion (OPDP), see <http://www.fda.gov/AboutFDA/CentersOffices/CDER/ucm090142.htm>.

### **REPORTING REQUIREMENTS**

We remind you that you must comply with reporting requirements for an approved NDA (21 CFR 314.80 and 314.81).

If you have any questions, call Frank Lutterodt, Regulatory Project Manager, at (301) 796-4251.

Sincerely,

*{See appended electronic signature page}*

Libero Marzella, M.D., Ph.D.  
Director  
Division of Medical Imaging Products  
Office of Drug Evaluation IV  
Center for Drug Evaluation and Research

ENCLOSURES:  
Content of Labeling  
Saline tag

-----  
**This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.**  
-----

/s/  
-----

LIBERO L MARZELLA  
01/22/2016