



NDA 022127/S-013
NDA 022318/S-006

SUPPLEMENT APPROVAL

Genzyme Corporation
Attention: Payal Patel
Senior Manager
55 Corporate Drive
Mailstop: 55C-205A
Bridgewater, NJ 08807

Dear Ms. Patel:

Please refer to your Supplemental New Drug Application (sNDA) dated and received September 15, 2015, submitted under section 505(b)(1) of the Federal Food, Drug, and Cosmetic Act (FDCA) for Renvela (sevelamer carbonate) 800 mg Tablets and Renvela 0.8 g and 2.4 g powder for Oral Suspension.

We also refer to your amendment dated February 2, 2016.

This supplemental new drug application provides for labeling revised as follows (additions are marked as underlined text and deletions are marked as ~~striketrough text~~):

1. In **HIGHLIGHTS/RECENT MAJOR CHANGES**, the following text was added:

~~-----RECENT MAJOR CHANGES-----~~
CONTRAINDICATIONS (4) 03/2016

- ~~-----CONTRAINDICATIONS-----~~
- ~~(b) (4)~~ Bowel obstruction. (4)
 - Known hypersensitivity to sevelamer carbonate or to any of the excipients.
(4)

2. Under **CONTRAINDICATIONS**, the following text was added:

Renvela is contraindicated in patients with bowel obstruction.

Renvela is contraindicated in patients with known hypersensitivity to sevelamer carbonate or to any of the excipients.

3. Under **ADVERSE REACTIONS/Postmarketing Experience**, the following text was added/deleted from the second paragraph:

The following adverse reactions have been identified during post-approval use of sevelamer hydrochloride or sevelamer carbonate, ~~which has the same active moiety as sevelamer carbonate~~: hypersensitivity, pruritus, rash, abdominal pain, fecal impaction, and uncommon cases of ileus, intestinal obstruction, and intestinal perforation. Appropriate medical management should be given to patients who develop constipation or have worsening of existing constipation to avoid severe complications.

4. The revision date was updated.

The following changes were made to the Renvela (NDAs 022127& 022318) Carton and Container Labels:

1. The strength statement was added to each panel that the Renvela name appears.
2. The text (b)(4) was deleted from all panels except the top panel
3. The use of a color box was added to highlight the different strengths on each panel on which the strength statement appears. For example:

Renvela
(sevelamer carbonate)
For oral suspension
0.8 g packets

4. The middle digits of the NDC code were increased in size compared to the remaining digits in the NDC code (e.g. 58468-0131-2)

There are no other changes from the last approved package insert.

We have completed our review of this supplemental application, as amended, and it is approved, effective on the date of this letter, for use as recommended in the enclosed, agreed-upon labeling text.

CONTENT OF LABELING

As soon as possible, but no later than 14 days from the date of this letter, submit the content of labeling [21 CFR 314.50(l)] in structured product labeling (SPL) format using the FDA automated drug registration and listing system (eLIST), as described at <http://www.fda.gov/ForIndustry/DataStandards/StructuredProductLabeling/default.htm>. Content of labeling must be identical to the enclosed labeling (text for the package insert), with the addition of any labeling changes in pending “Changes Being Effectuated” (CBE) supplements, as well as annual reportable changes not included in the enclosed labeling.

Information on submitting SPL files using eLIST may be found in the guidance for industry titled “SPL Standard for Content of Labeling Technical Qs and As” at <http://www.fda.gov/downloads/DrugsGuidanceComplianceRegulatoryInformation/Guidances/UCM072392.pdf>.

The SPL will be accessible from publicly available labeling repositories. Also within 14 days, amend all pending supplemental applications for this NDA, including CBE supplements for which FDA has not yet issued an action letter, with the content of labeling [21 CFR 314.50(l)(1)(i)] in MS Word format, that includes the changes approved in this supplemental application, as well as annual reportable changes and annotate each change. To facilitate review of your submission, provide a highlighted or marked-up copy that shows all changes, as well as a clean Microsoft Word version. The marked-up copy should provide appropriate annotations, including supplement number(s) and annual report date(s).

PROMOTIONAL MATERIALS

You may request advisory comments on proposed introductory advertising and promotional labeling. To do so, submit the following, in triplicate, (1) a cover letter requesting advisory comments, (2) the proposed materials in draft or mock-up form with annotated references, and (3) the package insert(s) to:

Food and Drug Administration
Center for Drug Evaluation and Research
Division of Drug Marketing, Advertising, and Communications
5901-B Ammendale Road
Beltsville, MD 20705-1266

You must submit final promotional materials and package insert(s), accompanied by a Form FDA 2253, at the time of initial dissemination or publication [21 CFR 314.81(b)(3)(i)]. Form FDA 2253 is available at <http://www.fda.gov/opacom/morechoices/fdaforms/cder.html>; instructions are provided on page 2 of the form. For more information about submission of promotional materials to the Division of Drug Marketing, Advertising, and Communications (DDMAC), see <http://www.fda.gov/AboutFDA/CentersOffices/CDER/ucm090142.htm>.

All promotional materials that include representations about your drug product must be promptly revised to be consistent with the labeling changes approved in this supplement, including any new safety information [21 CFR 314.70(a)(4)]. The revisions in your promotional materials should include prominent disclosure of the important new safety information that appears in the revised package labeling. Within 7 days of receipt of this letter, submit your statement of intent to comply with 21 CFR 314.70(a)(4) to the address above or by fax to 301-847-8444.

REPORTING REQUIREMENTS

We remind you that you must comply with reporting requirements for an approved NDA (21 CFR 314.80 and 314.81).

If you have any questions, please call:

Lori Anne Wachter, RN, BSN
Regulatory Project Manager for Safety
(301) 796-3975

Sincerely,

{See appended electronic signature page}

Mary Ross Southworth, PharmD.
Deputy Director for Safety
Division of Cardiovascular and Renal Products
Office of Drug Evaluation 1
Center for Drug Evaluation and Research

ENCLOSURE:
Content of Labeling

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

MARY R SOUTHWORTH
03/09/2016