

NDA 017697-S38

SUPPLEMENT APPROVAL

Bracco Diagnostics Inc.
Attention: Jo Anna Monteferrante
Assoc. Director, Globa CMC
259 Prospect Plains Road
Building H
Monroe Township, NJ 08831

Dear Jo Anna Monteferrante:¹

Please refer to your supplemental new drug application (sNDA) dated and received, September 22, 2023, submitted under section 505(b) of the Federal Food, Drug, and Cosmetic Act (FDCA) for Kinevac (sincalide) for injection.

This Prior Approval sNDA is in response to our Prior Approval Supplement Request letter dated, June 21, 2023, about a required warning statement of allergic-type reactions for products that contain sulfites as an inactive ingredient according to 21 CFR 201.22 (b). Kinevac contains sodium metabisulfite. The updates to the Prescribing Information provide for addition of a history of hypersensitivity to sulfites in the CONTRAINDICATIONS section and the required sulfite warning statement in the WARNINGS AND PRECAUTIONS section .

APPROVAL & LABELING

We have completed our review of this application, as amended. It is approved, effective on the date of this letter, for use as recommended in the enclosed agreed-upon labeling.

CONTENT OF LABELING

As soon as possible, but no later than 14 days from the date of this letter, submit the content of labeling [21 CFR 314.50(l)] in structured product labeling (SPL) format using the FDA automated drug registration and listing system (eLIST), as described at FDA.gov.² Content of labeling must be identical to the enclosed labeling (text for the Prescribing Information), with the addition of any labeling changes in pending “Changes Being Effected” (CBE) supplements, as well as annual reportable changes not included in the enclosed labeling.

¹ We update guidances periodically. For the most recent version of a guidance, check the FDA Guidance Documents Database <https://www.fda.gov/RegulatoryInformation/Guidances/default.htm>.

² <http://www.fda.gov/ForIndustry/DataStandards/StructuredProductLabeling/default.htm>

Information on submitting SPL files using eList may be found in the guidance for industry *SPL Standard for Content of Labeling Technical Qs and As*.³

The SPL will be accessible from publicly available labeling repositories.

Also within 14 days, amend all pending supplemental applications that include labeling changes for this NDA, including CBE supplements for which FDA has not yet issued an action letter, with the content of labeling [21 CFR 314.50(l)(1)(i)] in Microsoft Word format, that includes the changes approved in this supplemental application, as well as annual reportable changes. To facilitate review of your submission(s), provide a highlighted or marked-up copy that shows all changes, as well as a clean Microsoft Word version. The marked-up copy should provide appropriate annotations, including supplement number(s) and annual report date(s).

REPORTING REQUIREMENTS

We remind you that you must comply with reporting requirements for an approved NDA (21 CFR 314.80 and 314.81).

If you have any questions, call Anum Shami, Regulatory Project Manager, at (301) 837-7103.

Sincerely,

{See appended electronic signature page}

Joyce Korvick, M.D., M.P.H.
Deputy Director for Safety
Division of Gastroenterology (DG)
Office of Immunology and Inflammation (OII)
Center for Drug Evaluation and Research

ENCLOSURE(S):

- Content of Labeling
 - Prescribing Information

³ We update guidances periodically. For the most recent version of a guidance, check the FDA Guidance Documents Database <https://www.fda.gov/RegulatoryInformation/Guidances/default.htm>.

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

JOYCE A KORVICK
10/17/2023 09:44:34 AM