

Children's Advil[®] Suspension

Do Not Use if plastic wrap
imprinted with "CHILDREN'S ADVIL
SAFETY SEALED" is broken or missing.

Child-Resistant Safety Cap - Unbreakable Bottle

NEW Great Flavor **Blue Raspberry** FLAVORED LIQUID
SAMPLE - NOT FOR RETAIL SALE

Children's Advil[®] Suspension

IBUPROFEN ORAL SUSPENSION
100 mg per 5 mL (1 Teaspoon)
Fever Reducer/Pain Reliever



1 FL OZ (30 mL)

Important: Read all product information before using. Keep this box for important information. This product is intended for use in children ages 2 years-11 years.

Drug Facts (continued)

Ask a doctor or pharmacist before use if the child is

- under a doctor's care for any serious condition
- taking any other drug
- taking any other product that contains ibuprofen, or any other pain reliever/fever reducer

When using this product give with food or milk if stomach upset occurs

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- fever or pain gets worse or lasts more than 3 days
- the child does not get any relief within first day (24 hours) of treatment
- stomach pain or upset gets worse or lasts
- redness or swelling is present in the painful area
- any new symptoms appear

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not give more than directed
- shake well before using
- find right dose on chart below. If possible, use weight to dose, otherwise use age.
- repeat dose every 6-8 hours, if needed
- do not use more than 4 times a day
- Important: Blue dosing cup to be used with Children's Advil Suspension only. Dose lines account for product remaining in cup due to thickness of suspension.

Drug Facts (continued)

Dosing Chart		
Weight (lb)	Age (yr)	Dose (tsp)
under 24 lb	under 2 yr	ask a doctor
24-35 lb	2-3 yr	1 tsp
36-47 lb	4-5 yr	1 1/2 tsp
48-59 lb	6-8 yr	2 tsp
60-71 lb	9-10 yr	2 1/2 tsp
72-95 lb	11 yr	3 tsp

Other information

- one dose lasts 6-8 hours
- store at 20-25°C (68-77°F)
- see bottom of box for lot number and expiration date

Inactive ingredients
carboxymethylcellulose sodium, citric acid, edetate disodium, FD&C blue no. 1, flavors, glycerin, microcrystalline cellulose, polysorbate 80, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucrose, xanthan gum

Questions or comments? Call toll-free 1-800-88-ADVIL, or ask your pharmacist, doctor or health care professional

Long Lasting: Up to 8 hours of fever relief.
Great Convenience: Long duration means fewer doses needed per day.
Alcohol free

Whitehall-Robins Healthcare, Madison, NJ 07940
Made in USA U.S. Patent No. 4,788,220

Drug Facts

Active ingredient (in each 5 mL) **Purposes**
Ibuprofen 100 mg Fever reducer/pain reliever

Uses temporarily:

- reduces fever
- relieves minor aches and pains due to the common cold, flu, sore throat, headaches and toothaches

Warnings

Allergy alert: Ibuprofen may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

Sore throat warning: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult doctor promptly. Do not use more than 2 days or administer to children under 3 years of age unless directed by doctor.


Do not use if the child has ever had an allergic reaction to any other fever reducer/pain reliever

Ask a doctor before use if the child has

- not been drinking fluids
- lost a lot of fluid due to continued vomiting or diarrhea
- stomach pain
- problems or serious side effects from taking fever reducers or pain relievers


3 1/2

UK23126-2



lot and expiration area
unvarnished




Job Information	Color Legend
Date 7/29/01	
Component Code # UK23126-2	
Drawing No. 4349 Rev. 1	
Identification  Whitehall-Robins Healthcare Package Design Department Five Girakda Farms Madison, NJ 07940 Tel (973) 660-5619 Fax (973) 660-7185	
Vendor Identification  J.A. Grip & Co. Designers 25 Washington Street Fifth Floor Madison, NJ 07960 (973) 377-4410	Notes: RED is a combination of 100 Process Magenta plus 65 Process Yellow. CUP is DUOTONE 286 & 311

DRUG FACTS COMPONENTS	SIZE
• DRUG FACTS TITLE	9 pt
• DRUG FACTS CONTINUED	8 pt
• HEADINGS	8 pt
• SUB HEADINGS / TEXT	6 pt
• # CHARACTERS / INCH	<39
• KERNING	0 - -50
• SPACE AFTER BULLETS	2
• BULLETS	5
• BARLINES / HAIRLINES	1.5 pt / .5 pt
• SPACE BETWEEN HAIRLINES & BOX	2 spaces

LEGAL TEXT DEFINED	TYPE
• ACTIVE INGREDIENTS	6 pts
• USES	6 pts
• WARNINGS	6 pts
• DIRECTIONS	6 pts
• INACTIVE INGREDIENTS	6 pts
• TAMPER RESISTANT STATEMENTS	5.42 pts
• STATEMENT OF IDENTITY	5 pts


DEPARTMENT	APPROVED AS IS	APPROVED W/CORRECTION	DATE
Graphic Artist			
Packaging Engineer			
Labeling Compliance			
Medical			
Regulatory Affairs			
Marketing			
Legal			
Trademark			

Job Information	Color Legend
Date 7/29/01	
Component Code # UK23127-2	
Drawing No. 4767	
Identification  WHITCOMB-ROBINS Whitehall-Robins Healthcare Package Design Department Five Giraldi Farms Madison, NJ 07940 Tel (973) 660-5619 Fax (973) 660-7185	Notes: RED is a combination of Process Magenta plus Process Yellow.
Vendor Identification  J.A. Grip & Co. 25 Washington Street 5th Floor Morristown, NJ 07960 (973) 377-6818	

DRUG FACTS COMPONENTS	SIZE
• DRUG FACTS TITLE	9 pt
• DRUG FACTS CONTINUED	8 pt
• HEADINGS	8 pt
• SUB HEADINGS / TEXT	6 pt
• # CHARACTERS / INCH	<39
• KERNING	0 - -50
• SPACE AFTER BULLETS	2
• BULLETS	5
• BARLINES / HAIRLINES	1.5 pt / .5 pt
• SPACE BETWEEN HAIRLINES & BOX	2 spaces

LEGAL TEXT DEFINED	TYPE
• ACTIVE INGREDIENTS	6 pts
• USES	6 pts
• WARNINGS	6 pts
• DIRECTIONS	6 pts
• INACTIVE INGREDIENTS	6 pts
• TAMPER RESISTANT STATEMENTS	5.4 pts
• STATEMENT OF IDENTITY	6 pts

DEPARTMENT	APPROVED AS IS	APPROVED W/CORRECTION	DATE
Graphic Artist			
Packaging Engineer			
Labeling Compliance			
Medical			
Regulatory Affairs			
Marketing			
Legal			
Trademark			



Children's
Advil[®]
Suspension

Do Not Use if plastic wrap imprinted with
"CHILDREN'S ADVIL SAFETY SEALED" is broken or missing.

Child-Resistant Safety Cap - Unbreakable Bottle

NEW!
Blue Raspberry
FLAVOR

Children's
Advil[®]
Suspension

IBUPROFEN ORAL SUSPENSION
Fever Reducer/Pain Reliever

Ages 2-11 years
LASTS UP TO 8 HOURS

BLUE RASPBERRY FLAVORED LIQUID

4 FL OZ (120 mL)



Children's
Advil[®]
Suspension

Drug Facts (continued)

Other information

- one dose lasts 6-8 hours
- store at 20-25°C (68-77°F)
- see bottom of box for lot number and expiration date

Inactive ingredients

croscarmellose sodium, citric acid, edetate calcium, hydroxypropyl methylcellulose, hydroxypropyl methylcellulose K100, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucrose, xanthan gum

Questions or comments? Call toll-free 1-800-99-ADVIL or ask your pharmacist, doctor or health care professional

Long Lasting: Up to 8 hours of fever relief.
Great Convenience: Long duration means fewer doses needed per day.
Alcohol free

Whitehall-Robins Healthcare
Macon, NJ 07940
U.S. Patent No. 4,788,220

FPO

3 0573-0174-30 5

UK23128-2

Children's
Advil[®]
Suspension

Drug Facts (continued)

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- fever or pain gets worse or lasts more than 3 days
- this child does not get any relief within first day (24 hours) of treatment
- stomach pain or upset gets worse or lasts
- redness or swelling is present in the painful area
- any new symptoms appear

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not give more than directed
- shake well before using
- find right dose on chart below. If possible, use weight to dose; otherwise use age.
- repeat dose every 6-8 hours, if needed
- do not use more than 4 times a day

Important: Blue dosing cup to be used with Children's Advil Suspension only. Dose lines account for product remaining in cup due to thickness of suspension.

Weight (lb)	Age (yr)	Dose (tsp)
under 24 lb	under 2 yr	ask a doctor
24-35 lb	2-3 yr	1 tsp
36-47 lb	4-5 yr	1 1/2 tsp
48-59 lb	6-8 yr	2 tsp
60-71 lb	9-10 yr	2 1/2 tsp
72-95 lb	11 yr	3 tsp

5/8

5 1/16

Children's
Advil[®]
Suspension

Important: Read all product information before using.
Keep this box for important information. This product
is intended for use in children ages 2 years-11 years.

Drug Facts

Active ingredient (in each 5 mL)

Ibuprofen 100 mg.....Fever reducer/pain reliever

Uses temporarily:

- reduces fever
- relieves aches and pains due to the common cold, flu, sore throat, headaches and toothaches

Warnings

Allergy alert: ibuprofen may cause a severe allergic reaction which may include:

- hives
- facial swelling
- skin throat swelling

Some throat swelling, severe or persistent sore throat or sore throat with difficulty swallowing, chest pain, wheezing, or difficulty breathing may be serious. Consult doctor promptly. Do not use more than 2 days or administer to children under 3 years of age unless directed by doctor.

Do not use if the child has ever had an allergic reaction to any other fever reducer/pain reliever

Ask a doctor before use if the child has:

- allergy to ibuprofen
- stomach pain
- problems or serious side effects from taking fever reducers or pain relievers

Ask a doctor or pharmacist before use if the child is:

- taking any other drug
- taking any other product that contains ibuprofen, or any other pain reliever/fever reducer

When using this product give with food or milk if stomach upset occurs

5 1/16



13 1/16

Job Information	Color Legend
Date 7/29/2001	
Component Code # UK23128-2	
Drawing No. 3919 Rev.2	
Identification	
<p>Whitehall-Robins Healthcare Package Design Department Five Giraldi Farms Madison, NJ 07940 Tel (973) 660-5619 Fax (973) 660-7185</p>	
Vendor Identification	Notes:
<p>JA Grip & Co. Designers</p> <p>25 Washington Street Fifth Floor Morristown, NJ 07960 (973) 377-4410</p>	RED is a combination of 100 Process Magenta plus 65 Process Yellow. CUP is DUOTONE 286 & 311

DRUG FACTS COMPONENTS	SIZE
• DRUG FACTS TITLE	9 pt
•DRUG FACTS CONTINUED	8 pt
•HEADINGS	8 pt
•SUB HEADINGS / TEXT	6 pt
•# CHARACTERS / INCH	<39
•KERNING	0 - -50
•SPACE AFTER BULLETS	2
•BULLETS	5
•BARLINES / HAIRLINES	1.5 pt / .5 pt
•SPACE BETWEEN HAIRLINES & BOX	2spaces

LEGAL TEXT DEFINED	TYPE
•ACTIVE INGREDIENTS	6 pts
•USES	6 pts
•WARNINGS	6 pts
•DIRECTIONS	6 pts
•INACTIVE INGREDIENTS	6 pts
•TAMPER RESISTANT STATEMENTS	5.7pts
•STATEMENT OF IDENTITY	7.3 pts

DEPARTMENT	APPROVED AS IS	APPROVED W/CORRECTION	DATE
Graphic Artist			
Packaging Engineer			
Labeling Compliance			
Medical			
Regulatory Affairs			
Marketing			
Legal			
Trademark			



Job Information	Color Legend
Date 7/29/01 Component Code # U0174-10-2 Drawing No. 4960	
Identification Whitehall-Robins Healthcare Package Design Department Five Giralda Farms Madison, NJ 07940 Tel (973) 680-5619 Fax (973) 680-7185	 PROCESS YELLOW PMS 313 PMS 298 PMS 199 PMS 285
Vendor Identification J.A. Grip & Co. Designers 25 Washington Street 7th Floor Morristown, NJ 07960 (973) 377-6810	Notes:

LEGAL TEXT DEFINED	TYPE
• ACTIVE INGREDIENTS	4.5 pts
• USES	4.5 pts
• WARNINGS	4.5 pts
• DIRECTIONS	4.5 pts
• INACTIVE INGREDIENTS	n/a
• TAMPER RESISTANT STATEMENTS	4.5pts
• STATEMENT OF IDENTITY	4.5pts

DRUG FACTS COMPONENTS	SIZE
• DRUG FACTS TITLE	4.5 pt
• DRUG FACTS CONTINUED	4.5 pt
• HEADINGS	4.5 pt
• SUB HEADINGS / TEXT	4.5 pt
• # CHARACTERS / INCH	<39
• KERNING	0 - -50
• SPACE AFTER BULLETS	2
• BULLETS	3
• BARLINES / HAIRLINES	.5 pt
• SPACE BETWEEN HAIRLINES & BOX	2 spaces

DEPARTMENT	APPROVED AS IS	APPROVED W/CORRECTION	DATE
Graphic Artist			
Packaging Engineer			
Labeling Compliance			
Medical			
Regulatory Affairs			
Marketing			
Legal			
Trademark			

100%

1 1/2"

Directions

- do not give more than directed
- shake well before using
- find right dose on chart below. If possible, use weight to dose; otherwise use age
- repeat dose every 6-8 hours, if needed
- do not use more than 4 times a day
- Important: Blue dosing cup to be used with Children's Advil Suspension only. Dose lines account for product remaining in cup due to thickness of suspension.

Dosing Chart

Weight (lb)	Age (yr)	Dose (tsp)
under 24 lb	under 2 yr	ask a doctor
24-35 lb	2-3 yr	1 tsp
36-47 lb	4-5 yr	1½ tsp
48-59 lb	6-8 yr	2 tsp
60-71 lb	9-10 yr	2½ tsp
72-95 lb	11 yr	3 tsp

One Dose Lasts 6-8 Hours

Do Not Use if plastic wrap imprinted with "CHILDREN'S ADVIL SAFETY SEALED" is broken or missing.

Children's Advil Suspension
IBUPROFEN ORAL SUSPENSION
 100 mg per 5 mL (1 Teaspoon)
Fever Reducer/Pain Reliever

Uses temporarily:

- reduces fever
- relieves minor aches and pains due to the common cold, flu, sore throat, headaches and toothaches

BLUE RASPBERRY-FLAVORED LIQUID
 Alcohol Free
 2 FL OZ (60 mL)

Active ingredient (in each 5 mL):.....Ibuprofen, 100 mg

Warnings
Allergy alert: Ibuprofen may cause a severe allergic reaction which may include:

- hives
- asthma (wheezing)
- facial swelling
- shock

Do not use if the child has ever had an allergic reaction to any other fever reducer/pain reliever.

Stop use and ask a doctor if an allergic reaction occurs. Seek medical help right away. See box for important warnings and save for future use.

Store at 20-25°C (68-77°F)

Questions or comments?
 Call toll-free 1-800-88-ADVIL or ask your pharmacist, doctor or health care professional

Whitehall-Robins Healthcare, Madison, NJ 07940
 Made in USA U.S. Patent No. 4,788,220

LOT# & EXP. DATE CODE AREA UNVARNISHED

4 3/8"

150%

1 1/2"

Directions

- do not give more than directed
- shake well before using
- find right dose on chart below. If possible, use weight to dose; otherwise use age
- repeat dose every 6-8 hours, if needed
- do not use more than 4 times a day
- Important: Blue dosing cup to be used with Children's Advil Suspension only. Dose lines account for product remaining in cup due to thickness of suspension.

Dosing Chart

Weight (lb)	Age (yr)	Dose (tsp)
under 24 lb	under 2 yr	ask a doctor
24-35 lb	2-3 yr	1 tsp
36-47 lb	4-5 yr	1½ tsp
48-59 lb	6-8 yr	2 tsp
60-71 lb	9-10 yr	2½ tsp
72-95 lb	11 yr	3 tsp

One Dose Lasts 6-8 Hours

Do Not Use if plastic wrap imprinted with "CHILDREN'S ADVIL SAFETY SEALED" is broken or missing.

Children's Advil Suspension
IBUPROFEN ORAL SUSPENSION
 100 mg per 5 mL (1 Teaspoon)
Fever Reducer/Pain Reliever

Uses temporarily:

- reduces fever
- relieves minor aches and pains due to the common cold, flu, sore throat, headaches and toothaches

BLUE RASPBERRY-FLAVORED LIQUID
 Alcohol Free
 2 FL OZ (60 mL)

Active ingredient (in each 5 mL):.....Ibuprofen, 100 mg

Warnings
Allergy alert: Ibuprofen may cause a severe allergic reaction which may include:

- hives
- asthma (wheezing)
- facial swelling
- shock

Do not use if the child has ever had an allergic reaction to any other fever reducer/pain reliever.

Stop use and ask a doctor if an allergic reaction occurs. Seek medical help right away. See box for important warnings and save for future use.


Store at 20-25°C (68-77°F)

Questions or comments?
 Call toll-free 1-800-88-ADVIL or ask your pharmacist, doctor or health care professional

Whitehall-Robins Healthcare, Madison, NJ 07940
 Made in USA U.S. Patent No. 4,788,220

LOT# & EXP. DATE CODE AREA UNVARNISHED



4 3/8"

Job Information	Color Legend
Date 7/29/01 Component Code # U0174-20-2 Drawing No. 4950	
Identification  Whitehall-Robins Healthcare Package Design Department Five Giraldi Farms Madison, NJ 07940 Tel (973) 660-5619 Fax (973) 660-7185	
Vendor Identification  JA Grip & Co. Designers 25 Washington Street Fifth Floor Morristown, NJ 07960 (973) 377-6610	Notes:

LEGAL TEXT DEFINED	TYPE
•ACTIVE INGREDIENTS	4.5 pts
•USES	4.5 pts
•WARNINGS	4.5 pts
•DIRECTIONS	4.5 pts
•INACTIVE INGREDIENTS	n/a
•TAMPER RESISTANT STATEMENTS	5.0 pts
•STATEMENT OF IDENTITY	4.7 pts

DRUG FACTS COMPONENTS	SIZE
• DRUG FACTS TITLE	4.5 pt
•DRUG FACTS CONTINUED	4.5 pt
•HEADINGS	4.5 pt
•SUB HEADINGS / TEXT	4.5 pt
•# CHARACTERS / INCH	<39
•KERNING	0 - -50
•SPACE AFTER BULLETS	2
•BULLETS	3
•BARLINES / HAIRLINES	.5 pt
•SPACE BETWEEN HAIRLINES & BOX	2 spaces

DEPARTMENT	APPROVED AS IS	APPROVED W/CORRECTION	DATE
Graphic Artist			
Packaging Engineer			
Labeling Compliance			
Medical			
Regulatory Affairs			
Marketing			
Legal			
Trademark			



Job Information		Color Legend	
Date 7/29/01		PMS 199	
Component Code # U0174-30-2		PMS 311	
Drawing No. 4950		PMS 286	
Identification		Process Yellow	
 Whitehall-Robins Healthcare Package Design Department Five Girarde Farms Madison, NJ 07940 Tel (973) 660-5619 Fax (973) 660-7185		PMS 299	
Vendor Identification		PMS 313	
 J.A. Grip & Co. Designers 25 Washington Street Fifth Floor Morristown, NJ 07960 (973) 377-6610		Notes:	

LEGAL TEXT DEFINED	TYPE
• ACTIVE INGREDIENTS	4.5 pts
• USES	4.5 pts
• WARNINGS	4.5 pts
• DIRECTIONS	4.5 pts
• INACTIVE INGREDIENTS	r/a
• TAMPER RESISTANT STATEMENTS	5.0 pts
• STATEMENT OF IDENTITY	4.7 pts

DRUG FACTS COMPONENTS	SIZE
• DRUG FACTS TITLE	4.5 pt
• DRUG FACTS CONTINUED	4.5 pt
• HEADINGS	4.5 pt
• SUB HEADINGS / TEXT	4.5 pt
• # CHARACTERS / INCH	<39
• KERNING	0 -- -50
• SPACE AFTER BULLETS	2
• BULLETS	3
• BARLINES / HAIRLINES	.5 pt
• SPACE BETWEEN HAIRLINES & BOX	2 spaces

DEPARTMENT	APPROVED AS IS	APPROVED W/CORRECTION	DATE
Graphic Artist			
Packaging Engineer			
Labeling Compliance			
Medical			
Regulatory Affairs			
Marketing			
Legal			
Trademark			

**This is a representation of an electronic record that was signed electronically and
this page is the manifestation of the electronic signature.**

/s/

Linda Katz
8/2/01 08:37:42 PM