Inactive ingredients
water, hydrated silica, glycerin, sorbitol, PVM/MA copolymer, sodium lauryl sulfate, cellulose gum, flavor, sodium hydroxide, propylene glycol, carrageenan, sodium saccharin, titanium dioxide

ADA ACCEPTED American Dental Association

*"The ADA Council on Scientific Affairs' Acceptance of **Colgate Total Clean Mint** toothpaste is based on its finding that the product is effective in helping to prevent and reduce tooth decay, gingivitis and plaque above the gumline and bad breath, and to whiten teeth by removing surface stains, when used as directed."*

Questions or comments?
Call toll-free 1-800-468-6502
www.colgatetotal.com

Dist. by:
COLGATE-PALMOLIVE COMPANY
New York, NY 10022

USP 5,156,835

P9838403 1137

PRINT BACKGROUND COLOR ONLY - NO COPY

PRINT BACKGROUND COLOR ONLY - NO COPY

Helps Prevent Cavities • Gingivitis • Plaque

Colgate® Total®

Anticavity Fluoride and Antigingivitis Toothpaste

Clean Mint Paste

ADA ACCEPTED

NET WT 7.8 OZ (221 g)

Fights Tartar Buildup

PRINT BACKGROUND COLOR ONLY - NO COPY

Active ingredients — **Purpose**
Sodium fluoride 0.24% (0.14% w/v fluoride ion) ..... Anticavity
Triclosan 0.30% ..... Antigingivitis

Uses aids in the prevention of: • cavities • plaque • gingivitis

Warnings **Keep out of the reach of children under 6 years of age.** If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center right away.
Ask a dentist before use if you have • bleeding or redness lasting more than 2 weeks
• pain, swelling, pus, loose teeth, or more spacing between teeth
These may be signs of periodontitis, a serious form of gum disease.

Directions
• Supervise children as necessary until capable of using without supervision.
• Adults and children 6 years of age and older: Brush teeth thoroughly, preferably after each meal or at least twice a day, or as directed by a dentist or a physician. • Children under 12 years: Instruct in good brushing and rinsing habits (to minimize swallowing). • Children under 6 years: Do not use unless directed by a dentist or a physician.
Antiplaque and antigingivitis use not proven in children.

Helps Prevent Cavities • Gingivitis • Plaque

Colgate® Total®

Anticavity Fluoride and Antigingivitis Toothpaste

Clean Mint Paste

NET WT 7.8 OZ (221 g) **Fights Tartar Buildup**

P9838408

Helps Prevent Cavities • Gingivitis • Plaque

Colgate® Total®

Anticavity Fluoride and Antigingivitis Toothpaste

Clean Mint Paste

NET WT 7.8 OZ (221 g) **Fights Tartar Buildup**

Colgate® Total® Clean Mint Paste

LOT:

EXP:

1137

Colgate® Total® Clean Mint Paste

As soon as you finish brushing, bacteria start to build up on your teeth and cause:

- ☑ **Cavities**
- ☑ **Gingivitis**
- ☑ **Plaque**

And also:

- ☑ **Tartar**
- ☑ **Bad breath**



Colgate Total® Clean Mint has a combination of triclosan for gingivitis protection and fluoride for cavity protection.

USP 5,156,835

Brush at least twice a day and you'll know your teeth are cleaner and your breath will be fresher around the clock.

ADA ACCEPTED American Dental Association

*"The ADA Council on Scientific Affairs' Acceptance of **Colgate Total Clean Mint** toothpaste is based on its finding that the product is effective in helping to prevent and reduce tooth decay, gingivitis and plaque above the gumline and bad breath, and to whiten teeth by removing surface stains, when used as directed."*

Dist. by:
COLGATE-PALMOLIVE COMPANY
New York, NY 10022
www.colgatetotal.com

Drug Facts

Active ingredients — **Purpose**

Sodium fluoride 0.24% (0.14% w/v fluoride ion) ..... Anticavity
Triclosan 0.30% ..... Antigingivitis

Uses aids in the prevention of:
- cavities
- plaque
- gingivitis

Warnings

Keep out of the reach of children under 6 years of age.
If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center right away.
Ask a dentist before use if you have
- bleeding or redness lasting more than 2 weeks
- pain, swelling, pus, loose teeth, or more spacing between teeth

These may be signs of periodontitis, a serious form of gum disease.

Drug Facts (continued)

Directions supervise children as necessary until capable of using without supervision.

adults and children 6 years of age and older	brush teeth thoroughly, preferably after each meal or at least twice a day, or as directed by a dentist or a physician
children under 12 years	instruct in good brushing and rinsing habits (to minimize swallowing)
children under 6 years	do not use unless directed by a dentist or a physician

Antiplaque and antigingivitis use not proven in children

Inactive ingredients water, hydrated silica, glycerin, sorbitol, PVM/MA copolymer, sodium lauryl sulfate, cellulose gum, flavor, sodium hydroxide, propylene glycol, carrageenan, sodium saccharin, titanium dioxide

Questions or comments? Call toll-free **1-800-468-6502**

53

Dual use cap
Flip top or twist off

53

Dual use cap
Flip top or twist off

Inactive ingredients
water, hydrated silica, glycerin, sorbitol, PVM/MA copolymer, sodium lauryl sulfate, cellulose gum, flavor, sodium hydroxide, propylene glycol, carrageenan, sodium saccharin, titanium dioxide

ADA ACCEPTED American Dental Association

*"The ADA Council on Scientific Affairs' Acceptance of **Colgate Total Clean Mint** toothpaste is based on its finding that the product is effective in helping to prevent and reduce tooth decay, gingivitis and plaque above the gumline and bad breath, and to whiten teeth by removing surface stains, when used as directed."*

Questions or comments?
Call toll-free 1-800-468-6502
www.colgatetotal.com

Dist. by:
COLGATE-PALMOLIVE COMPANY
New York, NY 10022
USP 5,156,835

P9838402 1136

PRINT BACKGROUND COLOR ONLY - NO COPY

PRINT BACKGROUND COLOR ONLY - NO COPY

Helps Prevent Cavities • Gingivitis • Plaque

Colgate® Total® Clean Mint Paste

Anticavity Fluoride and Antigingivitis Toothpaste

ADA ACCEPTED American Dental Association

NET WT 6.0 OZ (170 g)

Fights Tartar Buildup

Active ingredients — **Purpose**
Sodium fluoride 0.24% (0.14% w/v fluoride ion) ..... Anticavity
Triclosan 0.30% ..... Antigingivitis

Uses aids in the prevention of: • cavities • plaque • gingivitis

Warnings **Keep out of the reach of children under 6 years of age.** If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center right away. **Ask a dentist before use if you have** • bleeding or redness lasting more than 2 weeks • pain, swelling, pus, loose teeth, or more spacing between teeth These may be signs of periodontitis, a serious form of gum disease.

Directions
• Supervise children as necessary until capable of using without supervision. • Adults and children 6 years of age and older: Brush teeth thoroughly, preferably after each meal or at least twice a day, or as directed by a dentist or a physician. • Children under 12 years: Instruct in good brushing and rinsing habits (to minimize swallowing).
• Children under 6 years: Do not use unless directed by a dentist or a physician.
Antiplaque and antigingivitis use not proven in children.

PRINT BACKGROUND COLOR ONLY - NO COPY

PV119G

P9838407

Helps Prevent Cavities • Gingivitis • Plaque

Colgate® Total®

Anticavity Fluoride and Antigingivitis Toothpaste

Clean Mint Paste

NET WT 6.0 OZ (170 g) Fights Tartar Buildup

Helps Prevent Cavities • Gingivitis • Plaque

Colgate® Total®

Anticavity Fluoride and Antigingivitis Toothpaste

Clean Mint Paste

NET WT 6.0 OZ (170 g) Fights Tartar Buildup

Colgate® Total® Clean Mint Paste

LOT:

EXP:

1136

Colgate® Total® Clean Mint Paste

As soon as you finish brushing, bacteria start to build up on your teeth and cause:

☑ Cavities ☑ Gingivitis ☑ Plaque

And also:

☑ Tartar ☑ Bad breath





Colgate Total® Clean Mint has a combination of triclosan for gingivitis protection and fluoride for cavity protection.

USP 5,156,835

Brush at least twice a day and you'll know your teeth are cleaner and your breath will be fresher around the clock.

ADA ACCEPTED American Dental Association

*"The ADA Council on Scientific Affairs' Acceptance of **Colgate Total Clean Mint** toothpaste is based on its finding that the product is effective in helping to prevent and reduce tooth decay, gingivitis and plaque above the gumline and bad breath, and to whiten teeth by removing surface stains, when used as directed."*

Dist. by:
COLGATE-PALMOLIVE COMPANY
New York, NY 10022
www.colgatetotal.com

Drug Facts

Active ingredients	Purpose
Sodium fluoride 0.24% (0.14% w/v fluoride ion)	Anticavity
Triclosan 0.30%	Antigingivitis

Uses aids in the prevention of:
- cavities
- plaque
- gingivitis

Warnings

Keep out of the reach of children under 6 years of age.

If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Ask a dentist before use if you have
- bleeding or redness lasting more than 2 weeks
- pain, swelling, pus, loose teeth, or more spacing between teeth

These may be signs of periodontitis, a serious form of gum disease.

Drug Facts (continued)

Directions supervise children as necessary until capable of using without supervision.

adults and children 6 years of age and older	brush teeth thoroughly, preferably after each meal or at least twice a day, or as directed by a dentist or a physician
children under 12 years	instruct in good brushing and rinsing habits (to minimize swallowing)
children under 6 years	do not use unless directed by a dentist or a physician

Antiplaque and antigingivitis use not proven in children.

Inactive ingredients water, hydrated silica, glycerin, sorbitol, PVM/MA copolymer, sodium lauryl sulfate, cellulose gum, flavor, sodium hydroxide, propylene glycol, carrageenan, sodium saccharin, titanium dioxide

Questions or comments? Call toll-free **1-800-468-6502**

0 35000 74003 8

52 Dual use cap Flip top or twist off

52 Dual use cap Flip top or twist off

Inactive ingredients
water, hydrated silica, glycerin, sorbitol, PVM/MA copolymer, sodium lauryl sulfate, cellulose gum, flavor, sodium hydroxide, propylene glycol, carrageenan, sodium saccharin, titanium dioxide

ADA ACCEPTED American Dental Association

*"The ADA Council on Scientific Affairs' Acceptance of **Colgate Total Clean Mint** toothpaste is based on its finding that the product is effective in helping to prevent and reduce tooth decay, gingivitis and plaque above the gumline and bad breath, and to whiten teeth by removing surface stains, when used as directed."*

Questions or comments?
Call toll-free 1-800-468-6502
www.colgatetotal.com

Dist. by:
***COLGATE-PALMOLIVE** COMPANY*
New York, NY 10022

USP 5,156,835

P9838401 1135

PRINT BACKGROUND COLOR ONLY - NO COPY

PRINT BACKGROUND COLOR ONLY - NO COPY

Helps Prevent Cavities • Gingivitis • Plaque

Colgate® Total®

Anticavity Fluoride and Antigingivitis Toothpaste

***Clean Mint** Paste*

ADA ACCEPTED American Dental Association

NET WT 4.2 OZ (119 g) ***Fights Tartar Buildup***

Active ingredients	**Purpose**
Sodium fluoride 0.24% (0.14% w/v fluoride ion)	Anticavity
Triclosan 0.30%	Antigingivitis

Uses aids in the prevention of: • cavities • plaque • gingivitis

Warnings **Keep out of the reach of children under 6 years of age.** If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center right away. **Ask a dentist before use if you have** • bleeding or redness lasting more than 2 weeks • pain, swelling, pus, loose teeth, or more spacing between teeth
These may be signs of periodontitis, a serious form of gum disease.

Directions
• Supervise children as necessary until capable of using without supervision. • Adults and children 6 years of age and older: Brush teeth thoroughly, preferably after each meal or at least twice a day, or as directed by a dentist or a physician. • Children under 12 years: Instruct in good brushing and rinsing habits (to minimize swallowing). • Children under 6 years: Do not use unless directed by a dentist or a physician. Antiplaque and antigingivitis use not proven in children.

PRINT BACKGROUND COLOR ONLY - NO COPY

PV119G

P983840G

1135

Helps Prevent Cavities • Gingivitis • Plaque

Colgate® Total®

Anticavity Fluoride and Antigingivitis Toothpaste

Clean Mint Paste

ADA ACCEPTED American Dental Association

NET WT 4.2 OZ (119 g) Fights Tartar Buildup

Helps Prevent Cavities • Gingivitis • Plaque

Colgate® Total®

Anticavity Fluoride and Antigingivitis Toothpaste

Clean Mint Paste

ADA ACCEPTED American Dental Association

NET WT 4.2 OZ (119 g) Fights Tartar Buildup

Colgate® Total® Clean Mint Paste

LOT:

EXP:

Colgate® Total® Clean Mint Paste

As soon as you finish brushing, bacteria start to build up on your teeth and cause:

- ☑ Cavities
- ☑ Gingivitis
- ☑ Plaque

And also:

- ☑ Tartar
- ☑ Bad breath

Colgate Total® Clean Mint has a combination of triclosan for gingivitis protection and fluoride for cavity protection.

USP 5,156,835

Brush at least twice a day and you'll know your teeth are cleaner and your breath will be fresher around the clock.

ADA ACCEPTED American Dental Association

*"The ADA Council on Scientific Affairs' Acceptance of **Colgate Total Clean Mint** toothpaste is based on its finding that the product is effective in helping to prevent and reduce tooth decay, gingivitis and plaque above the gumline and bad breath, and to whiten teeth by removing surface stains, when used as directed."*

Dist. by:
COLGATE-PALMOLIVE COMPANY
New York, NY 10022
www.colgatetotal.com

Drug Facts

Active ingredients	Purpose
Sodium fluoride 0.24% (0.14% w/v fluoride ion)	Anticavity
Triclosan 0.30%	Antigingivitis

Uses aids in the prevention of:
- cavities
- plaque
- gingivitis

Warnings

Keep out of the reach of children under 6 years of age. If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Ask a dentist before use if you have
- bleeding or redness lasting more than 2 weeks
- pain, swelling, pus, loose teeth, or more spacing between teeth

These may be signs of periodontitis, a serious form of gum disease.

Drug Facts (continued)

Directions supervise children as necessary until capable of using without supervision.

adults and children 6 years of age and older	brush teeth thoroughly, preferably after each meal or at least twice a day, or as directed by a dentist or a physician
children under 12 years	instruct in good brushing and rinsing habits (to minimize swallowing)
children under 6 years	do not use unless directed by a dentist or a physician

Antiplaque and antigingivitis use not proven in children.

Inactive ingredients water, hydrated silica, glycerin, sorbitol, PVM/MA copolymer, sodium lauryl sulfate, cellulose gum, flavor, sodium hydroxide, propylene glycol, carrageenan, sodium saccharin, titanium dioxide

Questions or comments? Call toll-free 1-800-468-6502

51 Dual use cap Flip top or twist off

51 Dual use cap Flip top or twist off

0 35000 74002 1



Uses aids in the prevention of: • cavities • plaque • gingivitis

Warnings **Keep out of the reach of children under 6 years of age.** If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Ask a dentist before use if you have • bleeding or redness lasting more than 2 weeks • pain, swelling, pus, loose teeth, or more spacing between teeth. These may be signs of periodontitis, a serious form of gum disease.

Directions • Supervise children as necessary until capable of using without supervision. • Adults and children 6 years of age and older: Brush teeth thoroughly, preferably after each meal or at least twice a day, or as directed by a dentist or a physician. • Children under 12 years: Instruct in good brushing and rinsing habits (to minimize swallowing). • Children under 6 years: Do not use unless directed by a dentist or a physician. Antiplaque and antigingivitis use not proven in children.

Inactive ingredients water, hydrated silica, glycerin, sorbitol, PVM/MA copolymer, sodium lauryl sulfate, cellulose gum, flavor, sodium hydroxide, propylene glycol, carrageenan, sodium saccharin, titanium dioxide

NET WT. .75 OZ (21.2 g)

NO TEXT

PRINT BACKGROUND COLOR ONLY

PRINT BACKGROUND COLOR ONLY

Dist. by: ***COLGATE-PALMOLIVE*** *COMPANY*
New York, NY 10022
www.colgatetotal.com

1-800-468-6502
P9836919 1105
USP 5,156,835

Helps Prevent Cavities • Gingivitis • Plaque

Colgate® Total®

Anticavity Fluoride and Antigingivitis Toothpaste

Clean Mint *Paste*

Fights Tartar Buildup

NO TEXT

Active ingredients **Purpose**

Sodium fluoride 0.24% (0.14% w/v fluoride ion) ..... Anticavity

Triclosan 0.30% ..... Antigingivitis

PRINT BACKGROUND COLOR ONLY

P8838404

LOT:

EXP:

1133

Helps Prevent Cavities • Gingivitis • Plaque

Colgate®

Anticavity Fluoride and Antigingivitis Toothpaste

ADA ACCEPTED American Dental Association

NET WT .75 OZ (21.2 g) Fights Tartar Buildup

Total® Clean Mint Paste

Helps Prevent Cavities • Gingivitis • Plaque

Colgate®

Anticavity Fluoride and Antigingivitis Toothpaste

ADA ACCEPTED American Dental Association

NET WT .75 OZ (21.2 g) Fights Tartar Buildup

Total® Clean Mint Paste

Colgate® Total® Advanced Fresh

As soon as you finish brushing, bacteria start to build up on your teeth and cause:

- ☑ Cavities
- ☑ Gingivitis
- ☑ Plaque

And also:

- ☑ Tartar
- ☑ Bad breath

Dist. by: COLGATE-PALMOLIVE COMPANY
New York, NY 10022 www.colgatetotal.com
USP 5,156,835

ADA ACCEPTED American Dental Association

*"The ADA Council on Scientific Affairs' Acceptance of **Colgate Total Clean Mint** toothpaste is based on its finding that the product is effective in helping to prevent and reduce tooth decay, gingivitis and plaque above the gumline and bad breath, and to whiten teeth by removing surface stains, when used as directed."*

0 35000 74000 7

03

Drug Facts

Active ingredients	Purpose
Sodium fluoride 0.24% (0.14% w/v fluoride ion)	Anticavity
Triclosan 0.30%	Antigingivitis

Uses aids in the prevention of:
- cavities
- plaque
- gingivitis

Warnings
Keep out of the reach of children under 6 years of age. If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center right away.
Ask a dentist before use if you have
- bleeding or redness lasting more than 2 weeks
- pain, swelling, pus, loose teeth, or more spacing between teeth

These may be signs of periodontitis, a serious form of gum disease.

Directions supervise children as necessary until capable of using without supervision.

adults and children 6 years of age and older	brush teeth thoroughly, preferably after each meal or at least twice a day, or as directed by a dentist or a physician
children under 12 years	instruct in good brushing and rinsing habits (to minimize swallowing)
children under 6 years	do not use unless directed by a dentist or a physician

Antiplaque and antigingivitis use not proven in children.

Inactive ingredients water, hydrated silica, glycerin, sorbitol, PVM/MA copolymer, sodium lauryl sulfate, cellulose gum, flavor, sodium hydroxide, propylene glycol, carrageenan, sodium saccharin, titanium dioxide

℄ **Questions?** 1-800-468-6502

08

PV119G

Drug Facts

Active ingredients	Purpose
Sodium fluoride 0.24% (0.14% w/v fluoride ion)	Anticavity
Triclosan 0.30%	Antigingivitis

Uses aids in the prevention of:
• cavities • plaque • gingivitis

Warnings
Keep out of the reach of children under 6 years of age.
If more than used for brushing is accidentally swallowed get medical help or contact a Poison Control Center right away.
Ask a dentist before use if you have
bleeding or redness lasting more than 2 weeks
pain, swelling, pus, loose teeth, or more spacing between teeth
These may be signs of periodontitis, a serious form of gum disease.

Directions supervise children as necessary until capable of using without supervision.

adults and children 6 years of age and older	brush teeth thoroughly, preferably after each meal or at least twice a day, or as directed by a dentist or a physician
children under 12 years	instruct in good brushing and rinsing habits (to minimize swallowing)
children under 6 years	do not use unless directed by a dentist or a physician

Antiplaque and antigingivitis use not proven in children.

Inactive ingredients water, hydrated silica, glycerin, sorbitol, PVM/MA copolymer, sodium lauryl sulfate, cellulose gum, flavor, sodium hydroxide, propylene glycol, carrageenan, sodium saccharin, titanium dioxide

Questions? 1-800-468-6502

WHITE EYE FRACTURE