

**Cetirizine Hydrochloride
and Pseudoephedrine
Hydrochloride**

Extended Release Tablets

5 mg / 120 mg

TO OPEN USE SCISSORS

DISTRIBUTED BY PERRIGO
ALLEGAN, MI 49010 USA

MADE IN INDIA

LOT EXP.

**Cetirizine Hydrochloride
and Pseudoephedrine
Hydrochloride**

Extended Release Tablets

5 mg / 120 mg

TO OPEN USE SCISSORS

DISTRIBUTED BY PERRIGO
ALLEGAN, MI 49010 USA

MADE IN INDIA

LOT EXP.

17600 00 X1

**Cetirizine Hydrochloride
and Pseudoephedrine
Hydrochloride**

Extended Release Tablets

5 mg / 120 mg

TO OPEN USE SCISSORS

DISTRIBUTED BY PERRIGO
ALLEGAN, MI 49010 USA

MADE IN INDIA

LOT EXP.

**Cetirizine Hydrochloride
and Pseudoephedrine
Hydrochloride**

Extended Release Tablets

5 mg / 120 mg

TO OPEN USE SCISSORS

DISTRIBUTED BY PERRIGO
ALLEGAN, MI 49010 USA

MADE IN INDIA

LOT EXP.

**Cetirizine Hydrochloride
and Pseudoephedrine
Hydrochloride**

Extended Release Tablets

5 mg / 120 mg

TO OPEN USE SCISSORS

DISTRIBUTED BY PERRIGO
ALLEGAN, MI 49010 USA

MADE IN INDIA

LOT EXP.

**Cetirizine Hydrochloride
and Pseudoephedrine
Hydrochloride**

Extended Release Tablets

5 mg / 120 mg

TO OPEN USE SCISSORS

DISTRIBUTED BY PERRIGO
ALLEGAN, MI 49010 USA

MADE IN INDIA

LOT EXP.

Drug Facts (continued)

Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Warnings

- Ask a doctor before use if you have:
 - heart disease
 - thyroid disease
 - diabetes
 - glaucoma
 - high blood pressure
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

- **do not use more than directed**
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.

Inactive ingredients

colloidal silicon dioxide, hydroxypropyl cellulose, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, talc, yellow iron oxide

Other information

- store between 20° to 25°C (68° to 77°F)

Directions

- do not break or chew tablet; swallow tablet whole
- adults and children: take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.
- adults 65 years and over: ask a doctor
- children under 12 years of age: ask a doctor
- consumers with liver or kidney disease: ask a doctor

Drug Facts (continued)

- you get nervous, dizzy, or sleepy
- symptoms do not improve within 7 days or are accompanied by fever

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Active ingredients

(in each extended release tablet)

Cetirizine HCl 5 mg.....Antihistamine
Pseudoephedrine HCl 120 mg.....Nasal Decongestant

Purpose

fever or other upper respiratory allergies:
■ itchy, watery eyes
■ runny nose
■ sneezing
■ itching of the nose or throat
■ nasal congestion

reduces swelling of nasal passages
temporarily restores freer breathing through the nose

Drug Facts (continued)

Uses

- temporarily restores freer breathing through the nose
- temporarily relieves sinus congestion and pressure
- temporarily relieves sinus congestion and pressure
- reduces swelling of nasal passages
- itching of the nose or throat
- runny nose
- sneezing
- itchy, watery eyes
- nasal congestion

fever or other upper respiratory allergies:
■ itchy, watery eyes
■ runny nose
■ sneezing
■ itching of the nose or throat
■ nasal congestion

Original Prescription Strength

Cetirizine Hydrochloride and Pseudoephedrine Hydrochloride Extended Release Tablets 5 mg / 120 mg Antihistamine / Nasal Decongestant

Indoor & Outdoor Allergies

ALLERGY & CONGESTION

12 Hour Relief of:

- Sneezing
- Runny Nose
- Sinus Pressure
- Itchy, Watery Eyes
- Itchy Throat or Nose
- Nasal Congestion

12 EXTENDED RELEASE TABLETS

DO NOT USE IF BLISTER UNIT IS BROKEN OR TORN

Questions? If you have questions of a medical nature, please contact your pharmacist, doctor or health care professional.

Made in India

DISTRIBUTED BY
PERRIGO
ALLEGAN, MI 49010

CODE AREA

17653 FA C1

ALLERGY & CONGESTION

Cetirizine Hydrochloride and Pseudoephedrine Hydrochloride Extended Release Tablets 5 mg / 120 mg Antihistamine / Nasal Decongestant

ALLERGY & CONGESTION

12 Hour Relief of:

- Sneezing
- Runny Nose
- Sinus Pressure
- Itchy, Watery Eyes
- Itchy Throat or Nose
- Nasal Congestion

12 EXTENDED RELEASE TABLETS

DO NOT USE IF BLISTER UNIT IS BROKEN OR TORN

Questions? If you have questions of a medical nature, please contact your pharmacist, doctor or health care professional.

Made in India

DISTRIBUTED BY
PERRIGO
ALLEGAN, MI 49010

FORMAT: STANDARD

TYPE SIZES:

TITLE: 9 pt Helvetica Bold Cond. Oblique
TITLE (continued): 8 pt Helvetica Bold Cond. Oblique (continued) 8 pt Helvetica Cond. Medium
HEADINGS: 8 pt Helvetica Bold Cond. Oblique
SUBHEADINGS: 6 pt Helvetica Bold Cond.
TEXT: 6 pt Helvetica Medium Cond.

LEADING: minimum 6.3 pt
BULLETS: 5 pt Square with 2 M'S spacing between statements
HEAVY LINES: 1.5 pt
HAIRLINES: 0.5 pt

