

530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569

## MEDICATION GUIDE

### VOTRIENT™ (VO-tree-ent) (pazopanib) tablets

Read the Medication Guide that comes with VOTRIENT before you start taking it and each time you get a refill. There may be new information. This Medication Guide does not take the place of talking with your healthcare provider about your medical condition or treatment.

#### **What is the most important information I should know about VOTRIENT?**

- **VOTRIENT can cause serious liver problems including death.** Your healthcare provider will do blood tests to check your liver before you start and while you take VOTRIENT.

#### **Tell your healthcare provider right away if you have any of these signs of liver problems:**

- yellowing of your skin or the whites of your eyes (jaundice)
- dark urine
- tiredness
- nausea or vomiting
- loss of appetite
- pain on the right side of your stomach
- bruise easily

#### **What is VOTRIENT?**

VOTRIENT is a prescription medicine used to treat advanced renal cell cancer in adults. It is not known if VOTRIENT is safe or effective in children under 18 years of age.

#### **What should I tell my healthcare provider before taking VOTRIENT?**

##### **Before you take VOTRIENT, tell your healthcare provider if you:**

- have or had liver problems
- have high blood pressure
- have heart problems or an irregular heartbeat including QT prolongation
- have a history of a stroke
- have coughed up blood in the last 6 months
- had bleeding of your stomach or intestines in the last 6 months
- have a history of a tear (perforation) in your stomach or intestine, or an abnormal connection between two parts of your gastrointestinal tract (fistula)
- have thyroid problems
- had recent surgery (within the last 7 days) or are going to have surgery
- have any other medical conditions
- are pregnant or plan to become pregnant. VOTRIENT can harm your unborn baby. You should not become pregnant while you are taking VOTRIENT.

- 570 • are breast-feeding or plan to breast-feed. It is not known if VOTRIENT passes into your  
571 breast milk. You and your healthcare provider should decide if you will take VOTRIENT or  
572 breast-feed. You should not do both.

573

574 **Tell your healthcare provider about all the medicines you take** including prescription and  
575 non-prescription medicines, vitamins, and herbal supplements. VOTRIENT may affect the way  
576 other medicines work and other medicines may affect how VOTRIENT works.

577

578 **Especially, tell your healthcare provider if you:**

- 579 • take medicines that can affect enzyme metabolism such as:
- 580 • some antibiotics (used to treat infections)
  - 581 • some drugs used to treat HIV
  - 582 • some drugs used to treat depression
  - 583 • drugs used to treat irregular heart beats
- 584 • drink grapefruit juice

585

586 Ask your healthcare provider if you are not sure if your medicine is one that is listed above.

587

588 Know the medicines you take. Keep a list of them and show it to your healthcare provider and  
589 pharmacist when you get a new medicine.

590

591 **How should I take VOTRIENT?**

- 592 • Take VOTRIENT exactly as your healthcare provider tells you. Your healthcare provider  
593 will tell you how much VOTRIENT to take.
- 594 • Your healthcare provider may change your dose.
- 595 • Take VOTRIENT on an empty stomach, at least 1 hour before or 2 hours after food.
- 596 • Do not crush tablets of VOTRIENT.
- 597 • Do not eat grapefruit or drink grapefruit juice at the same time as tablets of VOTRIENT.  
598 They may change the amount of VOTRIENT in your body.
- 599 • If you miss a dose, take it as soon as you remember. Do not take it if it is close (within  
600 12 hours) to your next dose. Just take the next dose at your regular time. Do not take more  
601 than 1 dose of VOTRIENT at a time.
- 602 • Your healthcare provider will test your blood and heart before you start and while you take  
603 VOTRIENT.

604

605 **What are the possible side effects of VOTRIENT?**

606 **VOTRIENT may cause serious side effects including:**

- 607 • See “**What is the most important information I should know about VOTRIENT?**”.
- 608 • **high blood pressure**
- 609 • **irregular or fast heartbeat or fainting**

- 610 • **heart attack or stroke:** chest pain or pressure, pain in your arms, back, neck or jaw,  
611 shortness of breath, numbness or weakness on one side of your body, trouble talking,  
612 headache, or dizziness.
- 613 • **bleeding problems:** unusual bleeding, bruising, wounds that do not heal.
- 614 • **tear in your stomach or intestinal wall (perforation) or bleeding:** pain, swelling in your  
615 stomach-area, vomiting blood, and black sticky stools.
- 616 • **thyroid problems**

617  
618 **Call your healthcare provider right away, if you have any of the symptoms listed above.**  
619

620 The most common side effects of VOTRIENT include:

- 621 • diarrhea
- 622 • change in hair color
- 623 • nausea or vomiting
- 624 • loss of appetite
- 625 • feeling tired

626  
627 Tell your healthcare provider if you have any side effect that bothers you or that does not go  
628 away. These are not all the possible side effects of VOTRIENT. For more information, ask your  
629 healthcare provider or pharmacist.

630  
631 Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-  
632 800-FDA-1088.

633  
634 **How should I store VOTRIENT tablets?**

635 Store VOTRIENT between 59°F to 86°F (15°C to 30°C).

636  
637 **Keep VOTRIENT and all medicines out of the reach of children.**

638  
639 **General information about the safe and effective use of VOTRIENT:**

640 Medicines are sometimes prescribed for purposes other than those listed in a Medication Guide.  
641 Do not use VOTRIENT for a condition for which it was not prescribed. Do not give VOTRIENT  
642 to other people even if they have the same symptoms that you have. It may harm them.

643  
644 This Medication Guide summarizes the most important information about VOTRIENT. If you  
645 would like more information, talk with your healthcare provider. You can ask your pharmacist or  
646 healthcare provider for information about VOTRIENT that is written for healthcare  
647 professionals. For more information, go to [www.VOTRIENT.com](http://www.VOTRIENT.com) or call 1-888-825-5249.

648

649 **What are the ingredients in VOTRIENT?**

650 **Active Ingredient:** pazopanib.

651 **Inactive Ingredients:** hypromellose, iron oxide black, macrogol/ polyethylene glycol 400  
652 (PEG 400), magnesium stearate, microcrystalline cellulose, polysorbate 80, povidone, sodium  
653 starch glycolate, titanium dioxide.

654

655 VOTRIENT is a trademark of GlaxoSmithKline.

656

657 **This Medication Guide has been approved by the U.S. Food and Drug Administration.**

658



659

660 GlaxoSmithKline

661 Research Triangle Park, NC 27709

662

663 ©YEAR, GlaxoSmithKline. All rights reserved.

664

665 Revised: Month YEAR

666 VTR:XMG