NOTES:

1) DRAWING SHOWN PRINT SIDE UP.
2) DIMENSIONS ARE IN INCHES.
3) TOLERANCE UNLESS OTHERWISE SPECIFIED: ±1/32
4) GLUE AREA.
5) LOT/EXP AREA.
6) UPC AREA.
7) ---- LIMIT OF COPY AREA.
8) REFERENCE ROCK-TENN DESIGN #FHO-08-02948.

INIT.	NO.	DATE	REVISIONS
(b) (4)	1	11/7/08	INITIAL DRAFT

DWG. NO. FC-C-1168
DRAWN: (b) (4)
SCALE: NONE
DATE: 11/7/08
APPROVED:

McNeil Consumer Healthcare
7050 Camp Hill Road, Fort Washington, PA 19034

TITLE:
CARTON
75cc PUSH & TURN

00000000

Drug Facts
Active ingredient (in each caplet) **Purpose**
Acetaminophen 650 mg ..... Pain reliever/fever reducer

Uses
- temporarily relieves minor aches and pains due to:
  - minor pain of arthritis
  - muscular aches
  - backache
  - premenstrual and menstrual cramps
  - the common cold
  - headache
  - toothache
- temporarily reduces fever

Warnings
Liver warning: This product contains acetaminophen.
Severe liver damage may occur if you take
- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

See New Warnings Information NDC 50580-112-XX

TYLENOL®
ARTHRITIS PAIN
Acetaminophen extended-release tablets Pain Reliever/Fever Reducer
For The Temporary Relief Of Minor Arthritis Pain

Push & Turn Cap

50 CAPLETS 650 mg each

Caplets*
*Capsule-Shaped Bi-Layer Tablets

00000000

EXP.
3 0045-0838-506

See New Warnings Information NDC 50580-112-XX

TYLENOL®
ARTHRITIS PAIN
Acetaminophen extended-release tablets Pain Reliever/Fever Reducer
For The Temporary Relief Of Minor Arthritis Pain

Push & Turn Cap

50 CAPLETS 650 mg each

Caplets*
*Capsule-Shaped Bi-Layer Tablets

TYLENOL®
ARTHRITIS PAIN
Push & Turn Cap

Manufactured by: McNeil Healthcare LLC
LAS P EDRAS, PUERTO RICO 00771
For: McNeil Consumer Healthcare, DIVISION OF MCNE L-PPC, NC
FORT WASH NGTON, PA 19034 USA ©MCN-PPC, NC. 2011
Visit us at www.tylenol.com or call toll-free
1-877-TYLENOL (1-877-895-3665)

Contains No Aspirin

Drug Facts (continued)

Keep out of reach of children.
Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions
- do not take more than directed (see overdose warning)

adults	■ take 2 caplets every 8 hours with water ■ swallow whole - do not crush, chew, split or dissolve ■ do not take more than 6 caplets in 24 hours ■ do not use for more than 10 days unless directed by a doctor
under 18 years of age	■ ask a doctor

Other information
- store at 20-25°C (68-77°F). Avoid excessive heat 40°C (104°F).
- do not use if carton is opened or neck wrap or foil inner seal imprinted with "SAFETY SEAL @" is broken
- see end panel for lot number and expiration date

Inactive ingredients carnauba wax, corn starch, hydroxyethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, povidone, powdered cellulose, pregelatinized starch, sodium starch glycolate, titanium dioxide, triacetin

Questions or comments?
call 1-877-895-3665

00000000

Labeling Format Information: Fonts: HelveticaDF Cond Medium, Cond Bold, Cond Bold Italic

Drug Facts:	8.50 pt	Body Text:	6.00 pt	Bullets:	5.00 pt	Horizontal Scale:	85%
Headers:	8.00 pt	Leading:	6.50 pt	Barlines:	2.50 pt		
Subheaders:	6.00 pt	Drug Facts (cotinued):	8.00 pt	Hairlines:	0.50 pt	Average Kerning:	0

McNeil Submission Artwork

(b) (4)

(b) (4)

NOTES:

1) DRAWING SHOWN PRINT SIDE UP
2) ALL DIMENSIONS IN INCHES
3) TOLERANCES UNLESS SPECIFIED:
   FRACTIONS ±1/32
   ANGLES ±1°
4) --- NO PRINT
5) LOT & EXP. DATE AREA (NO ADDITIONAL COPY, NO COLOR)
6) UPC AREA (NO COLOR)
7) GLUE AREA (NO COPY, NO COLOR, NO VARNISH)

INIT.	NO.	DATE	REVISIONS
(b) (4)	8	7/18/97	ADDED DV INFO
	7	3-16-94	ADDED "EXP:" TEXT
	6	9-13-93	ADDED UPC AREA
	5	11-30-92	CORRECTED REVISION BLOCK
	4	5-18-92	REDRAWN ON NEW FORMAT
	3	8-30-89	FLAP ANGLE & RADII CORRECTED
	2	3-21-89	DEPTH DIMENSION ADDED
	1	3-21-88	NOTE ADDED: PRINT SIDE UP

DWG. NO. FC-C-112

DRAWN (b) (4)

PLOT SCALE 1:1

DATE 5-18-92

McNEIL
CONSUMER PRODUCTS CO.
CAMP HILL ROAD, FORT WASHINGTON, PA. 19034

TITLE:
CARTON, SEAL END
1.72 L X 1.66 W
X 3.19 D

Labeling Format Information:	Fonts: HelveticaDF Cond Medium, Cond Bold, Cond Bold Italic			
Drug Facts: 8.50 pt	Body Text: 6.00 pt	Bullets: 5.00 pt	Horizontal Scale: 75%	McNeil Submission Artwork
Headers: 8.00 pt	Leading: 6.50 pt	Barlines: 2.50 pt		
Subheaders: 6.00 pt	Drug Facts (cotinued): 8.00 pt	Hairlines: 0.50 pt	Average Kerning: 0	

(b) (4)

NOTES:

1) DRAWING SHOWN PRINT SIDE UP.
2) DIMENSIONS ARE IN INCHES.
3) TOLERANCE UNLESS OTHERWISE SPECIFIED: ±1/32
4) GLUE AREA.
5) LOT/EXP AREA.
6) UPC AREA.
7) ---- LIMIT OF COPY AREA.
8) REFERENCE ROCK-TENN DESIGN #FHO-08-02948.

INIT.	NO.	DATE	REVISIONS
(b) (4)	1	11/7/08	INITIAL DRAFT

DWG. NO. FC-C-1168
DRAWN: (b) (4)
SCALE: NONE
DATE: 11/7/08
APPROVED:

McNeil Consumer Healthcare
7050 Camp Hill Road, Fort Washington, PA 19034

TITLE:
CARTON
75cc PUSH & TURN

Labeling Format Information: Fonts: HelveticaDF Cond Medium, Cond Bold, Cond Bold Italic

Drug Facts:	8.50 pt	Body Text:	6.00 pt	Bullets:	5.00 pt	Horizontal Scale:	85%
Headers:	8.00 pt	Leading:	6.50 pt	Barlines:	2.50 pt		
Subheaders:	6.00 pt	Drug Facts (cotinued):	8.00 pt	Hairlines:	0.50 pt	Average Kerning:	0

McNeil Submission Artwork

(b) (4)

NOTES:

1. ALL DIMENSIONS ARE IN INCHES
2. BASED ON OSG IVERS-LEE DRAWING #: 87806.
3. SEAL AREA, NO PRINT
4. —— SLIT
5. LOT/EXP CODING AREA. NO VARNISH, NO PRINT.
6. EYEMARK
7. "FRONT" USE STANDARD UNWIND #1.
8. "BACK" USE STANDARD UNWIND #1.
9. * .025 OF SCRAP ON OUTER WALLS OF POUCH.

INIT.	NO.	DATE	REVISIONS
(b) (4)			
	3	7/22/08	PROPERTIES PAGE UPDATED
	2	11/30/06	UPDATED TO ACCOUNT FOR SCRAP
	1	11/2/06	UPDATED VIEWS AND NOTES

DWG. NO. UNWIND-191

DRAWN: (b) (4)

PLOT SCALE: NONE

DATE: 6/20/06

APPROVED:

McNeil Consumer Healthcare
Camp Hill Road, Fort Washington, PA 19034

TITLE:
POUCH MATERIAL
WEB LAYOUT
2.450 L x 2.640 W

To Open: While Folded on Line, Tear At Slit

See New Warnings Information

TYLENOL®

ARTHRITIS PAIN

Acetaminophen extended-release tablets
Pain Reliever/Fever Reducer
For The Temporary Relief Of Minor Arthritis Pain

2 CAPLETS - 650 mg each* **Capsule-Shaped Bi-layer Tablets*

Active ingredient (in each caplet)	*Purpose*
Acetaminophen 650 mg	Pain reliever/fever reducer

Uses ■ temporarily relieves minor aches and pains due to:
■ minor pain of arthritis ■ muscular aches ■ backache ■ premenstrual and menstrual cramps ■ the common cold ■ headache ■ toothache
■ temporarily reduces fever

Warnings **Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 6 caplets in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product. **Do not use** ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product. **Ask a doctor before use if**

SAMPLE • NOT TO BE SOLD

you have liver disease. Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin. Stop use ask a doctor if ■ pain gets worse or lasts more than 10 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present These could be signs of a serious condition. **If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms

Directions ■ **do not take more than directed (see overdose warning)**
Adults: ■ take 2 caplets every 8 hours with water ■ swallow whole – do not crush, chew or dissolve ■ do not take more than 6 caplets in 24 hours ■ do not use for more than 10 days unless directed by a doctor
Under 18 years of age: ■ ask a doctor

Other information ■ store at 20-25C (68-77F). Avoid excessive heat 40C (104F). ■ **do not use if pouch is opened.** ***Inactive ingredients*** carnauba wax, corn starch, hydroxyethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, povidone, powdered cellulose, pregelatinized starch, sodium starch glycolate, titanium dioxide, triacetin

Questions or comments? call **1-877-895-3665**
Distributed by: McNeil Consumer Healthcare
DIVISION OF MCNEIL-PPC, INC., FORT WASHINGTON, PA 19034 USA
©MCN-PPC, INC. 2011 www.tylenol.com 0000000

150% ACTUAL SIZE FOR REVIEW ONLY

To Open: While Folded on Line, Tear At Slit

See New Warnings Information

TYLENOL®

ARTHRITIS PAIN

Acetaminophen extended-release tablets
Pain Reliever/Fever Reducer
For The Temporary Relief Of Minor Arthritis Pain

2 CAPLETS - 650 mg each* **Capsule-Shaped Bi-layer Tablets*

Active ingredient (in each caplet)	*Purpose*
Acetaminophen 650 mg	Pain reliever/fever reducer

Uses ■ temporarily relieves minor aches and pains due to:
■ minor pain of arthritis ■ muscular aches ■ backache ■ premenstrual and menstrual cramps ■ the common cold ■ headache ■ toothache
■ temporarily reduces fever

Warnings **Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 6 caplets in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product. **Do not use** ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product. **Ask a doctor before use if**

SAMPLE • NOT TO BE SOLD

you have liver disease. Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin. Stop use ask a doctor if ■ pain gets worse or lasts more than 10 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present These could be signs of a serious condition. **If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms

Directions ■ **do not take more than directed (see overdose warning)**
Adults: ■ take 2 caplets every 8 hours with water ■ swallow whole – do not crush, chew or dissolve ■ do not take more than 6 caplets in 24 hours ■ do not use for more than 10 days unless directed by a doctor
Under 18 years of age: ■ ask a doctor

Other information ■ store at 20-25C (68-77F). Avoid excessive heat 40C (104F). ■ **do not use if pouch is opened.** ***Inactive ingredients*** carnauba wax, corn starch, hydroxyethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, povidone, powdered cellulose, pregelatinized starch, sodium starch glycolate, titanium dioxide, triacetin

Questions or comments? call **1-877-895-3665**
Distributed by: McNeil Consumer Healthcare
DIVISION OF MCNEIL-PPC, INC., FORT WASHINGTON, PA 19034 USA
©MCN-PPC, INC. 2011 www.tylenol.com 0000000

Labeling Format Information: Fonts: HelveticaDF Cond Medium, Cond Bold, Cond Bold Italic

Drug Facts:	NA pt	Body Text:	5.00 pt	Bullets:	4.00 pt	Horizontal Scale:	85%
Headers:	6.00 pt	Leading:	5.75 pt	Barlines:	NA pt		
Subheaders:	5.00 pt	Drug Facts (cotinued):	NA pt	Hairlines:	NA pt	Average Kerning:	0

McNeil Submission Artwork

(b) (4)

NOTES:

1) ALL DIMENSIONS IN INCHES.
2) TOLERANCES UNLESS SPECIFIED:
   FRACTIONS ±1/64
3) DRAWING SHOWN PRINT SIDE UP
4) ---- NO PRINT AREA
5) ⊠ LOT & EXP. DATE AREA (NO COLOR, NO COPY)
6) ▨ VERIFICATION BARCODE AREA (NO COLOR, NO COPY)

DNIT.	NO.	DATE	REVISIONS
(b) (4)	6	6/1/09	UPDATED NOTES
	5	1/8/07	CHANGED ARTWORK FROM "CONTROL" TO "LOT"
	4	7/18/97	ADDED DV INFO
	3	3-15-94	ADDED "EXP. DATE" TEXT
	2	5-6-92	REDRAWN ON NEW FORMAT
	1	2-9-90	DIMENSION CHANGE

DWG. NO. LBL47
DRAWN: (b) (4)
PLOT SCALE: 1:1
DATE: 1-8-90

McNEIL CONSUMER PRODUCTS CO.
CAMP HILL ROAD, FORT WASHINGTON, PA. 19034

TITLE: HA LABEL 5.00 L X 1.75 W

150% ACTUAL SIZE FOR REVIEW ONLY

00000000

Labeling Format Information:	Fonts: HelveticaDF Cond Medium, Cond Bold, Cond Bold Italic			
Drug Facts: NA pt	Body Text: 4.50 pt	Bullets: 3.50 pt	Horizontal Scale: 75%	McNeil Submission Artwork
Headers: 4.50 pt	Leading: 5.00 pt	Barlines: NA pt		
Subheaders: 4.50 pt	Drug Facts (cotinued): NA pt	Hairlines: NA pt	Average Kerning: 0	

(b) (4)

NOTES:

1) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED.
2) COPY AREA.
3) LAMINATE RE-SEAL AREA
4) LOT/EXP AREA - FLEXO LASER VARNISH PLATE NEEDED.
5) DATA MATRIX AREA.
6) NO COPY, NO COLOR AREA.
7) INDICATES DEADENER, PRINTED ON ADHESIVE SIDE & TINTED THE SAME COLOR AS THE TAB. THIS TAKES UP ONE OF THE COLORS ON THE BASE LABEL.
8) REFERENCE NATIONAL LABEL DRAWING #6-07-5C.

INIT.	NO.	DATE	REVISIONS
(b) (4)	1	7/14/05	INITIAL DRAFT

DWG. NO. LB-PS-1206

DRAWN: (b) (4)

SCALE: NONE

DATE: 7/14/09

APPROVED:

McNeil Consumer Healthcare
7050 Camp Hill Road, Fort Washington, PA 19034

TITLE:
BOOKLET
TYLENOL ARTHRITIS 150cc

Drug Facts (continued)

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take
- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Drug Facts (continued)

Stop use and ask a doctor if
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.
Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

BACK OF COVER, PAGE 2

0000000

Drug Facts (continued)

Directions
- **do not take more than directed (see overdose warning)**

adults	■ take 2 caplets every 8 hours with water ■ swallow whole - do not crush, chew, split or dissolve ■ do not take more than 6 caplets in 24 hours ■ do not use for more than 10 days unless directed by a doctor
under 18 years of age	■ ask a doctor

Other information
- store at 20-25°C (68-77°F). Avoid excessive heat 40°C (104°F).
- **do not use if neck wrap or foil inner seal imprinted with "SAFETY SEAL®" is broken**
- see end panel for lot number and expiration date

Drug Facts (continued)

Inactive ingredients camauba wax, corn starch, hydroxyethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, povidone, powdered cellulose, pregelatinized starch, sodium starch glycolate, titanium dioxide, triacetin

Questions or comments? call 1-877-895-3665

McNeil

Manufactured by: McNeil Healthcare LLC
LAS PIEDRAS, PUERTO RICO 00771

For: McNeil Consumer Healthcare
DIVISION OF MCNEIL-PPC, INC.
FORT WASHINGTON, PA 19034 USA

©MCN-PPC, INC. 2011

PEEL

BASE LABEL, PAGE 3

See New Warnings Information

NDC 50580-112-XX

TYLENOL®

ARTHRITIS PAIN

Acetaminophen extended-release tablets

Pain Reliever/Fever Reducer

For The Temporary Relief Of Minor Arthritis Pain

Manufactured by: McNeil Healthcare LLC LAS PIEDRAS, PUERTO RICO 00771

For: McNeil Consumer Healthcare DIVISION OF MCNEIL-PPC, INC. FORT WASHINGTON, PA 19034 USA

©MCN-PPC, INC. 2011

100 CAPLETS
650 mg each

Caplets

*Capsule-Shaped Bi Layer Tablets

Contains No Aspirin

OPEN TO READ DIRECTIONS AND ADDITIONAL DRUG FACTS INFORMATION

Do not use if neck wrap or foil inner seal imprinted with "Safety Seal®" is broken.

3 0045-0838-216

Drug Facts

Active ingredient (in each caplet) ***Purpose***

Acetaminophen 650 mg....Pain reliever/fever reducer

Uses
- temporarily relieves minor aches and pains due to:
  - minor pain of arthritis
  - muscular aches
  - backache
  - premenstrual and menstrual cramps
  - the common cold
  - headache
  - toothache
- temporarily reduces fever

COVER PAGE 1

Labeling Format Information: Fonts: HelveticaDF Cond Medium, Cond Bold, Cond Bold Italic

Drug Facts:	10.0 pt	Body Text:	7.00 pt	Bullets:	6.00 pt	Horizontal Scale:	90%
Headers:	8.00 pt	Leading:	7.50 pt	Barlines:	2.50 pt		
Subheaders:	6.00 pt	Drug Facts (cotinued):	8.00 pt	Hairlines:	0.50 pt	Average Kerning:	0

McNeil Submission Artwork

(b) (4)

NOTES:

1. ALL DIMENSIONS ARE IN INCHES
2. SEAL AREA, NO PRINT.
3. SLIT
4. LOT/EXP CODING AREA. NO VARNISH, NO PRINT.
5. EYEMARK
6. "FRONT" USE STANDARD UNWIND #1.
7. "BACK" USE STANDARD UNWIND #1.

INIT.	NO.	DATE	REVISIONS
(b) (4)	1	4/19/07	CHANGED O.D. ON ROLL TO 12"

DWG. NO. UNWIND-198

DRAWN : (b) (4)

PLOT SCALE : NONE

DATE : 12/20/06

APPROVED :

McNeil Consumer Healthcare
Camp Hill Road, Fort Washington, PA 19034

TITLE:
POUCH MATERIAL
WEB LAYOUT
2.750 L x 2.3125 W



150% ACTUAL SIZE FOR REVIEW ONLY



Labeling Format Information: Fonts: HelveticaDF Cond Medium, Cond Bold, Cond Bold Italic

Drug Facts:	NA pt	Body Text:	5.00 pt	Bullets:	4.00 pt	Horizontal Scale:	75%
Headers:	5.00 pt	Leading:	5.75 pt	Barlines:	NA pt		
Subheaders:	5.00 pt	Drug Facts (cotinued):	NA pt	Hairlines:	NA pt	Average Kerning:	0

McNeil Submission Artwork

(b) (4)

NOTES:

1) ALL DIMENSIONS IN INCHES.
2) TOLERANCES UNLESS SPECIFIED:
   FRACTIONS ±1/64
3) DRAWING SHOWN PRINT SIDE UP
4) --- NO PRINT AREA
5) LOT & EXP. DATE AREA (NO COLOR, NO COPY)
6) VERIFICATION BARCODE AREA (NO COLOR, NO COPY)

INIT.	NO.	DATE	REVISIONS
(b) (4)	5	1/13/17	CHANGED ARTWORK FROM "CONTROL" TO "LOT"
	4	7/18/97	ADDED DV INFO
	3	3-15-94	ADDED "EXP. DATE" TEXT
	2	5-6-92	REDRAWN ON NEW FORMAT
	1	2-9-90	DIMENSION CHANGE

DWG. NO. LBL47
DRAWN: (b) (4)
PLOT SCALE: 1:1
DATE: 1-8-90

McNEIL CONSUMER PRODUCTS CO.
CAMP HILL ROAD, FORT WASHINGTON, PA 19034

TITLE: HA LABEL 5.00 L X 1.75 W

150% ACTUAL SIZE FOR REVIEW ONLY

Active ingredient (in each caplet) — *Purpose*
Acetaminophen 650 mg ..... Pain reliever/fever reducer

Uses ■ temporarily relieves minor aches and pains due to:
- ■ muscular aches
- ■ backache
- ■ headache
- ■ minor pain of arthritis

■ temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take
■ more than 6 caplets in 24 hours, which is the maximum daily amount
■ with other drugs containing acetaminophen
■ 3 or more alcoholic drinks every day while using this product

Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have liver disease. **Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin. **Stop use and ask a doctor if** ■ pain gets worse or lasts more than 10 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present. These could be signs of a serious condition. **If pregnant or breast-feeding,** ask a health professional before use. **Keep out of reach of children.**

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions ■ **do not take more than directed (see overdose warning)**

Adults and children 12 years and over:
■ take 2 caplets every 8 hours with water
■ swallow whole - do not crush, chew, split or dissolve
■ do not take more than 6 caplets in 24 hours
■ do not use for more than 10 days unless directed by a doctor

Children under 12 years: ■ do not use

Other information ■ store at 20-25°C (68-77°F). Avoid excessive heat 40°C (104°F).
■ **do not use if neck wrap or foil inner seal imprinted with "SAFETY SEAL®" is broken**

Inactive ingredients carnauba wax, corn starch, FD&C red #40, hydroxyethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, povidone, powdered cellulose, pregelatinized starch, sodium starch glycolate, sucralose, triacetin

Questions or comments? call **1-877-895-3665**

READ THE LABEL

NDC 50580-297-XX

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

TYLENOL® 8HR*

Acetaminophen extended-release tablets
Pain Reliever / Fever Reducer

*FOR UP TO 8 HOUR RELIEF OF MINOR
MUSCLE ACHES & PAIN
HEADACHE | BACKACHE | MINOR PAIN OF ARTHRITIS

50 CAPLETS
650 MG EACH

CAPLETS*
*Capsule-Shaped Bi-Layer Tablets

EXP. DATE:
LOT: XXXXXXX

Distributed by:
MCNEIL-PPC, INC. FORT WASHINGTON, PA 19034 USA
©MCN-PPC, INC. 2011 www.Tylenol.com

00000000

Reference ID: 3063207

Labeling Format Information: Fonts: HelveticaDF Cond Medium, Cond Bold, Cond Bold Italic

Drug Facts:	NA pt	Body Text:	4.50 pt	Bullets:	3.50 pt	Horizontal Scale:	80%
Headers:	4.50 pt	Leading:	5.00 pt	Barlines:	NA pt		
Subheaders:	4.50 pt	Drug Facts (cotinued):	NA pt	Hairlines:	NA pt	Average Kerning:	0

McNeil Submission Artwork

(b) (4)

NOTES:
1) DIMENSIONS ARE IN INCHES.
2) TOLERANCE UNLESS OTHERWISE SPECIFIED:
   FRACTIONS ±1/32, ANGLES ±1°
3) DRAWING SHOWN PRINT SIDE UP.
4) REFERANCE NEFF PACKAGING DRAWING #5736.2
5) GLUE AREA IS ON NON-PRINTED SIDE.
6) LOT/EXP AREA, NO VARNISH.
7) VERIFICATION BARCODE AREA, NO VARNISH.

INIT.	NO.	DATE	REVISIONS
(b) (4)	2	12/3/08	CHANGED NOTE 5
	1	11/24/08	INITIAL DRAFT

DWG. NO. FC-C-1173
DRAWN (b) (4)
SCALE: NONE
DATE: 11/24/08
APPROVED:

McNeil Consumer Healthcare
7050 Camp Hill Road, Fort Washington, PA 19034
TITLE: CARTON

Labeling Format Information: Fonts: HelveticaDF Cond Medium, Cond Bold, Cond Bold Italic

Drug Facts:	8.50 pt	Body Text:	6.00 pt	Bullets:	5.00 pt	Horizontal Scale:	75%
Headers:	7.00 pt	Leading:	6.50 pt	Barlines:	2.50 pt		
Subheaders:	6.00 pt	Drug Facts (cotinued):	7.00 pt	Hairlines:	0.50 pt	Average Kerning:	0

McNeil Submission Artwork

(b) (4)

NOTES:

1) ALL DIMENSIONS IN INCHES.
2) TOLERANCES UNLESS SPECIFIED:
   FRACTIONS ±1/64
3) DRAWING SHOWN PRINT SIDE UP
4) - - - NO PRINT AREA
5) ⊠ LOT & EXP. DATE AREA (NO COLOR, NO COPY)
6) ▨ VERIFICATION BARCODE AREA (NO COLOR, NO COPY)

INIT.	NO.	DATE	REVISIONS
(b) (4)	6	6/1/09	UPDATED NOTES
	5	1/8/07	CHANGED ARTWORK FROM "CONTROL" TO "LOT"
	4	7/18/97	ADDED DV INFO
	3	3-15-94	ADDED "EXP. DATE" TEXT
	2	5-6-92	REDRAWN ON NEW FORMAT
	1	2-9-90	DIMENSION CHANGE

DWG. NO. LBL47
DRAWN: (b) (4)
PLOT SCALE: 1:1
DATE: 1-8-90

McNEIL CONSUMER PRODUCTS CO.
CAMP HILL ROAD, FORT WASHINGTON, PA. 19034

TITLE:
HA LABEL
5.00 L X 1.75 W

150% ACTUAL SIZE FOR REVIEW



Labeling Format Information:	Fonts: HelveticaDF Cond Medium, Cond Bold, Cond Bold Italic			
Drug Facts: NA pt	Body Text: 4.50 pt	Bullets: 3.50 pt	Horizontal Scale: 75%	McNeil Submission Artwork
Headers: 4.50 pt	Leading: 5.00 pt	Barlines: NA pt		
Subheaders: 4.50 pt	Drug Facts (cotinued): NA pt	Hairlines: NA pt	Average Kerning: 0	

(b) (4)

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

ANDREA LEONARD SEGAL
12/23/2011