Reference ID: 3023008

Drug Facts

Active ingredient (in each capsule) — **Purpose**
Lansoprazole 15 mg ..... Acid reducer

Use
- treats frequent heartburn (occurs **2 or more** days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings
Allergy alert: Do not use if you are allergic to lansoprazole

Do not use
- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have
- liver disease
- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are taking
- warfarin (blood-thinning medicine)
- prescription antifungal or anti-yeast medicines
- digoxin (heart medicine)

Drug Facts (continued)
- theophylline (asthma medicine)
- tacrolimus (immune system medicine)
- atazanavir (medicine for HIV infection)

Stop use and ask a doctor if
- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
- adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect, although some people get complete relief of symptoms within 24 hours

14-Day Course of Treatment
- swallow 1 capsule with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- swallow whole. Do not crush or chew capsules.
- do not use for more than 14 days unless directed by your doctor

Repeated 14-Day Courses (if needed)
- you may repeat a 14-day course every 4 months
- **do not take for more than 14 days or more often than every 4 months unless directed by a doctor**
- children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

Drug Facts (continued)

Other information
- read the directions, warnings and package insert before use
- keep the carton and package insert. They contain important information.
- store at 20-25°C (68-77°F)
- keep product out of high heat and humidity
- protect product from moisture

Inactive ingredients colloidal silicon dioxide, D&C red No. 28, FD&C blue No. 1, FD&C green No. 3, FD&C red No. 40, gelatin, hydroxypropyl cellulose, low substituted hydroxypropyl cellulose, magnesium carbonate, methacrylic acid copolymer, polyethylene glycol, polysorbate 80, starch, sucrose, sugar sphere, talc, titanium dioxide

Questions or comments?
1-800-452-0051

Visit us at **www.prevacid24hr.com**

KEEP THE CARTON AND PACKAGE INSERT. THEY CONTAIN IMPORTANT INFORMATION.

TAMPER-EVIDENT BOTTLE. DO NOT USE IF INNER FOIL SEAL IMPRINTED WITH "SEALED for YOUR PROTECTION" OR BLACK BAND AROUND THE CENTER OF EACH CAPSULE IS MISSING OR BROKEN.

Distributed by: **Novartis Consumer Health, Inc.**
Parsippany, NJ 07054-0622 ©2012 XXXXX
PREVACID® is a registered trademark of Takeda Pharmaceuticals North America, Inc. and is used under license.
DAYTONA, DAYTONA 500 and the DAYTONA 500 logo are registered trademarks and used with expressed permission.

NOVARTIS

FPO

3 0067-6286-42 6

LOT:

EXP:

MADE IN:

24HR PREVACID®
Lansoprazole delayed-release capsules 15 mg / acid reducer
42 CAPSULES
THREE 14-DAY COURSES OF TREATMENT
3 BOTTLES INSIDE

FPO

DAYTONA 500

PROUD SUPPORTER

NDC 0067-6286-42

24HR PREVACID®

Lansoprazole delayed-release capsules 15 mg / acid reducer

- May take 1 to 4 days for full effect, although some people get complete relief of symptoms within 24 hours
- Clinically Proven To Treat Frequent Heartburn

42 CAPSULES
THREE 14-DAY COURSES OF TREATMENT

Sodium Free

3 BOTTLES INSIDE
42 CAPSULES TOTAL

FPO

TITLE
CTN PREV 42CT LINC

DRUG FACTS TEXT

	TYPE SIZE/STYLE
DRUG FACTS TITLE	9.0 pt. / Helvetica Condensed Bold Obl.
HEADINGS	8.0 pt. / Helvetica Condensed Bold Obl.
SUBHEADS	6.0 pt. / Helvetica Condensed Bold
BODY TEXT	6.0 pt. / Helvetica Condensed
BULLETS	5.0 pt. / Helvetica Condensed

TRACKING: 0 HORIZONTAL SCALE: 85% LEADING: 6.5 pt.
CHARACTERS/INCH: <39
BASELINES: HAIRLINES: 1.5 pt., 0.5 pt.

(b) (4)

3 0067-6286-42 6



DRUG FACTS TEXT (ABBREVIATED)

	TYPE SIZE/STYLE
DRUG FACTS TITLE	N/A / N/A
HEADINGS	8 pt. / Helvetica Condensed Bold Obl.
SUBHEADS	6.0 pt. / Helvetica Condensed Bold
BODY TEXT	6.0 pt. / Helvetica Condensed
TRACKING: 0	HORIZONTAL SCALE: 85% LEADING: 6.5 pt.

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

JOEL SCHIFFENBAUER
09/27/2011