



Antares Pharma  
A19725R4.EPS  
Print Side Up

21-Nov-2012

NDC # 54436-010-04

Rx ONLY

**Otrexup**<sup>TM</sup>

(methotrexate) injection 10mg/0.4mL

for subcutaneous injection only.

Use once weekly.

Contains:

- 4 Single use Otrexup (methotrexate) injection 10mg/0.4mL
- Package Insert, Patient Package Insert and Instructions for Use

Inactive ingredients include sodium chloride and water for injection, USP. Hydrochloric acid and sodium hydroxide were added to adjust the pH.

Manufactured for:  
Antares Pharma Inc.  
Ewing, NJ 08268

**Otrexup**<sup>TM</sup>  
(methotrexate) injection 10mg/0.4mL  
for subcutaneous injection only.  
Use once weekly.

US Patent Nos. 7,776,015, 8,021,335, 6,746,429, 7,744,582 and 8,480,631.

N 3 54436-010-04 2



LB-0013 V00

LOT: S765432 - 1  
EXP: MMM YYY

Manufactured for:  
Antares Pharma Inc.  
Ewing, NJ 08268

Inactive ingredients include sodium chloride and water for injection, USP. Hydrochloric acid and sodium hydroxide were added to adjust the pH.

Contains:

- 4 Single use Otrexup (methotrexate) injection 10mg/0.4mL
- Package Insert, Patient Package Insert and Instructions for Use

**Otrexup**<sup>TM</sup>  
(methotrexate) injection 10mg/0.4mL  
for subcutaneous injection only.  
Use once weekly.

Rx ONLY

NDC # 54436-010-04

NDC # 54436-010-04

Otrexup (methotrexate) injection 10mg/0.4mL is a preservative free sterile solution.  
See Full Prescribing Information For Dosage and Administration  
Use once weekly.  
(methotrexate) injection 10mg/0.4mL  
for subcutaneous injection only.



NDC # 54436-010-04  
Rx ONLY

**Otrexup**<sup>TM</sup>  
(methotrexate) injection 10mg/0.4mL  
for subcutaneous injection only.  
Use once weekly.

NDC # 54436-010-04  
Rx ONLY

Store between 20°C to 25°C (68°F to 77°F)  
Excursions permitted to 15°C to 30°C (59°F to 86°F)  
(see USP Controlled Room Temperature)

No varnish Area

For information on this product, visit us online at [www.antarespharma.com](http://www.antarespharma.com)


**A**CHECK FOR  
COLOR OR  
PARTICLES**10**  
mgFor one  
time use.**Otrexup**<sup>TM</sup>(methotrexate) injection 10mg/0.4mL  
for subcutaneous use only

NDC# 54436-010-01

Rx ONLY

Antares Pharma Inc.  
Ewing, NJ 08628**STEP 1**

Twist cap to remove

**STEP 2**Flip the  
safety clip off**STEP 3**Place needle end against  
thigh or abdomen at 90°  
and **firmly push until you  
hear a click** and hold for 3  
seconds (slowly count 1,2 3,) then  
remove.Do not Use  
if Tab  
Across Cap  
is BrokenNEEDLE  
END  
↓**B**WINDOW  
BLOCKED IF  
USED**C**Usual Dosage: See full  
Prescribing InformationStore between 20°C to 25°C (68°F to 77°F); excursions  
permitted to 15°C to 30°C (59°F to 86°F). (See USP Controlled  
Room Temperature)

LB-0001 V00

LOT:SNNNNNN N

EXP:MMMYYYY

Vamish Free



01)003 54436 010 01 1

Reference ID: 3389733


**A**CHECK FOR  
COLOR OR  
PARTICLES**10**  
mgFor one  
time use.**Otrexup**<sup>TM</sup>(methotrexate) injection 10mg/0.4mL  
for subcutaneous use only

NDC# 54436-010-02

Rx ONLY

Antares Pharma Inc.  
Ewing, NJ 08628**STEP 1**

Twist cap to remove

**STEP 2**Flip the  
safety clip off**STEP 3**Place needle end against  
thigh or abdomen at 90°  
and **firmly push until you  
hear a click** and hold for 3  
seconds (slowly count 1,2 3,) then  
remove.Do not Use  
if Tab  
Across Cap  
is BrokenNEEDLE  
END  
↓**B**WINDOW  
BLOCKED IF  
USEDUsual Dosage: See full  
Prescribing InformationStore between 20°C to 25°C (68°F to 77°F); excursions  
permitted to 15°C to 30°C (59°F to 86°F). (See USP Controlled  
Room Temperature)

Reference ID: 3389733

**C**

LB-0000 V00

LOT:SNNNNNN N

EXP:MMMYYYY

Vamish Free



(01)003 54436 010 02 2

**A**CHECK FOR  
COLOR OR  
PARTICLES**10**  
mgFor one  
time use.**Otrexup**<sup>TM</sup>

(methotrexate) injection 10mg/0.4mL

for subcutaneous use only

Professional sample not for sale

NDC# 54436-010-03


Rx ONLY

Antares Pharma Inc.

Ewing, NJ 08628

Do not Use  
if Tab  
Across Cap  
is BrokenNEEDLE  
END  
↓**B****STEP 1**

Twist cap to remove

**STEP 2**Flip the  
safety clip off**STEP 3**Place needle end against  
thigh or abdomen at 90°  
and **firmly push until you  
hear a click** and hold for 3  
seconds (slowly count 1,2 3,) then  
remove.WINDOW  
BLOCKED IF  
USED**C**Usual Dosage: See full  
Prescribing InformationStore between 20°C to 25°C (68°F to 77°F); excursions  
permitted to 15°C to 30°C (59°F to 86°F). (See USP Controlled  
Room Temperature)

Reference ID: 3389733

LB-0002 V00

LOT:SNNNNNN N

EXP:MMMYYYY

Vamish Free



(01)003 54436 010 03 3





Antares Pharma  
A19725R4.EPS  
Print Side Up

21-Nov-2012

NDC # 54436-015-04

Rx ONLY

TM

**Otrexup**

(methotrexate) injection 15mg/0.4mL

for subcutaneous injection only.

Use once weekly.

Contains:

- 4 Single use Otrexup (methotrexate) injection 15mg/0.4mL
- Package Insert, Patient Package Insert and Instructions for Use

Inactive ingredients include sodium chloride and water for injection, USP. Hydrochloric acid and sodium hydroxide were added to adjust the pH.

Manufactured for:  
Antares Pharma Inc.  
Ewing, NJ 08268

**Otrexup**

(methotrexate) injection 15mg/0.4mL  
for subcutaneous injection only.  
Use once weekly.

US Patent Nos. 7,776,015, 8,021,335, 6,746,429, 7,744,582 and 8,480,631.

N 3 54436-015-04 7



LB-0016V00

LOT: S765432 - 1  
EXP: MMM YYYY

Manufactured for:  
Antares Pharma Inc.  
Ewing, NJ 08268

Inactive ingredients include sodium chloride and water for injection, USP. Hydrochloric acid and sodium hydroxide were added to adjust the pH.

Contains:

- 4 Single use Otrexup (methotrexate) injection 15mg/0.4mL
- Package Insert, Patient Package Insert and Instructions for Use

**Otrexup**

(methotrexate) injection 15mg/0.4mL  
for subcutaneous injection only.

Use once weekly.

Rx ONLY

NDC # 54436-015-04

NDC # 54436-015-04  
Rx ONLY

Store between 20°C to 25°C (68°F to 77°F)  
Excursions permitted to 15°C to 30°C (59°F to 86°F)  
(see USP Controlled Room Temperature)

Otrexup (methotrexate) injection 15mg/0.4mL is a preservative free sterile solution.  
See Full Prescribing Information For Dosage and Administration  
Use once weekly.  
(methotrexate) injection 15mg/0.4mL  
for subcutaneous injection only.



NDC # 54436-015-04  
Rx ONLY

**Otrexup**  
(methotrexate) injection 15mg/0.4mL  
for subcutaneous injection only.  
Use once weekly.

No varnish Area




**A**CHECK FOR  
COLOR OR  
PARTICLES**15**  
mgFor one  
time use.**Otrexup**<sup>TM</sup>  
(methotrexate) injection 15mg/0.4mL  
for subcutaneous use only

NDC# 54436-015-01

Rx ONLY

Antares Pharma Inc.  
Ewing, NJ 08628**STEP 1**

Twist cap to remove

**STEP 2**Flip the  
safety clip off**STEP 3**Place needle end against  
thigh or abdomen at 90°  
and **firmly push until you  
hear a click** and hold for 3  
seconds (slowly count 1,2 3,) then  
remove.Do not Use  
if Tab  
Across Cap  
is BrokenNEEDLE  
END  
↓**B**WINDOW  
BLOCKED IF  
USED**C**Usual Dosage: See full  
Prescribing InformationStore between 20°C to 25°C (68°F to 77°F); excursions  
permitted to 15°C to 30°C (59°F to 86°F). (See USP Controlled  
Room Temperature)

LB-0004 V00

LOT:SNNNNNN N

EXP:MMMYYYY



(01)003 54436 015 01 1

Reference ID: 3389733

Vamish Free



**A**CHECK FOR  
COLOR OR  
PARTICLES**15**  
mgFor one  
time use.**Otrexup**<sup>TM</sup>(methotrexate) injection 15mg/0.4mL  
for subcutaneous use only

NDC# 54436-015-02

Rx ONLY

Antares Pharma Inc.  
Ewing, NJ 08628**STEP 1**

Twist cap to remove

**STEP 2**Flip the  
safety clip off**STEP 3**Place needle end against  
thigh or abdomen at 90°  
and **firmly push until you  
hear a click** and hold for 3  
seconds (slowly count 1,2 3,) then  
remove.Do not Use  
if Tab  
Across Cap  
is BrokenNEEDLE  
END  
↓**B**WINDOW  
BLOCKED IF  
USED**C**Usual Dosage: See full  
Prescribing InformationStore between 20°C to 25°C (68°F to 77°F); excursions  
permitted to 15°C to 30°C (59°F to 86°F). (See USP Controlled  
Room Temperature)

Reference ID: 3389733

LB-0003 V00

LOT:SNNNNNN N

EXP:MMMYYYY

Vamish Free



(01)003 54436 015 02 2

**A**CHECK FOR  
COLOR OR  
PARTICLES**15**  
mgFor one  
time use.**Otrexup**<sup>TM</sup>

(methotrexate) injection 15mg/0.4mL

for subcutaneous use only


Professional sample not for sale

NDC# 54436-015-03

Rx ONLY

Antares Pharma Inc.  
Ewing, NJ 08628**STEP 1**

Twist cap to remove

**STEP 2**Flip the  
safety clip off**STEP 3**Place needle end against  
thigh or abdomen at 90°  
and **firmly push until you  
hear a click** and hold for 3  
seconds (slowly count 1,2 3,) then  
remove.Do not Use  
if Tab  
Across Cap  
is BrokenNEEDLE  
END  
↓**B**WINDOW  
BLOCKED IF  
USEDUsual Dosage: See full  
Prescribing InformationStore between 20°C to 25°C (68°F to 77°F); excursions  
permitted to 15°C to 30°C (59°F to 86°F). (See USP Controlled  
Room Temperature)

Reference ID: 3389733

**C**

LB-0005 V00

LOT:SNNNNNN N

EXP:MMMYYYY

Varnish Free



(01)003 54436 015 03 3



Antares Pharma  
A19707R7.EPS  
Print Side Up



2-July-2013

(b) (4)

US Patent Nos. 7,776,015, 8,021,335, 6,746,429, 7,744,582 and 8,480,631.

**Otrexup™**  
(methotrexate) injection 20mg/0.4mL  
for subcutaneous use only. Use once weekly.

NDC # 54436-020-01

**Otrexup™**  
(methotrexate) injection 20mg/0.4mL  
for subcutaneous use only. Use once weekly.

Rx ONLY

Manufactured for:  
Antares Pharma Inc.  
Ewing, NJ 08628

Contains:  
- 1 Single use Otrexup (methotrexate) injection 20mg/0.4mL  
- Package Insert, Patient Package Insert and Instructions for Use

Otrexup (methotrexate) injection 20mg/0.4mL is a preservative free sterile solution. Inactive ingredients include sodium chloride and water for injection, USP. Hydrochloric acid and sodium hydroxide were added to adjust the pH.

Store between 20°C to 25°C (68°F to 77°F)  
Excursions permitted to 15°C to 30°C (59°F to 86°F)  
(see USP Controlled Room Temperature)

See full Prescribing Information for Dosage and Administration

Contains:  
- 1 Single use Otrexup (methotrexate) injection 20mg/0.4mL  
- Package Insert, Patient Package Insert and Instructions for Use

Manufactured for:  
Antares Pharma Inc.  
Ewing, NJ 08628

**Otrexup™**  
(methotrexate) injection 20mg/0.4mL  
for subcutaneous use only. Use once weekly.

Rx ONLY

NDC # 54436-020-01

FCR POSITION ONLY  
128 Bar Code

FCR POSITION ONLY  
128 Bar Code

LB-0020 V00  
LOT:5765432-1  
EXP:MMYY



(b) (4)



(b) (4)



(b) (4)



(b) (4)

No Varnish Area



Antares Pharma  
A19725R4.EPS

21-NOV-2012

NDC # 54436-020-04

Rx ONLY

TM

**Otrexup**

(methotrexate) injection 20mg/0.4mL

for subcutaneous injection only.

Use once weekly.

Contains:

- 4 Single use Otrexup (methotrexate) injection 20mg/0.4mL
- Package Insert, Patient Package Insert and Instructions for Use

Inactive ingredients include sodium chloride and water for injection, USP. Hydrochloric acid and sodium hydroxide were added to adjust the pH.

Manufactured for:  
Antares Pharma Inc.  
Ewing, NJ 08268

**Otrexup**<sup>TM</sup>  
(methotrexate) injection 20mg/0.4mL  
for subcutaneous injection only.  
Use once weekly.

US Patent Nos. 7,776,015, 8,021,335, 6,746,429, 7,744,582 and 8,480,631.

N 3 54436-020-04 1



LB-0019 V00

LOT: S765432 - 1  
EXP: MMM YYYY

Store between 20°C to 25°C (68°F to 77°F)  
Excursions permitted to 15°C to 30°C (59°F to 86°F)  
(see USP Controlled Room Temperature)

NDC # 54436-020-04  
Rx ONLY

NDC # 54436-020-04

Rx ONLY

**Otrexup**<sup>TM</sup>

(methotrexate) injection 20mg/0.4mL

for subcutaneous injection only.

Use once weekly.

Contains:

- 4 Single use Otrexup (methotrexate) injection 20mg/0.4mL
- Package Insert, Patient Package Insert and Instructions for Use

Inactive ingredients include sodium chloride and water for injection, USP. Hydrochloric acid and sodium hydroxide were added to adjust the pH.

Manufactured for:  
Antares Pharma Inc.  
Ewing, NJ 08268

NDC # 54436-020-04  
Rx ONLY  
**Otrexup**<sup>TM</sup>  
(methotrexate) injection 20mg/0.4mL  
for subcutaneous injection only.  
Use once weekly.



Otrexup (methotrexate) injection 20mg/0.4mL is a preservative free sterile solution.  
See Full Prescribing Information For Dosage and Administration  
Use once weekly.  
for subcutaneous injection only.

No varnish Area




**A**CHECK FOR  
COLOR OR  
PARTICLES**20**  
mgFor one  
time use.**Otrexup**<sup>TM</sup>(methotrexate) injection 20mg/0.4mL  
for subcutaneous use only

NDC# 54436-020-01

Rx ONLY

Antares Pharma Inc.  
Ewing, NJ 08628**STEP 1**

Twist cap to remove

**STEP 2**Flip the  
safety clip off**STEP 3**Place needle end against  
thigh or abdomen at 90°  
and **firmly push until you  
hear a click** and hold for 3  
seconds (slowly count 1,2 3,) then  
remove.Do not Use  
if Tab  
Across Cap  
is BrokenNEEDLE  
END  
↓**B**WINDOW  
BLOCKED IF  
USED**C**Usual Dosage: See full  
Prescribing InformationStore between 20°C to 25°C (68°F to 77°F); excursions  
permitted to 15°C to 30°C (59°F to 86°F). (See USP Controlled  
Room Temperature)

LB-0007 V00

LOT:SNNNNNN N

EXP:MMMYYYY

Vamish Free



(01)003 54436 020 01 1

Reference ID: 3389733


**A**CHECK FOR  
COLOR OR  
PARTICLES**20**  
mgFor one  
time use.**Otrexup**<sup>TM</sup>(methotrexate) injection 20mg/0.4mL  
for subcutaneous use only

NDC# 54436-020-02

Rx ONLY

Antares Pharma Inc.  
Ewing, NJ 08628**STEP 1**

Twist cap to remove

**STEP 2**Flip the  
safety clip off**STEP 3**Place needle end against  
thigh or abdomen at 90°  
and **firmly push until you  
hear a click** and hold for 3  
seconds (slowly count 1,2 3,) then  
remove.Do not Use  
if Tab  
Across Cap  
is BrokenNEEDLE  
END  
↓**B**WINDOW  
BLOCKED IF  
USED**C**Usual Dosage: See full  
Prescribing InformationStore between 20°C to 25°C (68°F to 77°F); excursions  
permitted to 15°C to 30°C (59°F to 86°F). (See USP Controlled  
Room Temperature)

Reference ID: 3389733

LB-0006 V00

LOT:SNNNNNN N

EXP:MMMYYYY

Vamish Free



01)003 54436 020 02 2



**A**CHECK FOR  
COLOR OR  
PARTICLES**20**  
mgFor one  
time use.**Otrexup**<sup>TM</sup>

(methotrexate) injection 20mg/0.4mL

for subcutaneous use only

Professional sample not for sale

NDC# 54436-020-03


Rx ONLY

Antares Pharma Inc.

Ewing, NJ 08628

**STEP 1**

Twist cap to remove

**STEP 2**Flip the  
safety clip off**STEP 3**Place needle end against  
thigh or abdomen at 90°  
and **firmly push until you  
hear a click** and hold for 3  
seconds (slowly count 1,2 3,) then  
remove.Do not Use  
if Tab  
Across Cap  
is BrokenNEEDLE  
END  
↓**B**WINDOW  
BLOCKED IF  
USED**C**Usual Dosage: See full  
Prescribing InformationStore between 20°C to 25°C (68°F to 77°F); excursions  
permitted to 15°C to 30°C (59°F to 86°F). (See USP Controlled  
Room Temperature)

LB-0008 V00

LOT:SNNNNNN N

EXP:MMMYYYY

Vamish Free



(01)003 54436 020 03 3

Reference ID: 3389733





Antares Pharma  
A19725R4.EPS

21-NOV-2012

NDC # 54436-025-04

Rx ONLY

TM

**Otrexup**

(methotrexate) injection **25mg/0.4mL**

for subcutaneous injection only.

Use once weekly.

Contains:

- 4 Single use Otrexup (methotrexate) injection 25mg/0.4mL
- Package Insert, Patient Package Insert and Instructions for Use

Inactive ingredients include sodium chloride and water for injection, USP. Hydrochloric acid and sodium hydroxide were added to adjust the pH.

Manufactured for:  
Antares Pharma Inc.  
Ewing, NJ 08268

**Otrexup**

(methotrexate) injection **25mg/0.4mL**  
for subcutaneous injection only.  
Use once weekly.

US Patent Nos. 7,776,015, 8,021,335, 6,746,429, 7,744,582 and 8,480,631.



LB-0022 V00

LOT: S765432 - 1  
EXP: MMM YYY

Store between 20°C to 25°C (68°F to 77°F)  
Excursions permitted to 15°C to 30°C (59°F to 86°F)  
(see USP Controlled Room Temperature)

NDC # 54436-025-04  
Rx ONLY

Rx ONLY

NDC # 54436-025-04

Rx ONLY

Otrexup (methotrexate) injection 25mg/0.4mL  
is a preservative free sterile solution.

**Otrexup**  
TM  
(methotrexate) injection **25mg/0.4mL**  
for subcutaneous injection only.  
Use once weekly.

See Full Prescribing Information For Dosage and Administration




NDC # 54436-025-04  
Rx ONLY  
**Otrexup**  
TM  
(methotrexate) injection **25mg/0.4mL**  
for subcutaneous injection only.  
Use once weekly.

Contains:


- 4 Single use Otrexup (methotrexate) injection 25mg/0.4mL
- Package Insert, Patient Package Insert and Instructions for Use

Inactive ingredients include sodium chloride and water for injection, USP. Hydrochloric acid and sodium hydroxide were added to adjust the pH.

Manufactured for:  
Antares Pharma Inc.  
Ewing, NJ 08268



No varnish Area




**A**CHECK FOR  
COLOR OR  
PARTICLES**25**  
mgFor one  
time use.**Otrexup**<sup>TM</sup>(methotrexate) injection 25mg/0.4mL  
for subcutaneous use only

NDC# 54436-025-01

Rx ONLY

Antares Pharma Inc.  
Ewing, NJ 08628**STEP 1**

Twist cap to remove

**STEP 2**Flip the  
safety clip off**STEP 3**Place needle end against  
thigh or abdomen at 90°  
and **firmly push until you  
hear a click** and hold for 3  
seconds (slowly count 1,2 3,) then  
remove.Do not Use  
if Tab  
Across Cap  
is BrokenNEEDLE  
END  
↓**B**WINDOW  
BLOCKED IF  
USED**C**Usual Dosage: See full  
Prescribing InformationStore between 20°C to 25°C (68°F to 77°F); excursions  
permitted to 15°C to 30°C (59°F to 86°F). (See USP Controlled  
Room Temperature)

Reference ID: 3389733

LB-0010 V00

LOT:SNNNNNN N

EXP:MMMYYYY

Vamish Free



(01)003 54436 025 01 1


**A**CHECK FOR  
COLOR OR  
PARTICLES**25**  
mgFor one  
time use.**Otrexup**<sup>TM</sup>(methotrexate) injection 25mg/0.4mL  
for subcutaneous use only

NDC# 54436-025-02

Rx ONLY

Antares Pharma Inc.  
Ewing, NJ 08628**STEP 1**

Twist cap to remove

**STEP 2**Flip the  
safety clip off**STEP 3**Place needle end against  
thigh or abdomen at 90°  
and **firmly push until you  
hear a click** and hold for 3  
seconds (slowly count 1,2 3,) then  
remove.Do not Use  
if Tab  
Across Cap  
is BrokenNEEDLE  
END  
↓**B**WINDOW  
BLOCKED IF  
USED**C**Usual Dosage: See full  
Prescribing InformationStore between 20°C to 25°C (68°F to 77°F); excursions  
permitted to 15°C to 30°C (59°F to 86°F). (See USP Controlled  
Room Temperature)

Reference ID: 3389733

LB-0009 V00

LOT:SNNNNNN N

EXP:MMMYYYY

Vamish Free



(01)003 54436 025 02 2

**A**CHECK FOR  
COLOR OR  
PARTICLES**25**  
mgFor one  
time use.**Otrexup**<sup>TM</sup>

(methotrexate) injection 25mg/0.4mL

for subcutaneous use only


Professional sample not for sale

NDC# 54436-025-03

Rx ONLY

Antares Pharma Inc.  
Ewing, NJ 08628Do not Use  
if Tab  
Across Cap  
is BrokenNEEDLE  
END  
↓**B****STEP 1**

Twist cap to remove

**STEP 2**Flip the  
safety clip off**STEP 3**Place needle end against  
thigh or abdomen at 90°  
and **firmly push until you  
hear a click** and hold for 3  
seconds (slowly count 1,2 3,) then  
remove.WINDOW  
BLOCKED IF  
USEDUsual Dosage: See full  
Prescribing InformationStore between 20°C to 25°C (68°F to 77°F); excursions  
permitted to 15°C to 30°C (59°F to 86°F). (See USP Controlled  
Room Temperature)

Reference ID: 3389733

**C**

LB-0011 V00

LOT:SNNNNNN N

EXP:MMMYYYY

Vamish Free




01)003 54436 025 03 3





2-July-2013



No Varnish Area

# REUSABLE TRAINER

Contains No Needle and No medicine

For use only in clinic and not to be given to the patient to take home.

**Otrexup**<sup>TM</sup>  
(methotrexate) injection  
for subcutaneous use only

STEP 1

Twist cap to remove




STEP 2

Flip the  
safety clip off



STEP 3

Place needle end against thigh or abdomen at 90° and **firmly push until you hear a click** and hold for 3 seconds (slowly count 1,2,3,) then remove.



Not FDA Cleared or Approved    Keep out of the reach of children.    Please read the Instructions for Use.

LB-0012 V00

LOT:SNNNNNN-N    EXP:MMYYYY  
no varnish

Antares Pharma, Inc.  
Ewing, NJ 08628

Reference ID: 3389733

-----  
**This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.**  
-----

/s/  
-----

SARAH K YIM  
10/11/2013  
Signing for Badrul Chowdhury, M.D., Ph.D.

TATIANA OUSSOVA  
10/11/2013