



(b) (4)

NO VARNISH

**Drug Facts**

**Active ingredient (in each tablet)** Purpose  
Loratadine 5 mg ..... Antihistamine

**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

**Warnings**

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.

**When using this product** do not take more than directed. Taking more than directed may cause drowsiness.

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding,** ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

place 1 tablet on tongue; tablet disintegrates, with or without water adults and children 6 years and over 1 tablet every 12 hours; not more than 2 tablets in 24 hours  
children under 6 years of age ask a doctor  
consumers with liver or kidney disease ask a doctor

**Drug Facts (continued)**

**Other information**

- safety sealed: do not use if the individual blister unit imprinted with Claritin® Reditabs® is open or torn
- store between 20° to 25° C (68° to 77° F)
- use tablet immediately after opening individual blister
- complies with USP Procedure 2 for Assay and Organic Impurities and Test 2 for Disintegration

**Inactive ingredients**

anhydrous citric acid, gelatin, mannitol, mint flavor

**Questions or comments?**

1-800-CLARITIN (1-800-252-7484) or www.claritin.com

**Claritin®**  
**Reditabs®**

**12 Hour**

• No Water Needed • Melts in your mouth

Follow these directions carefully. Do not attempt to push the tablet through the foil.



1. Peel back outer edge.



2. Gently push tablet out.



3. Place the tablet on tongue and close mouth. The tablet will disintegrate.

00000000

NO VARNISH

NO VARNISH

00000000



00000-00  
All Rights Reserved. Product of Ireland.  
a subsidiary of Merck & Co., Inc., Whitehouse Station, NJ USA.  
© Copyright & Distributed by MSD Consumer Care, Inc.,  
PO Box 377, Memphis, TN 38151 USA

ORALLY DISINTEGRATING TABLETS

10

No Water Needed  
Melts in Your Mouth

Relief of:  
12 Hour  
• Sneezing  
• Runny Nose  
• Itchy, Watery Eyes  
• Itchy Throat or Nose

NDC 11529-7202-3

Non-Drowsy\*  
**Claritin®**  
loratadine 5 mg/antihistamine  
**Reditabs®**

Indoor & Outdoor  
Allergies

\*When taken as directed. See Drug Facts Panel.

NO VARNISH  
CODE AREA

**Claritin®**  
**Reditabs®**

**Claritin®**  
**Reditabs®**  
12 Hour  
ORALLY DISINTEGRATING TABLETS

(b) (4)

Claritin®

RediTabs®

24 Hour

10 ORALLY DISINTEGRATING TABLETS FOR 10 DAYS OF RELIEF

Original Prescription Strength

NDC 11523-7157-2

Claritin®

RediTabs®

Non-Drowsy\*  
Claritin®

24 Hour

Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

RediTabs®

loratadine 10 mg/antihistamine

Indoor & Outdoor Allergies

No Water Needed  
Melts in Your Mouth

10

ORALLY DISINTEGRATING TABLETS

\*When taken as directed. See Drug Facts Panel.

The graphics on the front panel of this carton constitute trademarks of MSD Consumer Care, Inc.

© Copyright & Distributed by MSD Consumer Care, Inc.,  
PO Box 377, Memphis, TN 38151 USA,  
a subsidiary of Merck & Co., Inc., Whitehouse Station, NJ USA.  
All rights reserved. Product of Ireland.



00000-00



0 4 1 1 0 0 8 0 6 0 2 4

NO VARNISH  
CODE AREA

1. Peel back outer edge.
2. Gently push tablet out.
3. Place the tablet on tongue and close mouth. The tablet will disintegrate.



Follow these directions carefully. Do not attempt to push the tablet through the foil.

• No Water Needed • Melts in your mouth

Claritin®  
RediTabs®  
24 Hour

1-800-CLARITIN (1-800-252-7484) or www.claritin.com

Questions or comments?

Inactive ingredients

- anhydrous citric acid, gelatin, mannitol, mint flavor and Test 2 for Disintegration
- complies with USP Procedure 2 for Assay and Organic Impurities
- use tablet immediately after opening individual blister
- store between 20° to 25° C (68° to 77° F)
- Claritin® RediTabs® is open or torn
- safety sealed; do not use if the individual blister unit is imprinted with

Other information

Drug Facts (continued)

<b>Drug Facts</b>	Loratadine 10 mg.....Antihistamine
<b>Active ingredient (in each tablet)</b>	
<b>Purpose</b>	
<b>Uses</b>	temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ itchy, watery eyes ■ runny nose ■ sneezing ■ itching of the nose or throat
<b>Warnings</b>	Do not use if you have ever had an allergic reaction to this product or any of its ingredients. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. When using this product do not take more than directed. Taking more than directed may cause drowsiness.
<b>Directions</b>	Place 1 tablet on tongue; tablet disintegrates, with or without water. Adults and children 6 years and over: 1 tablet daily; not more than 1 tablet in 24 hours. Children under 6 years of age: ask a doctor. Consumers with liver or kidney disease: ask a doctor.
<b>Keep out of reach of children.</b>	In case of overdose, get medical help or contact a Poison Control Center right away.
<b>If pregnant or breast-feeding,</b>	ask a health professional before use. medical help right away.
<b>Stop use and ask a doctor</b>	if an allergic reaction to this product occurs. Seek

00000000

NO VARNISH

00000000

NO VARNISH

00000000

NO VARNISH

NO VARNISH

(b) (4)



For Juniors & Up Ages 6 years and older  
**Claritin** RediTabs  
 24 Hour 10 ORALLY DISINTEGRATING TABLETS FOR 10 DAYS OF RELIEF

Original Prescription Strength  
 NDC 11523-7157-2  
**Claritin** RediTabs  
 loratadine 10 mg/antihistamine  
**Indoor & Outdoor Allergies**  
 24 Hour Non-Drowsy\*  
 Relief of:  
 • Sneezing  
 • Runny Nose  
 • Itchy, Watery Eyes  
 • Itchy Throat or Nose  
 No Water Needed  
 Melts in Your Mouth  
 10 ORALLY DISINTEGRATING TABLETS  
 \*When taken as directed. See Drug Facts Panel.

For Juniors & Up  
**Claritin** RediTabs  
 Ages 6 years and older

NO VARNISH  
 CODE AREA

The graphics on the front panel of this carton constitute trademarks of MSD Consumer Care, Inc.  
 © Copyright & Distributed by MSD Consumer Care, Inc.,  
 PO Box 377, Memphis, TN 38151 USA, a subsidiary of Merck & Co., Inc.,  
 Whitehouse Station, NJ USA. All rights reserved. Product of Ireland.  
 000000-00 recyclable carton



**Drug Facts**  
 Active ingredient (in each tablet) Loratadine 10 mg.....Antihistamine  
**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat  
**Warnings**  
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients.  
 Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.  
 When using this product do not take more than directed. Taking more than directed may cause drowsiness.  
 Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.  
 If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.  
**Directions**  
 ■ place 1 tablet on tongue; tablet disintegrates, with or without water adults and children 6 years and over 1 tablet daily; not more than 1 tablet in 24 hours  
 children under 6 years of age ask a doctor  
 consumers with liver or kidney disease ask a doctor

**Drug Facts (continued)**  
**Other information**  
 ■ safety sealed: do not use if the individual blister unit imprinted with Claritin® RediTabs® is open or torn  
 ■ store between 20° to 25° C (68° to 77° F)  
 ■ use tablet immediately after opening individual blister  
 ■ complies with USP Procedure 2 for Assay and Organic Impurities and Test 2 for Disintegration  
**Inactive ingredients**  
 anhydrous citric acid, gelatin, mannitol, mint flavor  
**Questions or comments?**  
 1-800-CLARITIN (1-800-252-7484) or www.claritin.com  
 For Juniors & Up Ages 6 years and older  
 24 Hour  
**Claritin** RediTabs  
 • No Water Needed • Melts in your mouth  
 Follow these directions carefully. Do not attempt to push the tablet through the foil.  
 1. Peel back outer edge.  
 2. Gently push tablet out.  
 3. Place the tablet on tongue and close mouth. The tablet will disintegrate.

NO VARNISH  
 00000000

NO VARNISH  
 00000000

NO VARNISH

(b) (4)