

IMPORTANT
INFORMATION ABOUT

WOMEN'S
Rogaine[®]

5% Minoxidil
Topical Aerosol

Hair Regrowth
Treatment

REACTIVATES
HAIR FOLLICLES
TO STIMULATE
REGROWTH

CLINICALLY PROVEN
TO REGROW HAIR



Once-a-Day
Foam For Women

UNSCENTED

DRAFT

DRAFT

WOMEN'S
Rogaine[®]

5% Minoxidil
Topical Aerosol

Hair Regrowth
Treatment

DRAFT

*Save this booklet for
future reference.*

DRAFT

Please read this booklet carefully. It will help you understand how to use WOMEN'S ROGAINE® Foam and what to expect from its use. It takes time to regrow hair. Results may occur at 3 months with **once daily** usage. For some women, you may need to use this product for at least 6 months before you see results. If you have any questions after reading this booklet, or anytime while using WOMEN'S ROGAINE® Foam, you should ask your health care professional or call us toll-free **800-ROGAINE** or **215-273-8755** (collect).

DRAFT

DRAFT

WHAT IS WOMEN'S ROGAINE® FOAM?

WOMEN'S ROGAINE®

Foam is a white foam containing 5% minoxidil for use only on the scalp to help regrow hair in women.

WHO MAY USE WOMEN'S ROGAINE®

FOAM? WOMEN'S ROGAINE® Foam may be appropriate for you if you are an adult who is at least 18 years old and experiencing gradually thinning hair or gradual hair loss on the top of your scalp.

The common hereditary thinning or hair loss process begins slowly and may become noticeable only after years of gradual loss.

WOMEN'S ROGAINE® Foam is for general thinning of hair on the top of the scalp as shown on the next page. WOMEN'S ROGAINE® Foam has been shown to regrow hair in women with the degrees of hair loss shown.

If women have more hair loss than shown, WOMEN'S ROGAINE® Foam may not work.

Many of those experiencing hair loss have other family members with gradual thinning of hair or hair loss. **If there is no family history of gradual thinning or gradual hair loss, or hair loss is patchy, see your doctor.**

DRAFT

DRAFT



DRAFT

DRAFT

WHO SHOULD NOT USE WOMEN'S ROGAINE® FOAM?

WOMEN'S ROGAINE® Foam will not prevent or improve hair loss related to pregnancy, the use of some prescription and non-prescription medications, certain severe nutritional problems (very low body iron; excessive vitamin A intake), the recently discontinued use of birth control pills, low thyroid states (hypothyroidism), chemotherapy, or diseases which cause scarring of the scalp. Also, WOMEN'S ROGAINE® Foam will not improve hair loss due to:

- Damage from the use of hair care products which cause scarring or deep burns of the scalp.
- Hair grooming methods such as cornrowing or ponytails which require pulling the hair tightly back from the scalp.

Do not use if you are not sure of the reason for your hair loss.

WILL WOMEN'S ROGAINE® FOAM WORK FOR ME?

The amount of hair regrowth is different for each person. Not everyone will respond to WOMEN'S ROGAINE® Foam. The response to WOMEN'S ROGAINE® Foam cannot be predicted. No one will be able to grow back all their hair.

DRAFT

DRAFT

To see your best results with WOMEN'S ROGAINE® Foam, make sure you apply the product directly to the scalp **once daily**. For some women, WOMEN'S ROGAINE® Foam may not work.

HOW SOON CAN I EXPECT RESULTS FROM USING WOMEN'S ROGAINE® FOAM?

Since normal hair usually grows only 1/2 to 1 inch per month, hair regrowth with WOMEN'S ROGAINE® Foam also takes time. Generally new hair growth is slow for an WOMEN'S ROGAINE® Foam user. Results may be seen as early as 3 months with **once daily** use. For some women, it may take at least 6 months for results to be seen. If you do not see any results after 6 months, stop using WOMEN'S ROGAINE® Foam and seek the advice of your doctor.

When you first begin to use WOMEN'S ROGAINE® Foam, your hair loss may continue for up to 2 weeks. This increase in hair loss is expected and is temporary. However, if it continues after two weeks, see your physician.

DRAFT

DRAFT

IF WOMEN'S ROGAINE® FOAM IS WORKING, WHAT WILL THE HAIR LOOK LIKE?

At first, hair growth may be soft, downy, and colorless hairs. After further use, the new hairs should be the same color and thickness as the other hairs on your scalp.

HOW LONG DO I NEED TO USE WOMEN'S ROGAINE® FOAM?

If you respond to WOMEN'S ROGAINE® Foam, you need to use it **once daily** to keep and continue the hair regrowth. Up to 3 months of usage may be needed to see your best results from WOMEN'S ROGAINE® Foam.

WHAT HAPPENS IF I COMPLETELY STOP USING WOMEN'S ROGAINE® FOAM? WILL I KEEP THE NEW HAIR?

Continuous use of WOMEN'S ROGAINE® Foam is needed to maintain hair regrowth. If you stop using WOMEN'S ROGAINE® Foam, the normal hair loss process will start again. You will probably lose your newly regrown hair in three to four months.

HOW DO I USE WOMEN'S ROGAINE® FOAM?

For best results, apply half a capful **once a day** directly to the scalp in the hair loss area. Using more than the recommended amount will not improve results. Each can should last two months, if used as

directed. Never take this product by mouth or apply to other parts of the body. Please refer to the "Directions for Use" section of this booklet.

WHEN DO I USE WOMEN'S ROGAINE® FOAM?

Apply WOMEN'S ROGAINE® Foam **once daily**. If you apply at night, allow application to dry completely before going to bed.

WHAT IF I FORGET TO USE WOMEN'S ROGAINE® FOAM OR MISS A DOSE?

If you miss one daily dose of WOMEN'S ROGAINE® Foam, just continue with your next dose. You should not make up for missed doses.

CAN I USE WOMEN'S ROGAINE® FOAM MORE THAN ONCE A DAY? WILL IT WORK FASTER, BETTER?

No. WOMEN'S ROGAINE® Foam will not work faster or better if used more than **once a day**. More frequent use or larger doses have not been shown to speed up hair growth and may increase your chances of side effects.

WHAT KIND OF SHAMPOO SHOULD I USE WITH WOMEN'S ROGAINE® FOAM?

If you wash your scalp before applying WOMEN'S ROGAINE® Foam, use a mild shampoo.

DRAFT

DRAFT

CAN I USE HAIR SPRAYS, MOUSSES, CONDITIONERS, GELS, ETC.?

Yes. There is no reason to change your usual hair care routine when using WOMEN'S ROGAINE® Foam. However, you should apply WOMEN'S ROGAINE® Foam first and wait for it to dry before applying your styling aids.

CAN I HAVE MY HAIR COLORED OR PERMED OR USE HAIR RELAXERS WHILE USING WOMEN'S ROGAINE® FOAM?

Yes. We have no evidence that coloring, perming, or using relaxers on your hair change the effect of WOMEN'S ROGAINE® Foam. However, because the use of a permanent wave and hair color can cause scalp irritation on certain people, we recommend the following precautions:

1. To avoid possible scalp irritation, you should make sure all of the WOMEN'S ROGAINE® Foam has been washed off the hair and scalp before using color or perm chemicals.
2. For best results, do not apply WOMEN'S ROGAINE® Foam on the same day that you use a chemical treatment on your hair.
3. Do not use WOMEN'S ROGAINE® Foam for 24 hours after using any chemicals to make sure your scalp

has not been irritated by the perm or color treatment. If no irritation occurs, continue use of WOMEN'S ROGAINE® Foam as usual.

4. Simply restart your normal WOMEN'S ROGAINE® Foam routine. There is no need to use more WOMEN'S ROGAINE® Foam to make up for missed applications.

Missing one day of WOMEN'S ROGAINE® Foam will not affect your hair regrowth results.

CAN I APPLY WOMEN'S ROGAINE® FOAM AND WASH MY HAIR AN HOUR LATER?

No. For WOMEN'S ROGAINE® Foam to work best, you should allow WOMEN'S ROGAINE® Foam to remain on the scalp for about 4 hours before washing.

DRAFT

DRAFT

DIRECTIONS FOR USE

- Please familiarize yourself with the instructions below in order to help make your product application a success.
- This product should be used **ONCE DAILY, EVERY DAY.**
- To be effective, it is important to apply the product **DIRECTLY TO YOUR SCALP** and **NOT TO YOUR HAIR** so that it can easily get to your hair follicles to help regrow your hair.
- There is no need to shampoo your hair before using the product. If you wish to shampoo your hair before applying **WOMEN'S ROGAINE® Foam**, towel dry your hair so that the skin on the scalp is dry.
- **TO OPEN** the container: Hold ring. While holding ring, twist cap to line up the arrow on the ring with the arrow on the cap. (Figure 1 below) Tilt cap back and pull off cap.
- **The foam may begin to melt on contact if your fingers are warm. Rinse your fingers in cold water first before dispensing. Be sure to dry them thoroughly before handling the foam.**
- Hold the can straight upside down, press nozzle to dispense half a capful of the foam onto a non-absorbant surface (Figure 2 below). The total amount of foam applied should not exceed half a capful.

DRAFT

DRAFT

- Within your hair thinning areas, make a center part to help maximize scalp exposure. Part your hair at least 2 more times on each side of the center part (Figure 3 below).
- Using your fingertips, spread just enough foam over the hair loss areas and gently massage the foam into the scalp starting from the back to front (forehead) direction (Figure 4 below). Use until all the foam is gone.
- After each use, thoroughly clean and dry the dish or saucer if used.
- Wash your hands well with soap and water after applying.
- **TO CLOSE** the container: place cap on container and snap into place. Be sure arrows do not line up so cap remains child resistant.

DRAFT


DRAFT




1
OPEN CONTAINER



2
HOLD CAN STRAIGHT
UPSIDE DOWN



3
PART THE HAIR



4
USE YOUR FINGERS

**ARE THERE ANY SPECIAL
WARNINGS ABOUT THE USE OF
WOMEN'S ROGAINE® FOAM?**

For external use only.

Extremely flammable: Avoid fire, flame,
or smoking during or
immediately following application.

DO NOT USE IF

- your degree of hair loss is more than that shown on page 5 of this booklet, because this product may not work for you
- you have no family history of hair loss
- your hair loss is sudden and/or patchy

DRAFT

DRAFT

- your hair loss is associated with childbirth
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

Ask a doctor before use if you have heart disease.

WHEN USING THIS PRODUCT

- do not use more than directed
- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur in 3 months with **once daily** use. For some women you may need to use this product **once daily** for at least 6 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for everyone.

DRAFT

DRAFT

STOP USE AND ASK A DOCTOR IF

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 6 months

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

WHAT ARE THE MOST COMMON SIDE EFFECTS WITH WOMEN'S ROGAINE® FOAM?

The most common side effects are itching and other skin irritations of the treated area of the scalp. WOMEN'S ROGAINE® Foam contains alcohol, which would cause burning or irritation of the eyes or sensitive skin areas. If WOMEN'S ROGAINE® Foam accidentally gets into these areas, rinse with large amounts of cool tap water. Stop using WOMEN'S ROGAINE® Foam and contact your doctor if irritation persists.

DRAFT

DRAFT

CAN WOMEN'S ROGAINE® FOAM PRODUCE UNWANTED HAIR?

Unwanted hair growth has been reported on the face and on other parts of the body with ROGAINE® use. The unwanted hair growth may be caused by the transfer of WOMEN'S ROGAINE® Foam to areas other than the scalp, or by absorption into the circulatory system of low levels of the active ingredient, or by a medical condition not related to the use of WOMEN'S ROGAINE® Foam.

If you experience unwanted hair, discontinue using WOMEN'S ROGAINE® Foam and see your doctor for recommendations about appropriate treatment. After stopping use of WOMEN'S ROGAINE® Foam, the unwanted hair, if caused by the use of WOMEN'S ROGAINE® Foam, should go away over time. You can take steps to decrease the chances for unwanted hair growth:

1. Limit the application of WOMEN'S ROGAINE® Foam only to the scalp,
2. If you use the hands to apply WOMEN'S ROGAINE® Foam, wash your hands thoroughly afterwards, and

DRAFT

DRAFT

3. Allow sufficient drying time before going to bed (usually 2 to 4 hours before going to bed after applying WOMEN'S ROGAINE® Foam).

CAN I USE WOMEN'S ROGAINE® FOAM FOR BALDNESS OR HAIR LOSS IN BABIES AND CHILDREN?

No. WOMEN'S ROGAINE® Foam must not be used to treat baldness or hair loss in babies or children.

WHAT FACTORS MAY INCREASE THE RISK OF SERIOUS SIDE EFFECTS WITH WOMEN'S ROGAINE® FOAM?

WOMEN'S ROGAINE® Foam should be applied only to the scalp. The risk of side effects may be greater when WOMEN'S ROGAINE® Foam is applied to other parts of the body.


DRAFT

DRAFT

If you have any other questions,
ask your health care professional
or call us toll-free **800-ROGAINE**
or **215-273-8755** (collect).

Store at controlled room temperature
20° to 25° C
(68° to 77° F).

Save this booklet for future reference.



TO OPEN:

1. Hold **RING**. (See diagram)
2. While holding **RING** twist **CAP** to line up white arrow on **RING** with gray arrow on **CAP**.
3. Tilt **CAP** back and pull

TO CLOSE:

1. Place **CAP** on container and snap into place.
2. Be sure arrows **DO NOT** line up so **CAP** remains child resistant.

DRAFT

DRAFT



DRAFT

Dist: Johnson & Johnson
Healthcare Products
Division of McNEIL-PPC, Inc.
Skillman, NJ 08558 USA
©McNEIL-PPC, Inc. 2014

U.S. Patent No. 6,946,120

Product incorporates technology
licensed from Stiefel Laboratories
The WOMEN'S ROGAINE® Foam
name and the design of this
packaging is subject to trademark
protection.

Questions? Call toll-free
800-ROGAINE or 215-273-8755
(collect).



30022524

DRAFT

13.5MM
5.315"

Johnson & Johnson GLOBAL STRATEGIC DESIGN OFFICE

File Name	3002252 at: Rogaine MxB Radiant LR ns_aven r_ddd						
Product Name	Women's Rogaine Foam for Women Hair Regrowth treatment						
Date	2 Feb20	RMC No / Version	3002252 at US	Progress Separator	(b) (4)		
Franchise	(b) (4)	CRR Parent No	22336	Progress Job No	3 35692		
Brand	Women's Rogaine	CRR Child No	22333	Adwork Program	InDesign CBS 5		
Project Name	(b) (4) FDA(bal)	PRF No	N/A	Lt Blk Ctry / Sales Reg	USANorthAmerica		
Component Type	Leaflet	Sercode No	N/A	Language	Single Language		
Consumer Unit Contents	80 g (2.8 oz)	Sercode Size	N/A	Printer Site	MPS Lansing MI		
Formulation No(s)	FD6 W0 6 0 0002	3D No ALDN No	3002252	Decorator	N/A		
		Other Codes	N/A	Manufacturing Site(s)	DP		
Bulk No	N/A						
Product Code No(s)	N/A						
		Dieline No	LS 26A2				

Disclaimer

- This proof indicates approximate color only!
- Printer to use pre approved color targets
- All structure and holding lines do not print unless otherwise indicated
- This is prepared as a color digital mechanical, no traps have been made
- All trapping is the responsibility of the separator and/or printer
- Artwork must be produced from electronic file
- UPC & data matrix are for position only - please do not remove or alter. If you need more space, please contact your printer.

Materials & Coatings

Note: Refer to applicable Packaging Component (PC) Specification for exact details/requ remants on substrates and coatings/vern shus

(b) (4)	Fonts	Gotham Book Gotham Book Italic Gotham Medium Gotham Medium Italic
	Substrate	80 b ext with a 8 pt Cover
	Print Method	Offset
	Print Production Manager	(b) (4)

Johnson & Johnson Consumer Products Company, Division of Johnson & Johnson Consumer Companies, Inc

DRAFT

DRAFT

1.25" QUIET ZONE

55MM
2.1654"

REVISED DIELINE
01/30/13
DIELINE # L8726A2

FDA STANDARD FORMAT COPY
 Drug Facts N/A
 Headings 7 Pt Helvetica Neue Bold Condensed Oblique
 Sub Heads 6 Pt Helvetica Neue Bold Condensed
 Text 6 Pt Helvetica Neue Condensed
 Outline Box/Barline N/A
 Hairline Rule 0.466 Pt
 Horizontal Scale 86%
 Bullets 6 Pt
 3/64" - Gap (Border - Type)
 MM ■

110

0.4^R

105

DRAFT

DRAFT

Johnson & Johnson GLOBAL STRATEGIC DESIGN OFFICE

File Name	30022519a1_Rogaine_EFHRT_60g_Lbl.ai				
Product Name	Women's Rogaine Foam for Women Hair Regrowth Treatment				
Date	12Feb2014	RMC No. / Version	30022519/2	Prepress Separator	(b) (4)
Franchise	(b) (4)	CRR Parent No.	223387	Prepress Job No.	3539280
Brand	Women's Rogaine	CRR Child No.	223390	Artwork Program	Illustrator or CS5
Project Name	(b) (4)_FDA3b	PRF No.	N/A	Ld. Mkt. Ctry / Sales Reg.	USA/Nor hAmerica
Component Type	Label	Barcode No.	N/A	Language	Single
Consumer Unit Contents	60 g (2.11oz)	Barcode Size	N/A	Printer Site	MPS Lansing MI
Formulation No(s)	N/A	2D No./LCN No.	30022519	Decorator	N/A
Bulk No.	N/A	Other Codes	N/A	Manufacturing Site(s)	DPT
Product Code No(s)	N/A			Co-packer	N/A
		Dieline No.	M210		

Disclaimer <ul style="list-style-type: none"> This proof indicates approximate color only! Printer to use pre-approved color targets. All structure and holding lines do not print unless otherwise indicated. This is prepared as a color digital mechanical, no traps have been made. All trapping is the responsibility of the separator and/or printer. Artwork must be produced from electronic file. UPC & data matrix are for position only. VENDOR IS RESPONSIBLE FOR FINAL UPC AND DATA MATRIX CODE SCAN QUALITY. 	ARTWORK SPECIFICS (b) (4)	Fonts Helvetica AkzidenzGroeskPro Gotham Rounded Arial Myriad Pro Gotham Book Gotham Medium OCRB TC Zapf Dingbats Helvetica Condensed Gotham Bold Gotham Narrow
		Substrate Clear P/S Print Methods Flexo
Materials & Coatings Note: Refer to applicable Packaging Component (PC) Specification for exact details/requirements on substrates and coatings/varnishes.	Print Production Manager (b) (4)	

Johnson & Johnson Consumer Products Company, Division of Johnson & Johnson Consumer Companies, Inc.

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

THERESA M MICHELE
02/28/2014