This label may not be the latest approved by FDA.
For current labeling information, please visit https://www.fda.gov/drugsatfda

(b) (4)

This label may not be the latest approved by FDA.
For current labeling information, please visit https://www.fda.gov/drugsatfda

(b) (4)

This label may not be the latest approved by FDA.
For current labeling information, please visit https://www.fda.gov/drugsatfda

(b) (4)

000

ages 2 years and older
Children's
Claritin®
Allergy

- Dye-Free
- Sugar-Free
- 24 Hour Relief
- Alcohol-Free

Drug Facts

Active ingredient (in each 5 mL teaspoonful)	Purpose
Loratadine 5 mg	Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

SAMPLE
NOT FOR SALE

Dye-Free

ages 2 years and older
Children's
Claritin®
Allergy

loratadine oral solution
5 mg/5 mL-antihistamine

Non-Drowsy*

24 Hour Relief of:
- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

Indoor & Outdoor Allergies

DYE-FREE

1 FL OZ (30 ml)

*When taken as directed. See Drug Facts Panel.

Grape Taste

xx-xxxxxx

ages 2 years and older
Children's
Claritin®
Allergy

Grape Taste

SAMPLE
NOT FOR SALE

Dye-Free

ages 2 years and older
Children's
Claritin®
Allergy

loratadine oral solution
5 mg/5 mL-antihistamine

Non-Drowsy*

24 Hour Relief of:
- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

Indoor & Outdoor Allergies

DYE-FREE

1 FL OZ (30 ml)

*When taken as directed. See Drug Facts Panel.

Grape Taste

LOT & EXP.AREA
NO TEXT
NO COLOR
NO VARNISH

Drug Facts (continued)

Directions
- use only with enclosed dosing cup

adults and children 6 years and over	2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours
children 2 to under 6 years of age	1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information
- **each teaspoonful contains:** sodium 6 mg
- do not use if tape imprinted with "SEALED FOR YOUR PROTECTION" on top and bottom flaps of carton is not intact
- store between 20° to 25° C (68° to 77° F)

Inactive ingredients edetate disodium, flavor, glycerin, maltitol, monobasic sodium phosphate, phosphoric acid, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose

Questions or comments? 1-800-CLARITIN (1-800-252-7484) or www.claritin.com

Claritin and the Claritin Vista are registered trademarks of Bayer.

© Bayer 2015.
Dist by: Bayer HealthCare LLC,
Whippany, NJ 07981
Product of Ireland

000

This label may not be the latest approved by FDA.
For current labeling information, please visit https://www.fda.gov/drugsatfda

Do not use if tape imprinted with "SEALED FOR YOUR PROTECTION" on top and bottom flaps of carton is not intact.

Sample-Not for Sale

Children's Claritin®

Allergy

loratadine oral solution
5 mg/5 mL-antihistamine

24 Hour

Indoor & Outdoor Allergies

1 FL OZ (30 mL)

Active ingredient
(In each 5 mL teaspoonful) **Purpose**
Loratadine 5 mg ..... Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- itching of the nose or throat
- runny nose
- sneezing
- itchy, watery eyes

Warnings **Do not use** if you have ever had an allergic reaction to this product or any of its ingredients. **Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose. **When using this product** do not take more than directed. Taking more than directed may cause drowsiness. **Stop use and ask a doctor** if an allergic reaction to this product occurs. Seek medical help right away. **If pregnant or breast-feeding,** ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
- use only with enclosed dosing cup
- adults and children 6 years and over: 2 teaspoonfuls (tsp) daily
- children 2 to under 6 years of age: 1 teaspoonful (tsp) daily
- children under 2 years of age: ask a doctor
- do not take more than 1 dose in any 24-hour period

Other information
- **each teaspoonful contains:** sodium 6 mg
- store between 20° to 25°C (68° to 77°F)

Questions or comments? **1-800-CLARITIN (1-800-252-7484)** or **www.claritin.com**

© Bayer 2015.

Dist by: Bayer HealthCare LLC,
Whippany, NJ 07981
Product of Ireland.

XXXXX

LOT

EXP

(b) (4)