

NO COPY 1/16" (0.0625")
IN FROM DIE (DASH LINE
DOES NOT PRINT)

THIS LINE INDICATES DIE
AND DOES NOT PRINT

KISS CUT

TOP (FACE)
PANEL 1

Do Not Use if seal
under bottle cap imprinted with
"SEALED for YOUR PROTECTION"
is broken or missing.

Marketed by:
Pfizer, Madison, NJ 07940 USA
© 2015 Pfizer Inc.
Made in France
For most recent product information,
visit www.Nexium24HR.com
PAA058427.FDA03

Treats Frequent Heartburn
Nexium[®]
esomeprazole
delayed-release tablets
20 mg/acid reducer
24HR
May take 1 to 4 days for full effect
2 TABLETS
SAMPLE - NOT FOR SALE

KEEP CARTON
FOR COMPLETE
WARNINGS AND
IMPORTANT
INFORMATION.

LIFT HERE
For more
information

UNVARNISHED AND PRINTED
IN BLACK FOR LOT &
EXPIRATION AREA

ART BLEEDS OFF 1/16" (0.0625")
OUT FROM DIE (DASH LINE
DOES NOT PRINT)

0.125" X 0.125" DATA MATRIX CODE
(ECC 200), PRINTED IN BLACK ON
UNPRINTED WHITE BACKGROUND
DATA MATRIX CODE = 058427

1/4" HINGE AREA
UNVARNISHED
(LINES DO NOT PRINT)

NO COPY 1/16" (0.0625")
IN FROM DIE (DASH LINE
DOES NOT PRINT)

ART BLEEDS OFF 1/16" (0.0625")
OUT FROM DIE (DASH LINE
DOES NOT PRINT)

KISS CUT

BASE
PANEL 3

(immune system medicines) ■ prescription antiretrovirals (medicines for HIV infection) ■ methotrexate (arthritis medicine)
Stop use and ask a doctor if ■ your heartburn continues or worsens ■ you need to take this product for more than 14 days ■ you need
to take more than 1 course of treatment every 4 months ■ you get diarrhea
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.
Directions ■ adults 18 years of age and older ■ this product is to be used once a day (every 24 hours), every day for 14 days
■ may take 1 to 4 days for full effect
14-Day Course of Treatment ■ swallow 1 tablet with a glass of water before eating in the morning ■ take every day for 14 days
■ do not take more than 1 tablet a day ■ swallow whole. Do not crush or chew tablets. ■ do not use for more than 14 days unless directed
by your doctor. Repeated 14-Day Courses (if needed) ■ you may repeat a 14-day course every 4 months ■ do not take for more than
14 days or more often than every 4 months unless directed by a doctor ■ children under 18 years of age: ask a doctor before use.
Heartburn in children may sometimes be caused by a serious condition. Other Information ■ read the directions and warnings before use
Keep the carton. It contains important information. ■ store at 20-25°C (68-77°F)
Questions or comments? call toll-free: weekdays 9 AM to 5 PM EST at 1-866-226-1600

THIS LINE INDICATES DIE
AND DOES NOT PRINT

NO COPY 1/16" (0.0625")
IN FROM DIE (DASH LINE
DOES NOT PRINT)

ART BLEEDS OFF 1/16" (0.0625")
OUT FROM DIE (DASH LINE
DOES NOT PRINT)

1/4" HINGE AREA
UNVARNISHED
(LINES DO NOT PRINT)

TOP (BACK)
PANEL 2

Active ingredient (in each tablet)
Esomeprazole 20 mg
(Each delayed-release tablet corresponds to 22.3 mg esomeprazole magnesium trihydrate)
Uses ■ treats frequent heartburn (occurs 2 or more days a week) ■ not intended for immediate relief of heartburn; this drug may take 1 to
14 days for full effect
Warnings
Allergy alert: Do not use if you are allergic to esomeprazole
Do not use if you have: ■ trouble or pain swallowing food, vomiting with blood, or bloody or black stools ■ heartburn with
lightheadedness, sweating or dizziness ■ chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or
shoulders; or lightheadedness ■ frequent chest pain. These may be signs of a serious condition. See your doctor.
Ask a doctor before use if you have ■ had heartburn over 3 months. This may be a sign of a more serious condition. ■ frequent wheezing,
particularly with heartburn ■ unexplained weight loss ■ nausea or vomiting ■ stomach pain
Ask a doctor or pharmacist before use if you are taking ■ warfarin, clopidogrel or clobazepam (blood-thinning medicines) ■ prescription
antifungal or anti-yeast medicines ■ digoxin (heart medicine) ■ diazepam (anxiety medicine) ■ lacosimolus or mycophenolate mofetil

THIS LINE INDICATES DIE
AND DOES NOT PRINT


PRODUCTION (NOT COLOR ACCURATE)

Job Information	Color Legend
(b) (4)	

DRUG FACTS TEXT DEFINED	TYPE SIZE
• HEADINGS	5.5 pt
• SUBHEADINGS/BODY TEXT	5.5 pt
• LEADING	5.5 pt
• BULLETS	4.5 pt
• SPACE BEFORE BULLET	2 ems
• WARNING BOX LINE, HAIRLINES	1 pt, .5 pt

090177e1874103d6\Final\Final On: 16-Nov-2015 22:09

Reference ID: 3843998



DRUG FACTS TEXT DEFINED	TYPE SIZE
• DRUG FACTS TITLE	9 pt
• DRUG FACTS CONTINUED	8 pt
• HEADINGS	8 pt
• SUBHEADINGS/BODY TEXT	6 pt
• LEADING	6.5 pt
• # OF CHARACTERS PER INCH	<39
• BULLETS	5 pt
• SPACE BEFORE BULLET	2 ems
• BARLINES, HAIRLINES	1.5 pt, .5 pt
• SPACE BETWEEN HAIRLINES AND BOX END	2 spaces

PRODUCTION


(NOT COLOR ACCURATE)

Job Information

Color Legend

(b) (4)





PRODUCTION


(NOT COLOR ACCURATE)

Job Information	Color Legend
(b) (4)	


DRUG FACTS TEXT DEFINED	TYPE SIZE
• DRUG FACTS TITLE	N/A
• DRUG FACTS CONTINUED	8 pt
• HEADINGS	8 pt
• SUBHEADINGS/BODY TEXT	6 pt
• LEADING	6.5 pt
• # OF CHARACTERS PER INCH	<39
• BULLETS	5 pt
• SPACE BEFORE BULLET	2 ems
• BARLINES, HAIRLINES	1.5 pt, .5 pt
• SPACE BETWEEN HAIRLINES AND BOX END	2 spaces

090177e18742b8e7\Final\Final On: 17-Nov-2015 14:44


TOP (FACE)
PANEL 1



BASE
PANEL 3



TOP (BACK)
PANEL 2



PRODUCTION

(NOT COLOR ACCURATE)

Job Information	Color Legend
(b) (4)	



DRUG FACTS TEXT DEFINED	TYPE SIZE
• HEADINGS	5.5 pt
• SUBHEADINGS/BODY TEXT	5.5 pt
• LEADING	5.5 pt
• BULLETS	4.5 pt
• SPACE BEFORE BULLET	2 ems
• WARNING BOX LINE, HAIRLINES	1 pt, .5 pt

090177e1874103efFinalOn: 16-Nov-2015 22:11



PRODUCTION

(NOT COLOR ACCURATE)

Job Information	Color Legend

DRUG FACTS TEXT DEFINED	TYPE SIZE
• DRUG FACTS TITLE	9 pt
• DRUG FACTS CONTINUED	8 pt
• HEADINGS	8 pt
• SUBHEADINGS/BODY TEXT	6 pt
• LEADING	6.5 pt
• # OF CHARACTERS PER INCH	<39
• BULLETS	5 pt
• SPACE BEFORE BULLET	2 ems
• BARLINES, HAIRLINES	1.5 pt, .5 pt
• SPACE BETWEEN HAIRLINES AND BOX END	2 spaces

090177e18742c569\Final\Final On: 17-Nov-2015 14:47



PRODUCTION (NOT COLOR ACCURATE)

DRUG FACTS TEXT DEFINED	TYPE SIZE
• DRUG FACTS TITLE	9 pt
• DRUG FACTS CONTINUED	8 pt
• HEADINGS	8 pt
• SUBHEADINGS/BODY TEXT	6 pt
• LEADING	6.5 pt
• # OF CHARACTERS PER INCH	<39
• BULLETS	5 pt
• SPACE BEFORE BULLET	2 ems
• BARLINES, HAIRLINES	1.5 pt, .5 pt
• SPACE BETWEEN HAIRLINES AND BOX END	2 spaces



(b) (5) DPP

