

# Children's Allegra Allergy 12 Hour Oral Suspension Carton

05.02.16

ALG Kids\_12hr\_4oz\_Liquid CTN\_2015\_30pct

## Children's Allegra<sup>®</sup> ALLERGY 12 HR

NON-DROWSY

Ages 2 Years & Older

**Drug Facts (continued)**

**Other information**

- each 5 mL contains: **sodium 18 mg**
- safety sealed: do not use if carton is opened or if printed foil inner seal on bottle is torn or missing
- store between 20° and 25°C (68° and 77°F)

**Inactive ingredients**  
butylparaben, edetate disodium, flavor, poloxamer 407, propylene glycol, propylparaben, purified water, sodium phosphate dibasic heptahydrate, sodium phosphate monobasic monohydrate, sucrose, titanium dioxide, xanthan gum, xylitol

**Questions or comments?**  
call toll-free 1-800-633-1610 or [www.allegra.com](http://www.allegra.com)

The makers of Allegra<sup>®</sup> do not make store brand products. The trade dress of this Allegra package is subject to trademark protection.  
Dist. By: Chattem, Inc., a Sanofi Company, Chattanooga, TN 37409-0219 ©2015  
Original Germany

XXXXXXXX-XX

## Children's Allegra<sup>®</sup> ALLERGY 12 HR

NON-DROWSY

2 Years & Older

## Children's Allegra<sup>®</sup> ALLERGY 12 HR

fexofenadine HCl oral suspension 30 mg/5 ml antihistamine

**INDOOR / OUTDOOR ALLERGY RELIEF**

- ✓ Sneezing
- ✓ Runny Nose
- ✓ Itchy, Watery Eyes
- ✓ Itchy Nose or Throat




**LIQUID** **berry** FLAVOR

Oral Suspension alcohol free/dye free

4 fl. oz. (120 ml)

**Use Only With Enclosed Dosing Cup**

Wash and let air dry after each use

alcohol free/dye free

## Children's Allegra<sup>®</sup> ALLERGY 12 HR

**Drug Facts**

Active ingredient (in each 5 mL)	Purpose
Fexofenadine HCl 30 mg.....	Antihistamine

**Uses**  
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

**Warnings**  
**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.  
**Ask a doctor before use if you have** kidney disease. Your doctor should determine if you need a different dose.

**When using this product**

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding,** ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions** ■ shake well before using  
■ use only with enclosed dosing cup

adults and children 12 years of age and over	take 10 mL every 12 hours; do not take more than 20 mL in 24 hours
children 2 to under 12 years of age	take 5 mL every 12 hours; do not take more than 10 mL in 24 hours
children under 2 years of age	ask a doctor
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Note: mL = milliliters

UPC  
FPO

LOT:

EXP:

# Children's Allegra Allergy 12 Hour Oral Suspension Label

12.02.15

ALG Kids\_12hr\_4oz\_LBL\_2015\_r2

NDC XXXXX-XXXX-X

**NON-DROWSY**  
**2 Years & Older**

**Children's Allegra<sup>®</sup> ALLERGY 12 HR**  
fexofenadine HCl oral suspension  
**30 mg/5 ml** antihistamine

**INDOOR / OUTDOOR ALLERGY RELIEF**  
Dosing Cup Included  
Wash and let air dry after each use

**Oral Suspension** 4 fl. oz. (120 ml)

**Active ingredient (in each 5 mL)**  
Fexofenadine HCl 30 mg.....Antihistamine  
**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat  
**Warnings** Do not use if you have ever had an allergic reaction to this product or any of its ingredients. **Ask a doctor before use if you have kidney disease.** Your doctor should determine if you need a different dose. **When using this product** ■ do not take more than directed ■ do not take at the same time as aluminum or magnesium antacids ■ do not take with fruit juices (see Directions) **Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away. **If pregnant or breast-feeding,** ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.  
**Directions** ■ shake well before using ▶

**Purpose** ■ use only with enclosed dosing cup ■ **adults and children 12 years of age and over** take 10 mL every 12 hours; do not take more than 20 mL in 24 hours ■ **children 2 to under 12 years of age** take 5 mL every 12 hours; do not take more than 10 mL in 24 hours ■ **children under 2 years of age** ask a doctor ■ **adults 65 years of age and older** ask a doctor ■ **consumers with kidney disease** ask a doctor  
Note: mL = milliliters **Other information** ■ each 5 mL contains: **sodium 18 mg** ■ safety sealed: do not use if carton was opened or if printed foil inner seal on bottle is torn or missing ■ store between 20° and 25°C (68° and 77°F)  
**Inactive ingredients** butylparaben, edetate disodium, flavor, poloxamer 407, propylene glycol, propylparaben, purified water, sodium phosphate dibasic heptahydrate, sodium phosphate monobasic monohydrate, sucrose, titanium dioxide, xanthan gum, xylitol **Questions or comments?** call toll-free **1-800-633-1610** or [www.allegra.com](http://www.allegra.com)

Dist. By: Chatten, Inc., a Sanofi Company, Chattanooga, TN 37409-0219  
The trade dress of this Allegra<sup>®</sup> package is subject to trademark protection. © 2015 Origin Germany

XXXXXXXX  
LOT  
EXP



# Children's Allegra Allergy 12 Hour Oral Suspension Label

06.09.16

ALG Kids\_12hr\_8oz\_LBL\_2015

NDC XXXXX-XXXX-X

**NON-DROWSY**  
**2 Years & Older**

**Children's Allegra<sup>®</sup> ALLERGY 12 HR**  
fexofenadine HCl oral suspension  
**30 mg/5 ml** antihistamine

**INDOOR / OUTDOOR ALLERGY RELIEF**  
Dosing Cup Included  
Wash and let air dry after each use

**Oral Suspension** 8 fl. oz. (240 ml)

**Active ingredient (in each 5 mL)**  
Fexofenadine HCl 30 mg.....Antihistamine  
**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat  
**Warnings** Do not use if you have ever had an allergic reaction to this product or any of its ingredients. **Ask a doctor before use if you have kidney disease.** Your doctor should determine if you need a different dose. **When using this product** ■ do not take more than directed ■ do not take at the same time as aluminum or magnesium antacids ■ do not take with fruit juices (see Directions) **Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away. **If pregnant or breast-feeding,** ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.  
**Directions** ■ shake well before using ▶

**Purpose**  
■ use only with enclosed dosing cup ■ **adults and children 12 years of age and over** take 10 mL every 12 hours; do not take more than 20 mL in 24 hours ■ **children 2 to under 12 years of age** take 5 mL every 12 hours; do not take more than 10 mL in 24 hours ■ **children under 2 years of age** ask a doctor ■ **adults 65 years of age and older** ask a doctor ■ **consumers with kidney disease** ask a doctor Note: mL = milliliters **Other information**  
■ each 5 mL contains: **sodium 18 mg** ■ safety sealed: do not use if carton was opened or if printed foil inner seal on bottle is torn or missing ■ store between 20° and 25°C (68° and 77°F)  
**Inactive ingredients** butylparaben, edetate disodium, flavor, poloxamer 407, propylene glycol, propylparaben, purified water, sodium phosphate dibasic heptahydrate, sodium phosphate monobasic monohydrate, sucrose, titanium dioxide, xanthan gum, xylitol **Questions or comments?** call toll-free **1-800-633-1610** or [www.allegra.com](http://www.allegra.com)


XXXXXXXX-XX  
LOT  
EXP

Dist. By: Chattem, Inc., a Sanofi Company, Chattanooga, TN 37409-0219  
The trade dress of this Allegra<sup>®</sup> package is subject to trademark protection. © 2015 Origin Germany

# Children's Allegra Allergy 12 Hour Oral Suspension Dosing Cup

## 12.2.15

ALG Kids\_12hr\_4oz\_Liquid\_Dosing Cup\_2015\_r1



-----  
**This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.**  
-----

/s/  
-----

THERESA M MICHELE  
06/15/2016