

VISTOGARD® 10g
(uridine triacetate) oral granules



Carton contains 20 x 10 gram packets

NDC 69468-151-20

NDC 69468-151-20



3 69468 15120 5


VISTOGARD® 10g
(uridine triacetate) oral granules

Rx Only

Each carton contains 20 packets.
Each single-dose packet contains 10 g of uridine triacetate.
Directions for use: Each Vistogard® dose should be mixed into a soft food (such as applesauce, pudding, or yogurt) immediately prior to administration. For pediatric administration, see prescribing information and discard unused portion of granules.
An unopened packet must be used for each dose.
Usual dosage: See prescribing information.
See package insert for complete information.

Store at 25°C (77°F); excursions permitted to 15°C to 30°C (59°F to 86°F).

Keep this and all medication out of the reach of children.

Manufactured for:
Wellstat Therapeutics Corporation
Gaithersburg, MD 20878



Distributed by:
BTG International Inc.
West Conshohocken, PA 19428




VISTOGARD® 10g
(uridine triacetate) oral granules

Carton contains 20 x 10 gram packets


VISTOGARD® 10g
(uridine triacetate) oral granules

packets

NDC 69468-151-20

Rx Only


VISTOGARD® 10g
(uridine triacetate) oral granules

Carton contains 20 x 10 gram packets



Lot: XXXXXXX

Exp: DD MMM YY

Carton contains
4 x 10 gram packets

VISTOGARD® 10g
(uridine triacetate) oral granules



NDC 69468-151-04



VISTOGARD® 10g

(uridine triacetate) oral granules

Rx Only

Each carton contains 4 packets.

Each single-dose packet contains 10 g of uridine triacetate.

Directions for use: Each Vistogard® dose should be mixed into a soft food (such as applesauce, pudding, or yogurt) immediately prior to administration. For pediatric administration, see prescribing information and discard unused portion of granules.

An unopened packet must be used for each dose.

Usual dosage: See prescribing information.

See package insert for complete information.

Store at 25°C (77°F); excursions permitted to 15°C to 30°C (59°F to 86°F).

Keep this and all medication out of the reach of children.

Manufactured for:

Wellstat Therapeutics Corporation
Gaithersburg, MD 20878



Made in UK

Distributed by:

BTG International Inc.
West Conshohocken, PA 19428



Carton contains
4 x 10 gram packets

NDC 69468-151-04

Rx Only

VISTOGARD® 10g

(uridine triacetate) oral granules

Carton contains
4 x 10 gram packets

VISTOGARD® 10g
(uridine triacetate) oral granules

VISTOGARD® 10g
(uridine triacetate) oral granules

Lot: XXXXXXX
Exp: DD MMM YY

NDC 69468-151-10

R_x Only



VISTOGARD® 10g

(uridine triacetate) oral granules

Each single-dose packet contains 10 g of uridine triacetate.

Directions for use: Each Vistogard® dose should be mixed into a soft food (such as applesauce, pudding, or yogurt) immediately prior to administration. For pediatric administration, see prescribing information and discard unused portion of granules.

Usual dosage: See prescribing information. See package insert for complete information.

Store at 25°C (77°F); excursions permitted to 15°C to 30°C (59°F to 86°F).

Keep this and all medication out of the reach of children.

Manufactured for:
Wellstat Therapeutics
Corporation
Gaithersburg, MD 20878

Distributed by:
BTG International Inc.
West Conshohocken,
PA 19428

Wellstat Therapeutics
CORPORATION

BTG

Made in UK



3 69468 15110 6

Lot: XXXXXXX

Exp: DD MMM YY