

MONISTAT[®]
EXTERNAL VULVAR CREAM
Miconazole Nitrate Cream (2%)
EXTERNAL USE ONLY

Relieves External Vulvar Itching & Irritation
Due to a Vaginal Yeast Infection

Net Wt. 0.53 oz. (15 grams)

For external vulvar use only. Do not take by mouth or use in eyes.

Keep out of reach of children. Stop use and ask a doctor if symptoms last more than 7 days. Before using, read the enclosed leaflet for complete

Directions and Warnings. Directions: To Open: Use cap to puncture seal.


Squeeze a small amount of cream onto your fingertip. Apply to skin outside the vagina (vulva) that itches and is irritated. Use 2 times daily for up to 7 days, as needed.

Tamper-Evident Feature: The tube opening should be sealed. Do not use if foil seal has been punctured.

Active Ingredient: miconazole nitrate 2%.

See end of tube for lot number and expiration date.
Store at 20°-25°C (68°-77°F).

© 2020 Distributed by INSIGHT Pharmaceuticals, LLC, Tarrytown, NY 10591, a Prestige Consumer Healthcare company. MNU50XX501



7-DAY
TREATMENT
COMBINATION PACK

50% MORE
EXTERNAL CREAM
FREE*

Cream

Cream with
7 Disposable Applicators

plus External Cream
for Itch Relief

*LIMITED TIME OFFER

MONISTAT[®] 7

Miconazole Nitrate Vaginal Cream (2%) – Vaginal Antifungal

COMBINATION PACK

TAMPER-EVIDENT UNIT
DO NOT USE IF SEAL OVER TUBE
HAS BEEN PUNCTURED.

MONISTAT[®] 7

Miconazole Nitrate Vaginal Cream (2%) – Vaginal Antifungal

COMBINATION PACK

Exp
Lot

- ✓ CURES most vaginal YEAST INFECTIONS
- ✓ Relieves associated external itching and irritation

Net Wt. 1.59 oz (45 g) Tube + 0.53 oz (15 g) Tube + 7 Disposable Applicators

MONISTAT[®] 7
Miconazole Nitrate Vaginal Cream (2%) – Vaginal Antifungal
COMBINATION PACK



Dist. by Insight Pharmaceuticals LLC, Tarrytown, NY 10591
A Prestige Consumer Healthcare company
©2019 Trade dress is owned by Insight Pharmaceuticals LLC.
All rights reserved. MNUS001108

If you have any
questions or
comments, please call
1-877-MONISTAT
(1-877-666-4782)

MONISTAT[®] 7
Miconazole Nitrate Vaginal Cream (2%) – Vaginal Antifungal
COMBINATION PACK

Drug Facts

Active Ingredients
Miconazole nitrate 2% (external cream) Vaginal antifungal

Purpose
Vaginal antifungal

Uses
■ treats vaginal yeast infections
■ relieves external itching and irritation due to a vaginal yeast infection

Warnings
For vaginal use only
Do not use if you have never had a vaginal yeast infection diagnosed by a doctor.
Ask a doctor before use if you have:
■ vaginal itching and discomfort for the first time
■ vaginal abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge. You may have a more serious condition.
■ vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes, or a weakened immune system.
■ been exposed to the human immunodeficiency virus (HIV) that causes AIDS
Ask a doctor or pharmacist before use if you are taking the prescription blood thinning medicine warfarin, because bleeding or bruising may occur.

When using this product
■ do not use tampons, douches, spermicides or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted diseases (STDs).
■ do not have vaginal intercourse
■ mild increase in vaginal burning, itching or irritation may occur if you do not get complete relief ask a doctor before using another product

Directions
■ before using this product read the enclosed consumer information leaflet for complete directions and information
■ adults and children 12 years of age and over:
■ applicator: insert 1 applicatorful into the vagina at bedtime for 7 nights in a row. Throw applicator away after use.
■ external cream: squeeze a small amount of cream onto your fingertip. Apply the cream onto the itchy, irritated skin outside the vagina. Use 2 times daily for up to 7 days, as needed.
■ children under 12 years of age: ask a doctor

Other information
■ do not use if seal over tube opening has been punctured
■ do not purchase if carton is open
■ store at 20°-25°C (68°-77°F)
■ Keep this carton for future reference. It contains important information


Inactive ingredients
benzoic acid, cetyl alcohol, isopropyl myristate, poly sorbate 60, potassium hydroxide, propylene glycol, purified water, stearyl alcohol

Questions? If you have any questions or comments,
please call 1-877-666-4782

Drug Facts (continued)
Stop use and ask a doctor if:
■ symptoms do not get better in 3 days
■ you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or breast-feeding, ask a health professional before use.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

3-DAY
TREATMENT
COMBINATION PACK

Ovule®



3 Ovule® Inserts

50% MORE
EXTERNAL CREAM
FREE*

Plus External Cream
for Itch Relief

*LIMITED TIME OFFER

MONISTAT® 3

COMBINATION PACK

Miconazole Nitrate Vaginal Insert (200 mg) and
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

TAMPER-EVIDENT
UNIT DO NOT USE
IF PRINTED SEALED
POUCH AND SEAL
OVER TUBE ARE
TORN, OPENED OR
INCOMPLETELY
SEALED

CFR11-0905

MONISTAT® 3

COMBINATION PACK

Miconazole Nitrate Vaginal Insert (200 mg) and
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

- ✓ CURES most vaginal YEAST INFECTIONS
- ✓ Relieves associated external itching and irritation

3 OVULE® Inserts Net Wt. 2.5 g each + 0.53 oz (15 g) Tube



Dist. by Insight Pharmaceuticals LLC, Tarrytown, NY 10591
A Prestige Consumer Healthcare company
©2019 Trade dress is owned by Insight Pharmaceuticals LLC.
All rights reserved. MNU5036103

If you have any
questions or
comments, please call
1-877-MONISTAT
(1-877-666-4782)



Exp
Lot

Drug Facts (continued)

Purpose
Miconazole nitrate (200 mg in each vaginal insert) .. Vaginal antifungal
Miconazole nitrate 2% (external cream) .. Vaginal antifungal

Uses
■ treats vaginal yeast infections
■ relieves external itching and irritation due to a vaginal yeast infection

Warnings
For vaginal use only
Do not use if you have never had a vaginal yeast infection diagnosed by a doctor.
Ask a doctor before use if you have
■ vaginal itching and discomfort for the first time
■ lower abdominal, back or shoulder pain, fever, chills, nausea,
■ vomiting, or foul-smelling vaginal discharge. You may have a more serious condition.
■ vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes, or a weakened immune system.
■ been exposed to the human immunodeficiency virus (HIV) that causes AIDS
Ask a doctor or pharmacist before use if you are taking the prescription blood thinning medicine warfarin, because bleeding or bruising may occur.
When using this product
■ do not use tampons, douches, spermicides or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted diseases (STDs).
■ do not have vaginal intercourse
■ mild increase in vaginal burning, itching or irritation may occur if you do not get complete relief ask a doctor before using another product.

Active ingredients
Miconazole nitrate (200 mg in each vaginal insert) .. Vaginal antifungal
Miconazole nitrate 2% (external cream) .. Vaginal antifungal

Directions
before using this product read the enclosed consumer information leaflet for complete directions and information
adults and children 12 years of age and over:
■ vaginal insert: with a disposable applicator, place the insert into the vagina at bedtime. Throw applicator away after use.
■ external cream: squeeze a small amount of cream onto your fingertip. Apply the cream onto the itchy, irritated skin outside the vagina. Use 2 times daily for up to 7 days, as needed.
children under 12 years of age: ask a doctor

Other information
do not use if printed sealed pouches containing vaginal inserts are torn, open or incompletely sealed
do not use if seal over tube opening has been punctured
do not purchase if carton is open
store at 20° -25°C (68° -77°F)
Keep this carton for future reference. It contains important information

Inactive ingredients
vaginal insert: gelatin, glycerin, hydrogenerated vegetable oil base, titanium dioxide
external cream: benzoic acid, cetyl alcohol, isopropyl myristate, polyorbate 60, potassium hydroxide, propylene glycol, purified water, stearyl alcohol

Questions? If you have any questions or comments,
please call 1-877-666-4782

MONISTAT® 3
COMBINATION PACK
Miconazole Nitrate Vaginal Insert (200 mg) and
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

MONISTAT® 3
COMBINATION PACK
Miconazole Nitrate Vaginal Insert (200 mg) and
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

3-DAY
TREATMENT
COMBINATION PACK

50% MORE
EXTERNAL CREAM
FREE*

Suppository



Vaginal Suppositories
with 3 Applicators

plus External Cream
for Itch Relief

*LIMITED TIME OFFER

MONISTAT[®] 3
COMBINATION PACK

Miconazole Nitrate Vaginal Suppositories (200 mg) and
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

TAMPER-EVIDENT UNIT
DO NOT USE IF
PRINTED SUPPOSITORY
BLISTERS OR SEAL
OVER TUBE ARE TORN,
OPENED OR
INCOMPLETELY
SEALED

CRN-0911

MONISTAT[®] 3
COMBINATION PACK

Miconazole Nitrate Vaginal Suppositories (200 mg) and
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

- ✓ CURES most vaginal YEAST INFECTIONS
- ✓ Relieves associated external itching and irritation

3 Suppositories Net Wt. 2.5 g each + 0.53 oz (15 g) Tube



Dist. by Insight Pharmaceuticals LLC,
Tarrytown, NY 10591
A Prestige Consumer Healthcare company
©2019 Trade dress is owned by
Insight Pharmaceuticals LLC.
All rights reserved. MNUS028103

If you have any
questions or
comments, please call
1-877-MONISTAT
(1-877-666-4782)



Exp
Lot

Drug Facts

Active ingredients
Miconazole nitrate (200 mg in each suppository).....Vaginal antifungal
Miconazole nitrate 2% (external cream).....Vaginal antifungal

Purpose
■ symptoms last more than 7 days
■ you get a rash or hives, abdominal pain, fever, chills, nausea,
vomiting, or foul-smelling vaginal discharge
■ pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. If swallowed, get medical help or
contact a Poison Control Center right away.

Directions
before using this product read the enclosed consumer
information leaflet for complete directions and information
adults and children 12 years of age and over:
■ suppositories: insert 1 suppository into the vagina at bedtime
for three nights in a row. Throw applicator away after use.
■ external cream: squeeze a small amount of cream onto your
fingertip. Apply the cream onto the itchy, irritated skin outside
the vagina. Use 2 times daily for up to 7 days, as needed.
■ children under 12 years of age: ask a doctor.

Other information
■ do not use if printed suppository blisters are torn, open or
incompletely sealed
■ do not use if seal over tube opening has been punctured
■ do not purchase if carton is open
■ store at 20°-25°C (68°-77°F)
■ Keep this carton for future reference. It contains important
information

Inactive ingredients
suppository: hydrogenated vegetable oil base
external cream: benzoic acid, cetyl alcohol, isopropyl myristate,
polyorbate 60, potassium hydroxide, propylene glycol, purified
water, stearyl alcohol

Questions? If you have any questions or comments,
please call 1-877-666-4782

Drug Facts (continued)

Warnings
For vaginal use only
Do not use if you have never had a vaginal yeast infection
diagnosed by a doctor.
Ask a doctor before use if you have
■ vaginal itching and discomfort for the first time
■ lower abdominal, back or shoulder pain, fever, chills, nausea,
vomiting, or foul-smelling vaginal discharge. You may have a
more serious condition.
■ vaginal yeast infections often (such as once a month or 3 in 6
months). You could be pregnant or have a serious underlying
medical cause for your symptoms, including diabetes, or a
weakened immune system.
■ been exposed to the human immunodeficiency virus (HIV) that
causes AIDS
Ask a doctor or pharmacist before use if you are taking the
prescription blood thinning medicine warfarin, because bleeding or
bruising may occur.

When using this product
■ do not use tampons, douches, spermicides or other vaginal
products. Condoms and diaphragms may be damaged and fail to
prevent pregnancy or sexually transmitted diseases (STDs).
■ do not have vaginal intercourse
■ mild increase in vaginal burning, itching or irritation may occur
if you do not get complete relief ask a doctor before
using another product

Uses
■ treats vaginal yeast infections
■ relieves external itching and irritation due to a vaginal
yeast infection

MONISTAT[®] 3
COMBINATION PACK
Miconazole Nitrate Vaginal Suppositories (200 mg) and
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

MONISTAT[®] 3
COMBINATION PACK
Miconazole Nitrate Vaginal Suppositories (200 mg) and
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

3-DAY
TREATMENT
COMBINATION PACK

50%
MORE
EXTERNAL CREAM
FREE

**Prefilled Cream
Applicator**



3 Ready-to-Use
Prefilled Applicators



plus External Cream
for Itch Relief

*LIMITED TIME OFFER

MONISTAT[®] 3

COMBINATION PACK

Miconazole Nitrate Vaginal Cream (4%) and
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

TAMPER-EVIDENT
UNIT DO NOT USE IF
PRINTED APPLICATOR
WRAPPER OR SEAL
OVER TUBE ARE
TORN, OPENED OR
INCOMPLETELY
SEALED

MONISTAT[®] 3

COMBINATION PACK

Miconazole Nitrate Vaginal Cream (4%) and
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

- ✓ CURES most vaginal YEAST INFECTIONS
- ✓ Relieves associated external itching and irritation

3 Prefilled Applicators Net Wt. 0.18 oz (5 g) each + 0.53 oz (15 g) Tube

Exp
Lot

MONISTAT[®] 3
COMBINATION PACK

Miconazole Nitrate Vaginal Cream (4%) and
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal



Dist. by Insight Pharmaceuticals LLC, Tarrytown, NY 10591
A Prestige Consumer Healthcare company
©2019 Trade dress is owned by Insight Pharmaceuticals LLC.
All rights reserved. MNUS013106

If you have any
questions or
comments, please call
1-877-MONISTAT
(1-877-666-4782)

Drug Facts

Active ingredient: Miconazole nitrate 4% (external cream), Vaginal antifungal
Miconazole nitrate 2% (external cream), Vaginal antifungal

Uses

- treats vaginal yeast infections
- relieves external itching and irritation due to a vaginal yeast infection

Warnings

For vaginal use only

Do not use if you have never had a vaginal yeast infection diagnosed by a doctor.

Ask a doctor before use if you have

- vaginal itching and discomfort for the first time
- lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge. You may have a more serious condition.
- vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes, or a weakened immune system.
- been exposed to the human immunodeficiency virus (HIV) that causes AIDS

Ask a doctor or pharmacist before use if you are taking the prescription blood thinning medicine warfarin, because bleeding or bruising may occur.

When using this product

- do not use tampons, douches, spermicides or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted diseases (STDs).
- do not have vaginal intercourse
- mild increase in vaginal burning, itching or irritation may occur
- if you do not get complete relief ask a doctor

before using another product

Directions

before using this product read the enclosed consumer information leaflet for complete directions and information

- adults and children 12 years of age and over:
■ applicators: insert 1 applicatorful into the vagina at bedtime for 3 nights in a row. Throw applicator away after use.
- external cream: squeeze a small amount of cream onto your fingertip. Apply the cream onto the itchy, irritated skin outside the vagina. Use 2 times daily for up to 7 days, as needed.
- children under 12 years of age: ask a doctor.

Other information

- do not use if printed applicator wrapper is torn, open or incompletely sealed
- do not use if seal over tube opening has been punctured
- do not purchase if carton is open
- store at 20°-25°C (68°-77°F)
- keep this carton for future reference. It contains important information

Inactive ingredients: benzocaine, cetyl alcohol, isopropyl myristate, polyborate 60, potassium hydroxide, propylene glycol, purified water, stearyl alcohol

Questions? If you have any questions or comments, please call 1-877-666-4782

MONISTAT[®] 3
COMBINATION PACK
Miconazole Nitrate Vaginal Cream (4%) and
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

1-DAY
TREATMENT
COMBINATION PACK

50% MORE
EXTERNAL CREAM
FREE*

Day or Night™ OVULE®
Stays in Place

Ovule® Insert

plus External Cream
for Itch Relief

*LIMITED TIME OFFER

MONISTAT® 1
COMBINATION PACK

Miconazole Nitrate Vaginal Insert (1200 mg) and
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

TAMPER-EVIDENT
UNIT DO NOT USE
IF PRINTED SEALED
POUCH AND SEAL
OVER TUBE ARE
TORN, OPENED OR
INCOMPLETELY
SEALED

CRTN-0904

MONISTAT® 1
COMBINATION PACK

Miconazole Nitrate Vaginal Insert (1200 mg) and
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

MAXIMUM
STRENGTH
OVULE®

- ✓ CURES most vaginal YEAST INFECTIONS
- ✓ Relieves associated external itching and irritation

1 OVULE® Insert Net Wt. 2.6 g + 0.53 oz (15 g) Tube



Dist. by Insight Pharmaceuticals LLC, Tarrytown, NY 10591
A Prestige Consumer Healthcare company
©2019 Trade dress is owned by Insight Pharmaceuticals LLC.
All rights reserved. MNUS019104

If you have any
questions or
comments, please call
1-877-MONISTAT
(1-877-666-4782)

NON-VARNISH AREA

LOT
DX3



Drug Facts

Active ingredients
Miconazole nitrate 1200 mg (in vaginal insert)
Miconazole nitrate 2% (external cream)

Purpose
Vaginal antifungal

Uses
treats vaginal yeast infections

Warnings
For vaginal use only
Do not use if you have never had a vaginal yeast infection diagnosed by a doctor.

Directions
before using this product read the enclosed consumer information leaflet for complete directions and information
adults and children 12 years of age and over:
vaginal insert: with the applicator, place the vaginal insert into the vagina.
Throw away applicator.
external cream: squeeze a small amount of cream onto your fingertip. Apply the cream onto the itchy, irritated skin outside the vagina. Use 2 times daily for up to 7 days as needed.

Other information
do not use if printed sealed pouch is torn, open or incompletely sealed
do not use if seal over tube opening has been punctured
do not purchase if carton is open
store at 20°-25°C (68°-77°F)
this is a 1-dose treatment. Most women do not get complete relief of their symptoms in just 1 day. Most women get some improvement in 1 day and complete relief by 7 days.
Keep this carton for future reference. It contains important information

Inactive ingredients
vaginal insert: gelatin, glycerin, leucithin, mineral oil, titanium dioxide, white petrolatum
external cream: benzocaine, cetyl alcohol, isopropyl myristate, polyorbate 80, potassium hydroxide, propylene glycol, purified water, stearyl alcohol

Questions? If you have any questions or comments, please call 1-877-666-4782

MONISTAT® 1
COMBINATION PACK
Miconazole Nitrate Vaginal Insert (1200 mg) and
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

1-Day Treatment
MAXIMUM STRENGTH OVULE®

MONISTAT® 1
COMBINATION PACK
Miconazole Nitrate Vaginal Insert (1200 mg) and
Miconazole Nitrate Vaginal Cream (2%) — Vaginal Antifungal

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

KAREN M MAHONEY
07/22/2020 01:00:56 PM