

<p>Store at room temperature 20° to 25°C (68° to 77°F) or under refrigeration 2° to 8°C (36° to 46°F). DO NOT FORCE THAW BY IMMERSION IN WATER BATHS OR BY MICROWAVE IRRADIATION. Thawed solution remains stable for 14 days under refrigeration 2° to 8°C (36° to 46°F) for 24 hours at room temperature 20° to 25°C (68° to 77°F). Do not refreeze.</p> <p>Handle frozen product containers with care. Product containers may be fragile in the frozen state.</p> <p>Distributed by: Wyeth Pharmaceuticals LLC A subsidiary of Pfizer Inc. Philadelphia, PA 19101</p> <p>GALAXY is a registered trademark of Baxter International Inc.</p>	<p>ZOSYN[®] Rx only (Piperacillin and Tazobactam Injection)</p>	<p>2.25g</p> <p> Injectables</p>	<p>2.1 x 12 x 150 mL Single Dose Containers Contains 3 doses of 12 of NDC 0206-8860-01 See package insert for details.</p> <p>Store at or below 20°C (4°F). Do not refreeze.</p>	<p>NDC 0206-8860-02 Contains 24 of NDC 0206-8860-01 Case 020602</p>  <p>01100302068860023</p>	<p>GALAXY Container Sterile Nonpyrogenic Each 50 mL container: Piperacillin Sodium equivalent to 2 g Piperacillin and Tazobactam Sodium equivalent to 0.25 g Tazobactam In Water for Injection. Approximately 1 g Dextrose Hydrate added to adjust osmolality. Approximately 100 mg Sodium Citrate Dihydrate added as a buffer. pH adjusted with sodium bicarbonate and hydrochloric acid. pH 5.5 - 6.8 Each 50 mL also contains approximately 0.5 mg Edoxone Dioxolium Dihydrate added as a metal chelator. Usage and Use: For intravenous use only. As directed by a physician. See package insert. Caution: Do not add supplementary medications or additives. Must not be used in series connections. Check for minute leaks by squeezing frozen bag firmly. If leaks are found, discard bag as sterility may be impaired. Do not use unless solution is clear.</p>

<p>Store at room temperature 20° to 25°C (68° to 77°F) or under refrigeration 2° to 8°C (36° to 46°F). DO NOT FORCE THAW BY IMMERSION IN WATER BATHS OR BY MICROWAVE IRRADIATION. Thawed solution remains stable for 14 days under refrigeration 2° to 8°C (36° to 46°F) for 24 hours at room temperature 20° to 25°C (68° to 77°F). Do not refreeze.</p> <p>Handle frozen product containers with care. Product containers may be fragile in the frozen state.</p> <p>Distributed by: Wyeth Pharmaceuticals LLC A subsidiary of Pfizer Inc. Philadelphia, PA 19101</p> <p>GALAXY is a registered trademark of Baxter International Inc.</p>	<p>ZOSYN[®] Rx only (Piperacillin and Tazobactam Injection)</p>	<p>2.25g</p> <p> Injectables</p>	<p>2.1 x 12 x 150 mL Single Dose Containers Contains 3 doses of 12 of NDC 0206-8860-01 See package insert for details.</p> <p>Store at or below 20°C (4°F). Do not refreeze.</p>	<p>NDC 0206-8860-02 Contains 24 of NDC 0206-8860-01 Case 020602</p>  <p>01100302068860023</p>	<p>GALAXY Container Sterile Nonpyrogenic Each 50 mL container: Piperacillin Sodium equivalent to 2 g Piperacillin and Tazobactam Sodium equivalent to 0.25 g Tazobactam In Water for Injection. Approximately 1 g Dextrose Hydrate added to adjust osmolality. Approximately 100 mg Sodium Citrate Dihydrate added as a buffer. pH adjusted with sodium bicarbonate and hydrochloric acid. pH 5.5 - 6.8 Each 50 mL also contains approximately 0.5 mg Edoxone Dioxolium Dihydrate added as a metal chelator. Usage and Use: For intravenous use only. As directed by a physician. See package insert. Caution: Do not add supplementary medications or additives. Must not be used in series connections. Check for minute leaks by squeezing frozen bag firmly. If leaks are found, discard bag as sterility may be impaired. Do not use unless solution is clear.</p>

<p>Store at room temperature 20° to 25°C (68° to 77°F) or under refrigeration 2° to 8°C (36° to 46°F). DO NOT FORCE THAW BY IMMERSION IN WATER BATHS OR BY MICROWAVE IRRADIATION. Thawed solution remains stable for 14 days under refrigeration 2° to 8°C (36° to 46°F) for 24 hours at room temperature 20° to 25°C (68° to 77°F). Do not refreeze.</p> <p>Handle frozen product containers with care. Product containers may be fragile in the frozen state.</p> <p>Distributed by: Wyeth Pharmaceuticals LLC A subsidiary of Pfizer Inc. Philadelphia, PA 19101</p> <p>GALAXY is a registered trademark of Baxter International Inc.</p>	<p>ZOSYN[®] Rx only (Piperacillin and Tazobactam Injection)</p>	<p>3.375g</p> <p> Injectables</p>	<p>2.1 x 12 x 150 mL Single Dose Containers Contains 3 doses of 12 of NDC 0206-8861-01 See package insert for details.</p> <p>Store at or below 20°C (4°F). Do not refreeze.</p>	<p>NDC 0206-8861-02 Contains 24 of NDC 0206-8861-01 Case 020602</p>  <p>01100302068861023</p>	<p>GALAXY Container Sterile Nonpyrogenic Each 50 mL container: Piperacillin Sodium equivalent to 3 g Piperacillin and Tazobactam Sodium equivalent to 0.375 g Tazobactam In Water for Injection. Approximately 200 mg Dextrose Hydrate added to adjust osmolality. Approximately 100 mg Sodium Citrate Dihydrate added as a buffer. pH adjusted with sodium bicarbonate and hydrochloric acid. pH 5.5 - 6.8 Each 50 mL also contains approximately 0.5 mg Edoxone Dioxolium Dihydrate added as a metal chelator. Usage and Use: For intravenous use only. As directed by a physician. See package insert. Caution: Do not add supplementary medications or additives. Must not be used in series connections. Check for minute leaks by squeezing frozen bag firmly. If leaks are found, discard bag as sterility may be impaired. Do not use unless solution is clear.</p>

<p>Store at room temperature 20° to 25°C (68° to 77°F) or under refrigeration 2° to 8°C (36° to 46°F). DO NOT FORCE THAW BY IMMERSION IN WATER BATHS OR BY MICROWAVE IRRADIATION. Thawed solution remains stable for 14 days under refrigeration 2° to 8°C (36° to 46°F) for 24 hours at room temperature 20° to 25°C (68° to 77°F). Do not refreeze.</p> <p>Handle frozen product containers with care. Product containers may be fragile in the frozen state.</p> <p>Distributed by: Wyeth Pharmaceuticals LLC A subsidiary of Pfizer Inc. Philadelphia, PA 19101</p> <p>GALAXY is a registered trademark of Baxter International Inc.</p>	<p>ZOSYN[®] Rx only (Piperacillin and Tazobactam Injection)</p>	<p>3.375g</p> <p> Injectables</p>	<p>2.1 x 12 x 150 mL Single Dose Containers Contains 3 doses of 12 of NDC 0206-8861-01 See package insert for details.</p> <p>Store at or below 20°C (4°F). Do not refreeze.</p>	<p>NDC 0206-8861-02 Contains 24 of NDC 0206-8861-01 Case 020602</p>  <p>01100302068861023</p>	<p>GALAXY Container Sterile Nonpyrogenic Each 50 mL container: Piperacillin Sodium equivalent to 3 g Piperacillin and Tazobactam Sodium equivalent to 0.375 g Tazobactam In Water for Injection. Approximately 200 mg Dextrose Hydrate added to adjust osmolality. Approximately 100 mg Sodium Citrate Dihydrate added as a buffer. pH adjusted with sodium bicarbonate and hydrochloric acid. pH 5.5 - 6.8 Each 50 mL also contains approximately 0.5 mg Edoxone Dioxolium Dihydrate added as a metal chelator. Usage and Use: For intravenous use only. As directed by a physician. See package insert. Caution: Do not add supplementary medications or additives. Must not be used in series connections. Check for minute leaks by squeezing frozen bag firmly. If leaks are found, discard bag as sterility may be impaired. Do not use unless solution is clear.</p>

<p>Store at room temperature 20° to 25°C (68° to 77°F) or under refrigeration 2° to 8°C (36° to 46°F). DO NOT FORCE THAW BY IMMERSION IN WATER BATHS OR BY MICROWAVE IRRADIATION. Thawed solution remains stable for 14 days under refrigeration 2° to 8°C (36° to 46°F) for 24 hours at room temperature 20° to 25°C (68° to 77°F). Do not refreeze.</p> <p>Handle frozen product containers with care. Product containers may be fragile in the frozen state.</p> <p>Distributed by: Wyeth Pharmaceuticals LLC A subsidiary of Pfizer Inc. Philadelphia, PA 19101</p> <p>GALAXY is a registered trademark of Baxter International Inc.</p>	<p>ZOSYN[®] Rx only (Piperacillin and Tazobactam Injection)</p>	<p>4.5g</p> <p> Injectables</p>	<p>2.1 x 6 x 100 mL Single Dose Containers Contains 2 doses of 6 of NDC 0206-8862-01 See package insert for details.</p> <p>Store at or below 20°C (4°F). Do not refreeze.</p>	<p>NDC 0206-8862-02 Contains 12 of NDC 0206-8862-01 Case 020602</p>  <p>01100302068862027</p>	<p>GALAXY Container Sterile Nonpyrogenic Each 100 mL container: Piperacillin Sodium equivalent to 4 g Piperacillin and Tazobactam Sodium equivalent to 0.5 g Tazobactam In Water for Injection. Approximately 2 g Dextrose Hydrate added to adjust osmolality. Approximately 200 mg Sodium Citrate Dihydrate added as a buffer. pH adjusted with sodium bicarbonate and hydrochloric acid. pH 5.5 - 6.8 Each 100 mL also contains approximately 1 mg Edoxone Dioxolium Dihydrate added as a metal chelator. Usage and Use: For intravenous use only. As directed by a physician. See package insert. Caution: Do not add supplementary medications or additives. Must not be used in series connections. Check for minute leaks by squeezing frozen bag firmly. If leaks are found, discard bag as sterility may be impaired. Do not use unless solution is clear.</p>

<p>Store at room temperature 20° to 25°C (68° to 77°F) or under refrigeration 2° to 8°C (36° to 46°F). DO NOT FORCE THAW BY IMMERSION IN WATER BATHS OR BY MICROWAVE IRRADIATION. Thawed solution remains stable for 14 days under refrigeration 2° to 8°C (36° to 46°F) for 24 hours at room temperature 20° to 25°C (68° to 77°F). Do not refreeze.</p> <p>Handle frozen product containers with care. Product containers may be fragile in the frozen state.</p> <p>Distributed by: Wyeth Pharmaceuticals LLC A subsidiary of Pfizer Inc. Philadelphia, PA 19101</p> <p>GALAXY is a registered trademark of Baxter International Inc.</p>	<p>ZOSYN[®] Rx only (Piperacillin and Tazobactam Injection)</p>	<p>4.5g</p> <p> Injectables</p>	<p>2.1 x 6 x 100 mL Single Dose Containers Contains 2 doses of 6 of NDC 0206-8862-01 See package insert for details.</p> <p>Store at or below 20°C (4°F). Do not refreeze.</p>	<p>NDC 0206-8862-02 Contains 12 of NDC 0206-8862-01 Case 020602</p>  <p>01100302068862027</p>	<p>GALAXY Container Sterile Nonpyrogenic Each 100 mL container: Piperacillin Sodium equivalent to 4 g Piperacillin and Tazobactam Sodium equivalent to 0.5 g Tazobactam In Water for Injection. Approximately 2 g Dextrose Hydrate added to adjust osmolality. Approximately 200 mg Sodium Citrate Dihydrate added as a buffer. pH adjusted with sodium bicarbonate and hydrochloric acid. pH 5.5 - 6.8 Each 100 mL also contains approximately 1 mg Edoxone Dioxolium Dihydrate added as a metal chelator. Usage and Use: For intravenous use only. As directed by a physician. See package insert. Caution: Do not add supplementary medications or additives. Must not be used in series connections. Check for minute leaks by squeezing frozen bag firmly. If leaks are found, discard bag as sterility may be impaired. Do not use unless solution is clear.</p>

ZOSYN[®]
(Piperacillin and Tazobactam
Injection)

2.25 g

Rx only

GALAXY
Single Dose
Container

50 mL
Iso-osmotic

NDC 0206-8860-01
Code 2G3575
Sterile Nonpyrogenic

Store at or below -20°C/-4°F. Thaw at room temperature 20° to 25°C (68° to 77°F) or under refrigeration 2° to 8°C (36° to 46°F). **DO NOT FORCE THAW BY IMMERSION IN WATER BATHS OR BY MICROWAVE IRRADIATION.** Thawed solution remains stable for 14 days under refrigeration or 24 hours at room temperature.

Do not refreeze. Handle frozen product containers with care. Product containers may be fragile in the frozen state.

Dosage and Use: For intravenous use only. As directed by a physician. See Package Insert.
Cautions: Do not add supplementary medication or additives. Must not be used in series connections. Check for minute leaks and solution clarity.

Each 50 mL contains: Piperacillin Sodium equivalent to 2 g Piperacillin and Tazobactam Sodium equivalent to 0.25 g Tazobactam in Water for Injection.

Approximately 1 g Dextrose Hydrated added to adjust osmolality. Approximately 100 mg Sodium Citrate Dihydrate added as a buffer. pH adjusted with sodium bicarbonate and hydrochloric acid. pH 5.5 - 6.8

Each 50 mL also contains approximately 0.5 mg Edetate Disodium Dihydrate added as a metal chelator.

GALAXY is a registered trademark of Baxter International Inc.

PL 2040 Plastic

Distributed by Wyeth Pharmaceuticals LLC
A subsidiary of Pfizer Inc
Philadelphia, PA 19101

 **Injectables**

14715600
07-34-00-0150



ZOSYN[®]
(Piperacillin and Tazobactam
Injection)

3.375 g

Rx only

GALAXY
Single Dose
Container

50 mL
Iso-osmotic

NDC 0206-8861-01
Code 2G3576
Sterile Nonpyrogenic

Store at or below -20°C/-4°F. Thaw at room temperature 20° to 25°C (68° to 77°F) or under refrigeration 2° to 8°C (36° to 46°F). **DO NOT FORCE THAW BY IMMERSION IN WATER BATHS OR BY MICROWAVE IRRADIATION.** Thawed solution remains stable for 14 days under refrigeration or 24 hours at room temperature.

Do not refreeze. Handle frozen product containers with care. Product containers may be fragile in the frozen state.

Dosage and Use: For intravenous use only. As directed by a physician. See Package Insert.
Cautions: Do not add supplementary medication or additives. Must not be used in series connections. Check for minute leaks and solution clarity.

Each 50 mL contains: Piperacillin Sodium equivalent to 3 g Piperacillin and Tazobactam Sodium equivalent to 0.375 g Tazobactam in Water for Injection.

Approximately 350 mg Dextrose Hydrated added to adjust osmolality. Approximately 150 mg Sodium Citrate Dihydrate added as a buffer. pH adjusted with sodium bicarbonate and hydrochloric acid. pH 5.5 - 6.8

Each 50 mL also contains approximately 0.75 mg Edetate Disodium Dihydrate added as a metal chelator.

GALAXY is a registered trademark of Baxter International Inc.

PL 2040 Plastic

Distributed by Wyeth Pharmaceuticals LLC
A subsidiary of Pfizer Inc
Philadelphia, PA 19101

 **Injectables**

14716000
07-34-00-0151



ZOSYN[®]
(Piperacillin and Tazobactam
Injection)

4.5 g
Rx only

GALAXY
Single Dose
Container

100 mL
Iso-osmotic

NDC 0206-8882-01
Code **263577**
Sterile Nonpyrogenic

Store at or below -20°C (-4°F). Thaw at room temperature 20° to 25°C (68° to 77°F) or under refrigeration 2° to 5°C (36° to 40°F). **DO NOT FORCE DRAW BY IMMERSION IN WATER BATHS OR BY MICROWAVE IRRADIATION.** Thawed solution remains stable for 14 days under refrigeration or 24 hours at room temperature. Do not refreeze. Handle frozen product containers with care. Product containers may be fragile in the frozen state.

Usage and Use: For intravenous use only. As directed by a physician. See Package Insert.
Caution: Do not add supplementary medication or additives. Must not be used in series connections. Check for minute leaks and solution clarity.

Each 100 mL contains: Piperacillin Sodium equivalent to 4 g Piperacillin and Tazobactam Sodium equivalent to 0.5 g Tazobactam in Water for Injection.

Approximately 2 g Dextrose Hydrox added to adjust osmolality. Approximately 200 mg Sodium Citrate Dihydrate added as a buffer. pH adjusted with sodium bicarbonate and hydrochloric acid. pH 5.5 - 6.8

Each 100 mL also contains approximately 1 mg Edetate Disodium Dihydrate added as a metal chelator.

GALAXY is a registered trademark of Baxter International Inc.

Distributed by
Wyeth Pharmaceuticals LLC
A subsidiary of Pfizer Inc
Philadelphia, PA 19101



Injectables

PL 2040 Plastic
14715700
07-04-00-0152





David
Lewis

Digitally signed by David Lewis

Date: 3/30/2022 08:02:20AM

GUID: 508da72000029f287fa31e664741b577