



**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you are age 60 or older. ■ have had stomach ulcers or bleeding problems ■ take a blood thinning (anticoagulant) or steroid drug ■ take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) ■ have 3 or more alcoholic drinks every day while using this product ■ take more or for a longer time than directed. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

Drink a full glass of water with each dose. Adults and children 12 years and over: Take 4 to 8 capsules every 4 hours while symptoms persist. Do not exceed 48 capsules in 24 hours unless directed by a doctor. Children under 12 years: consult a doctor.

**Questions or comments?**

Call 1-888-842-3567 9:00 AM - 7:00 PM ET, Monday - Friday

**PLX<sup>TM</sup>**  
Distributed by PLX Pharma Inc.  
9 Fishers Lane, Sparta, NJ 07871  
Visit us at: [www.vazalore.com](http://www.vazalore.com)

092622 BL89001

Drug Facts Label	Size
Drug Facts Title	NA
Drug Facts Continued	NA
Headings	8 pt
Subheadings	6 pt
Body Text	6 pt
Leading	7 pt
Characters Per Inch	<39
Bullets	5 pt
Space Before Bullet	1 em
Barlines	NA
Hairlines	NA

Drug Facts Label	Size
Drug Facts Title	12.8 pt
Drug Facts Continued	9.3 pt
Headings	9.3 pt
Subheadings	7 pt
Body Text	7 pt
Leading	7.6 pt
Characters Per Inch	<39
Bullets	5.8 pt
Space Before Bullet	2 ems
Barlines	1.5 pt
Hairlines	.33 pt



---

**This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.**

---

/s/

---

NUSHIN F TODD  
10/03/2022 01:38:29 PM