



Container Label – 2 mL in 6 mL bottle

EXP.	LOT	 (01)00317478215028	Each mL contains: Active: Atropine Sulfate 10 mg (1%), the amount of atropine in 10 mg of atropine sulfates is 8.3 mg. Preservative: Benzalkonium Chloride 0.1 mg (0.01%). Storage: Store at 20°C to 25°C (68°F to 77°F). Keep tightly closed. WARNING - KEEP OUT OF THE REACH OF CHILDREN. Manufactured by: Akorn Lake Forest, IL 60045 ASADL Rev. 02/22	NDC 17478-215-02
			Atropine Sulfate Ophthalmic Solution, USP 1% <hr/> FOR TOPICAL APPLICATION TO THE EYE Sterile Rx only 2 mL	

Container Label – 5 mL in 6 mL bottle

EXP.	LOT	 (01)00317478215059	Each mL contains: Active: Atropine Sulfate 10 mg (1%), the amount of atropine in 10 mg of atropine sulfates is 8.3 mg. Preservative: Benzalkonium Chloride 0.1 mg (0.01%). Storage: Store at 20°C to 25°C (68°F to 77°F). Keep tightly closed. WARNING - KEEP OUT OF THE REACH OF CHILDREN. Mfd. by: Akorn Lake Forest, IL 60045 ASABL Rev. 02/22	NDC 17478-215-05
			Atropine Sulfate Ophthalmic Solution, USP 1% <hr/> FOR TOPICAL APPLICATION TO THE EYE Sterile Rx only 5 mL	

Container Label – 15 mL in 15 mL bottle

EXP. LOT

(01)00317478215158

Each mL contains:
Active: Atropine Sulfate
10 mg (1%), the amount
of atropine in 10 mg of
atropine sulfate is 8.3 mg.
Preservative:
Benzalkonium Chloride
0.1 mg (0.01%).

**WARNING - KEEP OUT
OF THE REACH OF
CHILDREN.**

NDC 17478-215-15

**Atropine Sulfate
Ophthalmic
Solution, USP 1%**

**FOR TOPICAL APPLICATION
TO THE EYE**

Sterile

Rx only 15 mL

Usual Dosage: See
package insert for
dosage information.

Storage: Store at 20° C
to 25° C (68° F to 77° F).
Keep tightly closed.

Mfd. by: **Akorn**
Lake Forest, IL 60045

ASACL Rev. 02/22

Carton Labeling – 2 mL in 6 mL bottle



Carton Labeling – 5 mL in 6 mL bottle



Carton Labeling – 15 mL in 15 mL bottle



This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

WILEY A CHAMBERS
03/18/2022 02:31:31 PM