



www.Qbrexza.com

30 Single-use Cloths

For Topical Use Only



Rx Only **NDC** 70428-011-12

CAUTION: Flammable, keep away from heat or flame. Keep out of reach of children. Wash hands right away after application. Avoid contact with eyes.

Directions for Use: Wipe cloth across one entire underarm one time. Using the same cloth, wipe the other underarm one time. A single cloth should be used to apply Obrexza to both underarms. See package insert for more

Usual Dosage: See package insert.

Each pouch contains:

(equivalent to 105 mg of glycopyrronium tosylate) in a solution of citric acid, dehydrated alcohol, purified water, and

Store at room temperature, 20°C–25°C (68°F–77°F); excursions permitted to 15°C-30°C (59°F-86°F) [See USP Controlled Room Temperature].





•



Dermira, Inc., Menlo Park, CA 94025 877-337-5553 www.Dermira.com



Qbrexza Quick Start Guide



Make sure underarms are clean and dry before applying Qbrexza

Using the same cloth, wipe each underarm only once

Discard cloth in garbage bin;

do not reuse Wash hands right away with soap

and water

See package insert for more information.

Qbrexza[™] (glycopyrronium) cloth

For Topical Use Only

30 Single-use Cloths

www.Qbrexza.com

Qbrexza™ (glycopyrronium) cloth

For Topical Use Only

2.4%

30 Single-use Cloths


www.Qbrexza.com


NON AREA


NON COATING AREA


COATING
















Digitally signed by David Lewis Date: 7/20/2020 08:27:57AM

GUID: 508da72000029f287fa31e664741b577