



Non-Drowsy*
Claritin®
Reditabs®

12 HOUR Relief of:
• Sneezing
• Runny Nose
• Itchy, Watery Eyes
• Itchy Throat or Nose

30 ORALLY DISINTEGRATING TABLETS

Non-Drowsy*
Claritin®
Reditabs®
12 HOUR

Non-Drowsy*
Claritin®
Reditabs®

loratadine orally disintegrating tablets
5 mg/antihistamine
Indoor & Outdoor Allergies

12 HOUR Relief of:
• Sneezing
• Runny Nose
• Itchy, Watery Eyes
• Itchy Throat or Nose

**MELTS IN YOUR MOUTH
NO WATER NEEDED**

30 ORALLY DISINTEGRATING TABLETS

BAYER
* When taken as directed.
See Drug Facts Panel.



Bayer, the Bayer Cross, Claritin, the Claritin Vista and Reditabs are registered trademarks of Bayer.
© 2022 Bayer.
Dist by: Bayer HealthCare LLC, Whippany, NJ 07981.
Pat., patents.livewell.bayer.com
00000000

Bayer

1. Peel back outer edge.
2. Gently push tablet out.
3. Place the tablet on tongue and close mouth. The tablet will disintegrate.

Follow these directions carefully. Do not attempt to push the tablet through the foil.

No Water Needed • Melts in your mouth

Non-Drowsy*
Claritin®
Reditabs®
12 HOUR

1-800-CLARITIN (1-800-252-7484)

Questions or comments?
antihistamine, cetirizine, loratadine, meprobamate, mint flavor

Inactive ingredients
and Test 2 for disintegration

Other information
with Claritin® Reditabs® is open or torn safety sealed, do not use if the individual blister unit is printed

Drug Facts
Loratadine 5 mg. Antihistamine

Active ingredient (in each tablet)

Purpose

Uses
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
■ itchy, watery eyes
■ itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Directions
Place 1 tablet on tongue; tablet disintegrates, with or without water. Adults and children 6 years and over: 1 tablet every 12 hours, not more than 2 tablets in 24 hours. Children under 6 years of age: ask a doctor. Consumers with liver or kidney disease: ask a doctor.

Stop use and ask a doctor if you have an allergic reaction to this product or if you are pregnant or breastfeeding. Ask a health professional before use. If pregnant or breastfeeding, in case of overdose, get medical help or contact a Poison Control Center right away.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

GLUE STRIP

NO VARNISH

NO VARNISH

**NO VARNISH
NO INK**

LOT/EXP/MADE IN

<p>Claritin® ReaTabts® Loratadine Orally 12 Hr. Disintegrating Tablets 5 mg Dist. by: Bayer HealthCare LLC, Whippany, NJ 07981 Read instructions before removing tablets.</p> <p>Peel</p> <p>LOT EXP</p>	<p>Claritin® ReaTabts® Loratadine Orally 12 Hr. Disintegrating Tablets 5 mg Dist. by: Bayer HealthCare LLC, Whippany, NJ 07981 Read instructions before removing tablets.</p> <p>Peel</p> <p>LOT EXP</p>
<p>Claritin® ReaTabts® Loratadine Orally 12 Hr. Disintegrating Tablets 5 mg Dist. by: Bayer HealthCare LLC, Whippany, NJ 07981 Read instructions before removing tablets.</p> <p>Peel</p> <p>LOT EXP</p>	<p>Claritin® ReaTabts® Loratadine Orally 12 Hr. Disintegrating Tablets 5 mg Dist. by: Bayer HealthCare LLC, Whippany, NJ 07981 Read instructions before removing tablets.</p> <p>Peel</p> <p>LOT EXP</p>
<p>Claritin® ReaTabts® Loratadine Orally 12 Hr. Disintegrating Tablets 5 mg Dist. by: Bayer HealthCare LLC, Whippany, NJ 07981 Read instructions before removing tablets.</p> <p>Peel</p> <p>LOT EXP</p>	<p>Claritin® ReaTabts® Loratadine Orally 12 Hr. Disintegrating Tablets 5 mg Dist. by: Bayer HealthCare LLC, Whippany, NJ 07981 Read instructions before removing tablets.</p> <p>Peel</p> <p>LOT EXP</p>
<p>Claritin® ReaTabts® Loratadine Orally 12 Hr. Disintegrating Tablets 5 mg Dist. by: Bayer HealthCare LLC, Whippany, NJ 07981 Read instructions before removing tablets.</p> <p>Peel</p> <p>LOT EXP</p>	<p>Claritin® ReaTabts® Loratadine Orally 12 Hr. Disintegrating Tablets 5 mg Dist. by: Bayer HealthCare LLC, Whippany, NJ 07981 Read instructions before removing tablets.</p> <p>Peel</p> <p>LOT EXP</p>
<p>00000 Claritin® ReaTabts® Loratadine Orally 12 Hr. Disintegrating Tablets 5 mg Dist. by: Bayer HealthCare LLC, Whippany, NJ 07981 Read instructions before removing tablets.</p> <p>Peel</p> <p>LOT EXP</p>	<p>Claritin® ReaTabts® Loratadine Orally 12 Hr. Disintegrating Tablets 5 mg Dist. by: Bayer HealthCare LLC, Whippany, NJ 07981 Read instructions before removing tablets.</p> <p>Peel</p> <p>LOT EXP</p>

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

NUSHIN F TODD
05/25/2023 04:45:44 PM